

Philips Signage Solutions D-Line Digitaalinen litteä infotaulu 127 cm (50") VA 500 cd/m² 4K Ultra HD musta



Tuotemerkki : Philips


Tuoteperhe: Signage Solutions **Tuotekoodi**: 50BDL4511D/00

Tuotteen nimi : D-Line

Philips Signage Solutions D-Line. Tuotteen muotoilu: Digitaalinen litteä infotaulu. Näytön halkaisija: 127 cm (50"), Näytön teknologia: VA, Näytön erottelutarkkuus: 3840 x 2160 pikseliä, Näytön kirkkaus: 500 cd/m², HD-tyyppi: 4K Ultra HD. Tuotteen väri: musta

Display		Power	
Display diagonal *	127 cm (50")	Power consumption (typical) *	91 W
Display technology *	VA	Power consumption (standby) *	0.5 W
Display resolution *	3840 x 2160 pixels	Power consumption (max)	190 W
Display brightness *	500 cd/m ²	Energy efficiency class (SDR)	G
HD type *	4K Ultra HD	Energy consumption (SDR) per 1000 hours	85 kWh
Touchscreen *	✗	AC input voltage	100 - 240 V
Native aspect ratio	16:9	AC input frequency	50 - 60 Hz
Response time	8 ms	Energy efficiency scale	A to G
Contrast ratio (typical)	4000:1	Computer system	
Contrast ratio (dynamic)	500000:1	Computer system *	✗
Viewing angle, horizontal	178°	Built-in processor *	✗
Viewing angle, vertical	178°	Video formats supported	H.264, H.265, MPEG
Display number of colours	1.07 billion colours	Audio formats supported	AAC, AAC HE
Pixel pitch	0.2854 x 0.2854 mm	Image formats supported	BMP, JPEG, PNG
Display diagonal (metric)	125.7 cm	Weight & dimensions	
Native refresh rate	60 Hz	Display width	1128.4 mm
Haze rate	25%	Display depth	63.5 mm
Ports & interfaces		Display height	649 mm
HDMI ports quantity *	3	Display weight	14.8 kg
HDMI version	2.0	Packaging content	
HDMI input ports quantity	2	Remote control included	✓
HDMI output ports quantity	1	Batteries included	✓
DVI port *	✓	Cables included	AC, IR sensor, RS-232
DVI-I ports quantity	1	Operational conditions	
DisplayPorts quantity *	2	Operating temperature (T-T)	0 - 40 °C
DisplayPorts in	1	Operating relative humidity (H-H)	20 - 80%
DisplayPorts out	1	Storage temperature (T-T)	-20 - 60 °C
USB port *	✓	Storage relative humidity (H-H)	5 - 95%
USB ports quantity	2	Operating altitude	0 - 3000 m
USB version	2.0	Certificates	
Ethernet LAN *	✓	Certification	FCC, Class A CCC CB BSMI EMF VCCI PSB EnergyStar 8.0 ETL CECP EAC
Ethernet LAN (RJ-45) ports	1	Logistics data	
Wi-Fi *	✗	Harmonized System (HS) code	85285210
Number of speaker outputs	1	Features	
RS-232C	✓	Wall mountable	✓
Audio		Technical details	
Built-in speaker(s) *	✓	Energy saving functions	Smart Power
Number of built-in speakers	2	Keyboard control	Hidden, Lockable
RMS rated power	20 W	Design	
Product design *	Digital signage flat panel	Product design *	Digital signage flat panel
Placement supported *	Indoor	Placement supported *	Indoor
Orientation	Horizontal/Vertical	Orientation	Horizontal/Vertical

Design		Technical details	
Product colour *	Black	Signal loop through	DisplayPort, RS232, HDMI, IR Loop through
VESA mounting *	✓	Set depth (inch)	6.35 cm (2.5")
Panel mounting interface	400 x 400 mm	Set height (inch)	64.9 cm (25.6")
Performance		Set width (inch)	112.8 cm (44.4")
Purpose *	Universal	Sustainability compliance	✓
On Screen Display (OSD)	✓	Warranty period	3 year(s)
Number of OSD languages	18	Compliance certificates	CE, RoHS
On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Danish, German, Dutch, English, Spanish, Finnish, French, Italian, Japanese, Norwegian, Polish, Portuguese, Russian, Swedish, Turkish	Other features	
Open Pluggable Specification (OPS)	✓	Quick start guide	✓
Mean time between failures (MTBF)	50000 h	Network controllable	RS232/RJ-45
		Screen saving functions	✓
		Screws included	✓
		Bezel width	1.49 cm



8712581778651



0685417580781



685417580781

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.