

## Epson EB-PU2213B

**Tuotemerkki :** Epson

**Tuotekoodi:** V11HA68840

**Tuotteen nimi :** EB-PU2213B

EB-PU2213B

[Epson EB-PU2213B:](#)

### Pienikokoinen ja kevyt

Pienen koon ja alhaisen painon ansiosta projektorin säilyttäminen, kuljettaminen ja asentaminen on helppoa ja varastotilaa tarvitaan vähemmän. Lisäksi työvoima- ja toimituskustannukset ovat alhaisemmat.

### Erinomainen kuvanlaatu

Tässä suuren valotehon 3LCD-projektorissa on WUXGA-resoluutio, 4K-kuvanparannus sekä HDR, jotka tuottavat täyteläisen ja tarkan kuvan.

### Joustavuus

EB-PU2213B:n toiminnot mahdollistavat helpon asennuksen, pinoamisen, linssin säädön ja käytön. Projektorissa on sisäinen prosessointi laitteiden pinoamiseen ilman tietokonetta, mikä tarkoittaa, että kaksi tuettua projektoria voidaan pinota kirkkauden kaksinkertaistamiseksi ilman ulkoista tietokonetta.

### Luotettavuus

Parannettu pölynsuojaus: hermeettisesti suljettu optinen moottori ja laservalonlähde ehkäisevät pölyntymistä ja varmistavat näin paremman kestävyuden.



Projector		Features	
Screen size compatibility *	1524 - 25400 mm (60 - 1000")	Noise level (economic mode)	29 dB
Contrast ratio (dynamic)	2500000:1	Projection modes	Ceiling
Projector brightness *	13000 ANSI lumens	Noise level *	34 dB
Projection technology *	3LCD	Country of origin	China
Projector native resolution *	WUXGA (1920x1200)	4K Ultra HD upscaling	✓
Contrast ratio (typical) *	2000:1	Password protection	✓
Native aspect ratio *	16:10	<b>Design</b>	
Number of colours	1.07 billion colours	Product type *	Standard throw projector
Projector brightness (economic mode)	9100 ANSI lumens	Product colour *	Black
Matrix size	2.62 cm (1.03")	Placement	Ceiling, Desktop, Flying frame
White light output	13000 ANSI lumens	Cable lock slot	✓
Colour light output	13000 ANSI lumens	Cable lock slot type	Kensington
Heat dissipation	2938 BTU/h	<b>Power</b>	
<b>Light source</b>		Power source *	AC
Light source type *	Laser	Power consumption (typical) *	864 W
Service life of light source *	20000 h	Power consumption (standby) *	0.4 W
Service life of light source (economic mode)	30000 h	Power consumption (economy mode)	633 W
<b>Lens system</b>		AC input voltage	200-240 V
Focal length range	varies by lens	AC input frequency	50 - 60 Hz
Zoom capability	✓	<b>Software</b>	
Zoom type	Auto	Software support	via: AMX, Crestron (Network), Extron
Zoom ratio	1.6:1	<b>Operational conditions</b>	
Throw ratio	0.35 - 7.41:1	Storage temperature (T-T)	-10 - 60 °C
Horizontal lens shift range	0 - 18%	Operating relative humidity (H-H)	20 - 80%
Vertical lens shift range	-60 - 60%	Storage relative humidity (H-H)	10 - 90%
Lens position memory	10	<b>Weight &amp; dimensions</b>	
Interchangeable lens	✓	Width	586 mm
<b>Video</b>		Depth	492 mm
Full HD *	✓		

<b>Video</b>		<b>Weight &amp; dimensions</b>	
Video processing	10 bit Cinema, Dynamic, Natural, Presentation, DICOM simulation mode, Multi-projection, BT.709	Height	218 mm
Video colour modes		Weight *	23.7 kg
		Package weight	0 g
<b>Ports &amp; interfaces</b>		<b>Packaging content</b>	
HDBaseT port	✓	Remote control included *	✓
Service port type	USB Type-B	Batteries included	✓
USB 2.0 ports quantity	3	Cables included	AC
USB 2.0 Type-A ports quantity	2	Manual	✓
USB 2.0 Type-B ports quantity	1	Warranty card	✓
Serial interface type *	RS-232C	WLAN adapter included	✓
VGA (D-Sub) ports quantity *	1	Bundled software	Inhalt DIY-App, EasyMP Multi PC Projection, Epson Projektor Content Manager, Epson Projektor Management, Epson Projektor Professional Tool
HDMI ports quantity *	1		
DVI port *	✓		
AC (power) in	✓		
<b>Network</b>		<b>Logistics data</b>	
Ethernet LAN *	✓	Quantity per pack	1 pc(s)
Ethernet LAN (RJ-45) ports	1	Harmonized System (HS) code	85286200
Ethernet LAN data rates	10,100,1000 Mbit/s		
Wi-Fi *	✗	<b>Other features</b>	
		Supported network protocols	HTTPS, IPv6, SNMP, ESC/VP.net, PJLink



8715946703251

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-DEC-2024. Prints or copies of Information are only valid on the printed Publication date