

## Epson EB-PU220B

**Tuotemerkki :** Epson

**Tuotekoodi:** V11HA66840

**Tuotteen nimi :** EB-PU220B

- Erittäin kevyt ja pienikokoinen: Maailman pienin ja kevyin 20 000 lumenin projektori<sup>1</sup>
- Loistava kuvalaatu: 20 000 lumenia, 4K-skaalaustekniikka, WUXGA-resoluutio
- Helppokäyttöinen: Yksinkertainen asennus, pinoaminen, linssin säätö ja käyttö
- Luotettava: Parannettu pölynkestävyys. IP5x-sertifioitu
- Ympäristöhyödyt: Pienempi virrankulutus, vähemmän pakkausjätettä, kevyempi

EB-PU220B

Epson EB-PU220B. Projektorin kirkkaus: 20000 ANSI lumenia, Projektioteknologia: 3LCD, Projektorin oletusresoluutio: WUXGA (1920x1200). Valonlähteen tyyppi: Laser, Valonlähteen käyttöikä: 20000 h, Valonlähteen käyttöikä (säästötila): 30000 h. Tarkennus: Moottoroitu, Zoomin malli: Auto, Zoomaussuhde: 1.6:1. Videon käsittely: 10 bittiä, Videon väritilat: Elokuvateatteri, Dynaaminen, Luonnollinen, Esitys, DICOM-tilannetila, Multi-projection, BT.709. Sarjaliitännän tyyppi: RS-232C



Projector		Design	
Screen size compatibility *	1524 - 25400 mm (60 - 1000")	Market positioning *	Presentation
Projector brightness *	20000 ANSI lumens	Product type *	Projector module
Projection technology *	3LCD	Product colour *	Black
Projector native resolution *	WUXGA (1920x1200)	Placement	Ceiling, Desktop, Flying frame
Contrast ratio (typical) *	2000:1	Cable lock slot	✓
Native aspect ratio *	16:10	Cable lock slot type	Kensington
Number of colours	1.07 billion colours	<b>Display</b>	
Projector brightness (economic mode)	14000 ANSI lumens	Built-in display *	✗
Matrix size	2.62 cm (1.03")	<b>Power</b>	
Heat dissipation	4423 BTU/h	Power source *	AC
<b>Light source</b>		Power consumption (typical) *	1301 W
Light source type *	Laser	Power consumption (standby) *	0.4 W
Service life of light source *	20000 h	Power consumption (economy mode)	899 W
Service life of light source (economic mode)	30000 h	AC input voltage	200-240 V
<b>Lens system</b>		AC input frequency	50 - 60 Hz
Focus *	Motorized	<b>Software</b>	
Zoom type	Auto	Software support	via: AMX, Crestron (Network), Extron
Zoom ratio	1.6:1	<b>Operational conditions</b>	
Throw ratio	0.35 - 7.41:1	Storage temperature (T-T)	-10 - 60 °C
Vertical lens shift range	-60 - 60%	Operating relative humidity (H-H)	20 - 80%
Lens position memory	10	Storage relative humidity (H-H)	10 - 90%
Interchangeable lens	✓	<b>Weight &amp; dimensions</b>	
<b>Video</b>		Width	586 mm
Full HD *	✓	Depth	492 mm
3D *	✗	Height	218 mm
Video processing	10 bit	Weight *	24.4 kg
Video colour modes	Cinema, Dynamic, Natural, Presentation, DICOM simulation mode, Multi-projection, BT.709	Package width	715 mm
<b>Ports &amp; interfaces</b>		Package depth	790 mm
HDBaseT port	✓	Package height	335 mm
USB 2.0 ports quantity	3	Package weight	30.8 kg

Ports & interfaces		Packaging content	
USB 2.0 Type-A ports quantity	2	Remote control included *	✓
USB 2.0 Type-B ports quantity	1	Batteries included	✓
Headphone outputs	1	Cables included	AC
Serial interface type *	RS-232C	Manual	✓
VGA (D-Sub) ports quantity *	1	Warranty card	✓
HDMI ports quantity *	1	WLAN adapter included	✓
DVI port *	✓		
Network			
Ethernet LAN *	✓	Bundled software	Inhalt DIY-App, EasyMP Multi PC Projection, Epson Projektor Content Manager, Epson Projektor Management, Epson Projektor Professional Tool
Wi-Fi *	✗		
Storage		Logistics data	
Card reader integrated *	✗	Quantity per pack	1 pc(s)
Features		Products per pallet	4 pc(s)
Noise level (economic mode)	38 dB	Pallet gross weight	0 g
Noise level *	45 dB	Products per pallet (UK)	4 pc(s)
Country of origin	China	Pallet weight (UK)	0 g
Password protection	✓	Harmonized System (HS) code	85286200
		Other features	
		Supported network protocols	HTTPS, IPv6, SNMP, ESC/VP.net, PJLink



8715946703213

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 01-FEB-2025. Prints or copies of Information are only valid on the printed Publication date