


BenQ TK700 Vakioprojektori 3200 ANSI lumenia DLP UHD 4K (3840x2160) 3D musta, Valkoinen

Tuotemerkki : BenQ Tuotekoodi: 9H.JPK77.17E

Tuotteen nimi: TK700







Projector		Storage	
Projector brightness *	3200 ANSI lumens DLP UHD 4K (3840x2160) 10000:1 16:9 1.07 billion colours	Card reader integrated *	×
Projection technology *		Features	
Projector native resolution *		Interactive *	×
Contrast ratio (typical) *		Noise level (economic mode)	28 dB
Native aspect ratio *		HDCP	2 0 dB
Number of colours		Noise level *	34 dB
Horizontal scan range	15 - 135 kHz 23 - 120 Hz		34 UB
Vertical scan range Keystone correction, horizontal	-30 - 30°	High Dynamic Range (HDR) supported	✓
Keystone correction, vertical	-30 - 30°	High Dynamic Range (HDR)	High Dynamic Range 10 (HDR10),
Matrix size	1.19 cm (0.47")	technology	Hybrid Log-Gamma (HLG)
Matrix type	DMD	Multimedia	
Light source		Built-in speaker(s) *	1
Light source type *	Lamp	RMS rated power	5 W
Service life of light source *	4000 h	Number of built-in speakers	1
Service life of light source		Design	
(economic mode)	15000 h	Market positioning *	Gaming
Lamp power	240 W	Product type *	Standard throw projector
Lamps quantity	1 lamp(s)	Product colour *	Black, White
Lens system		Placement	Desktop
Focal length range	11.9 - 15.5 mm	Power	
Aperture range (F-F)	1.94 - 2.12	Power source *	AC
Zoom capability	✓	Power consumption (typical) *	310 W
Zoom ratio	1.3:1	Power consumption (standby) *	0.5 W
Throw ratio	1.127~1.46	AC input voltage	100 - 240 V
Offset	110%	AC input frequency	50 - 60 Hz
Video		Operational conditions	
3D *	✓		
-			

Video		Operational conditions	
Supported graphics resolutions Supported video modes	640 x 480 (VGA), 3840 x 2160 1080p	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H)	0 - 40 °C -20 - 60 °C 10 - 90%
Ports & interfaces		Storage relative humidity (H-H)	10 - 90%
HDMI version USB 2.0 ports quantity	2.0b 1	Weight & dimensions	10 30%
Headphone outputs	1	Width	312 mm
Serial interface type *	RS-232	Depth	246 mm
HDMI ports quantity *	2	Height	110 mm
DVI port *	×	Weight *	3.1 kg
Common interface Plus (CI+)	×	Packaging content	
AC (power) in	✓	Remote control included *	✓
Audio Return Channel (ARC)	✓	Remote control type	IR
Network		Batteries included	✓
Smart TV *	×	Cables included	AC
Ethernet LAN *	×	Logistics data	
		Harmonized System (HS) code	85286200
		Other features	
		Security updates end date	31/12/2025



4718755087073

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.