

## DELL P Series P3223QE tietokoneen litteä näyttö 80 cm (31.5") 3840 x 2160 pikseliä 4K Ultra HD LCD musta

Tuotemerkki : DELL Tuoteperhe: P Series Tuotekoodi: DELL-P3223QE

Tuotteen nimi: P3223QE

DELL P Series P3223QE. Näytön halkaisija: 80 cm (31.5"), Näytön erottelutarkkuus: 3840 x 2160 pikseliä, HD-tyyppi: 4K Ultra HD, Näytön teknologia: LCD, Vasteaika (tyypillinen): 8 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta



Display		Ergonomics	
• •	00 (21 511)	J	
Display diagonal *	80 cm (31.5")	On Screen Display (OSD)	1
Display resolution *	3840 x 2160 pixels	Plug and Play	✓
HD type *	4K Ultra HD	LED indicators	✓
Native aspect ratio *	16:9	Power	
Display technology *	LCD		F
Panel type *	TFT	Energy efficiency class (SDR) *	Not available
Backlight type	LED	Energy efficiency class (HDR) *	
Touchscreen *	×	Energy consumption (SDR) per 1000 hours *	31 kWh
Display brightness (peak)	350 cd/m <sup>2</sup>	Power consumption (typical) *	30.6 W
Display brightness (typical)	350 cd/m²	Power consumption (standby) *	0.3 W
Response time *	8 ms	Power consumption (max)	180 W
Anti-glare screen	✓	Power consumption (off)	0.3 W
Screen shape *	Flat	AC input voltage	100 - 240 V
Supported video modes	480p, 576p, 720p, 1080i, 1080p, 2160p	AC input frequency	50 - 60 Hz
Contrast ratio (typical) *	1000:1	Input current	2.3 A
Maximum refresh rate *	60 Hz	Power supply type	Internal
Viewing angle, horizontal	178°	Energy efficiency scale	A to G
Viewing angle, vertical	178°	European Product Registry for	1126365
Display number of colours *	1.07 billion colours	Energy Labelling (EPREL) code	
Response time (fast)	5 ms	Operational conditions	
Pixel pitch	0.18159 x 0.18159 mm	Operating temperature (T-T)	0 - 40 °C
Pixel density	139.87 ppi	Storage temperature (T-T)	-20 - 60 °C
Horizontal scan range	30 - 140 kHz	Operating relative humidity (H-H)	20 - 80%
Vertical scan range	24 - 75 Hz	Storage relative humidity (H-H)	5 - 90%
Viewable size, horizontal	69.7 cm	Operating altitude	0 - 5000 m
Viewable size, vertical	39.2 cm	Non-operating altitude	0 - 12192 m
Display diagonal (metric)	80 cm	Weight & dimensions	
High Dynamic Range (HDR) supported	×	Width (with stand)	712.4 mm
Surface hardness	3H	Depth (with stand)	233.2 mm
Colour gamut standard	sRGB	Height (with stand)	468.7 mm
-		Weight (with stand)	9.9 kg

Display		Weight & dimensions	
Colour gamut	99%	Width (without stand)	712.4 mm
Dell ComfortView technology	✓	Depth (without stand)	56.2 mm
Performance		Height (without stand)	417.2 mm
NVIDIA G-SYNC *	×	Weight (without stand)	5.28 kg 7.55 mm
AMD FreeSync *	×	Bezel width (side) Bezel width (top)	7.57 mm
Flicker-free technology	, ,	Bezel width (top)	1.74 cm
Low Blue Light technology	·		1.74 (111
	•	Packaging data	40.41
Multimedia		Package weight USB cable length	13.4 kg 1 m
Built-in speaker(s) *	×		1111
Built-in camera *	×	Packaging content	
Design		Cables included	DisplayPort, USB Type-C to USB Type-A, USB Type-C to USB Type-C
Market positioning *	Business	Quick start guide	✓
Product colour *	Black	DisplayPort cable length	1.8 m
Front bezel colour	Black	Sustainability	
Detachable stand	<b>✓</b>	Sustainability certificates	ENERGY STAR, TCO
Feet colour	Silver	Doesn't contain	PVC/BFR
Ports & interfaces		Carbon footprint	
USB upstream port type	USB Type-C	Total carbon footprint (kg of CO2e)	752
Number of upstream ports	1	Total carbon emissions, standard	
Number of USB Type-C upstream ports quantity	1	deviation (kg of CO2e)	188
USB Type-A downstream ports quantity	4	Carbon emissions, manufacturing (kg of CO2e)	446
USB Power Delivery (USB PD)	✓	Carbon emissions, logistics (kg of CO2e)	67
USB Power Delivery up to	90 W	Carbon emissions, energy usage (kg	221
HDMI *	✓	of CO2e)	231
HDMI ports quantity	1	Carbon emissions, end-of-life (kg of CO2e)	8
HDMI version	2.0	Total carbon emissions, w/o use	
DisplayPorts quantity	1	phase (kg of CO2e)	520
DisplayPort version	1.4	PAIA version	1.3.1
Headphone out *	X	Other features	
HDCP	<b>✓</b>	Maximum resolution	3840 x 2160 pixels
AC (power) in	<b>~</b>	RJ-45 ports quantity	1
Network		Heavy metals free	Hg (mercury)
Wi-Fi	×	Compliance certificates	RoHS
Ergonomics		Power management	✓
VESA mounting *	<b>✓</b>	Brand-specific features	
Panel mounting interface	100 x 100 mm	Dell Display Manager (DDM)	,
Cable lock slot *	✓	compatibility	<b>✓</b>
Cable lock slot type	Kensington	Logistics data	
Height adjustment *	✓	Harmonized System (HS) code	85285210
Height adjustment	15 cm	- · · · · · · · · · · · · · · · · · · ·	
Pivot	✓		
Pivot angle	-90 - 90°		
Swivelling	-50 - 50 ✓		
Swivel angle range	-30 - 30°		
Tilt adjustment	-50 - 50 ✓		
Tilt angle range	-5 - 21°		





5397184656846

0884116420279



884116420279

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.