



# Canon i-SENSYS MF752Cdw Laser A4 1200 x 1200 DPI 33 ppm Wi-Fi

**Brand :** Canon

**Product family:** i-SENSYS

**Product code:** 5455C012

**Product name :** MF752Cdw

Print, copy, Scan, 33ppm, A4, 1024MB, LAN, USB, WiFi, LCD

Canon i-SENSYS MF752Cdw. Print technology: Laser, Printing: Colour printing, Maximum resolution: 1200 x 1200 DPI. Copying: Colour copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 600 x 600 DPI. Duplex functions: Scan. Maximum ISO A-series paper size: A4. Wi-Fi. Product colour: White

Printing		Paper handling	
Print technology *	Laser	Non-ISO print media sizes	Executive, Letter, Statement
Printing *	Colour printing	Envelopes sizes	C5, Com-10, DL, Monarch
Maximum resolution *	1200 x 1200 DPI	Paper tray media weight	60 - 200 g/m <sup>2</sup>
Print speed (black, normal quality, A4/US Letter) *	33 ppm	<b>Ports &amp; interfaces</b>	
Warm-up time	14 s	USB port	✓
Time to first page (black, normal)	7.1 s	USB 2.0 ports quantity	1
Time to first page (colour, normal)	7.1 s	<b>Network</b>	
<b>Copying</b>		Wi-Fi *	✓
Duplex copying *	✓	Ethernet LAN *	✓
Copying *	Colour copying	Ethernet LAN data rates	10,100,1000 Mbit/s
Maximum copy resolution *	600 x 600 DPI	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Maximum number of copies	999 copies	Security algorithms	64-bit WEP, 128-bit WEP, WPA-AES, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSK, WPA2-TKIP
Copier resize	25 - 400%	Management protocols	SNMPv1, SNMPv3 (IPv4,IPv6)
ID-card copy function	✓	<b>Performance</b>	
<b>Scanning</b>		Internal memory *	1024 MB
Duplex scanning *	✓	Built-in processor	✓
Scanning *	Colour scanning	Processor frequency	1200 MHz
Optical scanning resolution *	600 x 600 DPI	Sound power level (printing)	65 dB
Scanner type *	ADF scanner	Sound power level (standby)	41 dB
Scan to	Cloud, E-mail, FTP, USB	<b>Design</b>	
Input colour depth	24 bit	Product colour *	White
Output colour depth	24 bit	Market positioning *	Business
Greyscale levels	256	Built-in display *	✓
Scan drivers	ICA, TWAIN, WIA	Display	LCD
<b>Fax</b>		Control type	Touch
Faxing *	✗	Colour display	✓
Modem speed	33.6 Kbit/s	<b>Power</b>	
<b>Features</b>		Power consumption (max)	1380 W
Recommended duty cycle	750 - 4000 pages per month	Power consumption (printing)	700 W
Maximum duty cycle *	50000 pages per month	Power consumption (standby)	24 W
Duplex functions *	Scan	Power consumption (sleep)	1 W
Printing colours *	Black, Cyan, Magenta, Yellow	Energy Star Typical Electricity Consumption (TEC)	0.3 kWh/week
<b>Input &amp; output capacity</b>		AC input voltage	220 - 240 V
Total number of input trays *	1	AC input frequency	50 - 60 Hz
Total input capacity *	250 sheets	<b>System requirements</b>	
Total output capacity *	150 sheets	Windows operating systems supported	Windows 10, Windows 11, Windows 8.1
Multi-Purpose tray	✓		
Multi-Purpose tray input capacity	50 sheets		
Auto document feeder (ADF)	✓		
Auto document feeder (ADF) input capacity	50 sheets		

Input & output capacity		System requirements	
Maximum input capacity	850 sheets		Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey
Paper handling		Mac operating systems supported	
Maximum ISO A-series paper size *	A4		
Paper tray media types *	Coated paper, Envelopes, Heavy paper, Plain paper, Postcard, Recycled paper, Thin paper	Linux operating systems supported	✓
ISO A-series sizes (A0...A9) *	A4, A5, A6	Server operating systems supported	Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
ISO B-series sizes (B0...B9)	B5		
Operational conditions			
Operating relative humidity (H-H)		20 - 80%	
Operating temperature (T-T)		10 - 30 °C	
Weight & dimensions			
Width		425 mm	
Depth		461 mm	
Height		430 mm	
Weight		23.3 kg	



4549292193176

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.