
ASUS TUF Gaming AX3000 V2 wireless router Gigabit Ethernet Dual-band (2.4 GHz / 5 GHz) Black, Orange

Brand: ASUS **Product code**: 90IG0790-MU9B00

Product name: TUF Gaming AX3000 V2







WAN connection		Security	
Ethernet WAN *	✓	Parental control	✓
3G/4G USB modem compatibility *	✓	Filtering	✓
Wireless LAN features		MAC address filtering	✓
Wi-Fi band *	Dual-band (2.4 GHz / 5 GHz)	MAC address table	64 entries
Top Wi-Fi standard *	Wi-Fi 6 (802.11ax)	System event log	✓
WLAN data transfer rate (max) *	2402 Mbit/s	DMZ support	✓
Mr. Et al. and al.	802.11a, 802.11b, 802.11g, Wi-Fi 4	Network address translation (NAT)	✓
Wi-Fi standards	(802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)	NAT functionality	PPTP, L2TP, IPSec, RTSP, H.323, SIP Passthrough,PPPoE relay
WLAN data transfer rate (first band) WLAN data transfer rate (second	·	Protocols	
band)	2402 Mbit/s	DHCP server	/
Network		Design	
Ethernet LAN *	1	Product colour	Black, Orange
Ethernet LAN interface type *	Gigabit Ethernet	LED indicators	LAN, Power, Status, WAN
Port forwarding	✓	Product type *	Tabletop router
Port triggering	✓	Packaging content	
Dynamic DNS (DDNS)	✓	Cables included	AC
Number of guest networks (2.4 GHz)	3	Quick start guide	✓
Number of guest networks (5 GHz)	3	Antenna	
Support Samba (storage)	✓	Antenna design *	External
Built-in FTP server	1	Antennas quantity	4
VPN server	OVPN, IPSec, PPTP	Features	
Media server	✓	Built-in processor	✓
Ports & interfaces		Processor frequency	1500 MHz
Ethernet LAN (RJ-45) ports *	5	Processor cores	3

Ports & interfaces		Features	
USB port * USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Internal memory Flash memory Works with Amazon Alexa	512 MB 256 MB ✓
Management features		Firmware upgradeable	✓
Bandwidth control	✓	Power	
Quality of Service (QoS) support Wake-on-LAN ready Reset button WPS push button Intelligent Mesh technology	* * * * *	Power source type * AC input voltage AC input frequency Output voltage Output current	AC 110 - 240 V 50 - 60 Hz 19 V 1.75 A
MU-MIMO technology	✓	Weight & dimensions	265
Security Security algorithms Firewall	WPA, WPA-Enterprise, WPA2, WPA2- Enterprise, WPA3, WPS	Width Depth Height Weight	265 mm 178 mm 186 mm 570 g
Guest access		Packaging data	
		Package width Package depth Package height Package type	375 mm 368 mm 89 mm Box



4711081760351

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.