

StarTech.com 115B-USBC-MULTIPOINT kannettavien tietokoneiden telakka ja porttitoistin Langallinen USB 3.2 Gen 1 (3.1 Gen 1) Type-C Harmaa

Tuotemerkki : StarTech.com

Tuotekoodi: 115B-USBC-MULTIPOINT



Tuotteen nimi : 115B-USBC-MULTIPOINT

StarTech.com 115B-USBC-MULTIPOINT. Yhteysteknologia: Langallinen, Isäntäkoneen käyttöliittymä: USB 3.2 Gen 1 (3.1 Gen 1) Type-C, USB Power Delivery asti: 100 W. Ethernet LAN -datanopeudet: 10,100,1000 Mbit/s, Verkko-standardit: IEEE 802.3, IEEE 802.3ab, IEEE 802.3u. Tuotteen väri: Harmaa, Yhteensopivat muistikortit: MicroSD (TransFlash), SD, Tiedonsiirtonopeus: 5 Gbit/s. Windows-käyttöjärjestelmätuki: Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10..., Mac-käyttöjärjestelmätuki: Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14..., Tuettut käyttöjärjestelmät: Android, iPadOS. Tuotteen leveys: 112 mm, Tuotteen syvyys: 50 mm, Tuotteen korkeus: 12 mm



Ports & interfaces		Software	
Connectivity technology *	Wired	Mac operating systems supported	Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 13.0 Ventura
Host interface *	USB 3.2 Gen 1 (3.1 Gen 1) Type-C	Linux operating systems supported	✓
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3	Mobile operating systems supported	Android, iPadOS
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1	Other operating systems supported	ChromeOS
USB Power Delivery (USB PD)	✓	Operational conditions	
USB Power Delivery revision	3.0	Operating temperature (T-T)	0 - 70 °C
USB Power Delivery up to	100 W	Storage temperature (T-T)	-10 - 70 °C
HDMI ports quantity *	1	Operating relative humidity (H-H)	5 - 90%
HDMI version	2.0	Weight & dimensions	
DisplayPort version	1.4	Width	112 mm
Network		Depth	50 mm
Ethernet LAN *	✓	Height	12 mm
Ethernet LAN (RJ-45) ports	1	Weight	75 g
Ethernet LAN data rates	10,100,1000 Mbit/s	Packaging data	
Networking standards	IEEE 802.3, IEEE 802.3ab, IEEE 802.3u	Package width	142 mm
Full duplex	✓	Package depth	170 mm
Performance		Package height	30 mm
Card reader integrated *	✓	Package weight	200 g
Compatible memory cards	MicroSD (TransFlash), SD	Packaging content	
Data transfer rate	5 Gbit/s	Quick start guide	✓
HD type	4K Ultra HD	Technical details	
Maximum digital resolution	4096 x 2160 pixels	Compliance certificates	CE, RoHS
Maximum refresh rate	60 Hz		
Product colour *	Grey		

Performance		Logistics data	
High Dynamic Range (HDR) supported	✓	Products per master (outer) case	24 pc(s)
High Dynamic Range 10 (HDR10)	✓	Master (outer) case width	380 mm
UASP support	✓	Master (outer) case length	320 mm
Housing material	Aluminium	Master (outer) case height	220 mm
		Harmonized System (HS) code	84733020
Software		Other features	
Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64	Cable length	0.3 m
		Chipset	VIA - VL102, VIA - VL817, Realtek - RTL8153, Realtek - RTD2172A, Genesys Logic - GL823K, Terminus Tech - FE1.1S



0065030895552



065030895552

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.