



APC SRTG10KXLI UPS-virtalähde Taajuuden kaksoismuunnos (verkossa) 10 kVA 10000 W 3 AC-pistorasia(a)

Tuotemerkki : APC

Tuotekoodi: SRTG10KXLI

Tuotteen nimi : SRTG10KXLI


APC SRTG10KXLI. UPS topologia: Taajuuden kaksoismuunnos (verkossa), Kokonaislähtöteho (VA): 10 kVA, Lähtöteho: 10000 W. Pistorasian tyypit: C13 liitin, C19 liitin, Virtapistoke: Hardwire, Ulostulojen määrä: 3 AC-pistorasia(a). Akkuteknologia: Sealed Lead Acid (VRLA), Akun jännite: 96 V, Akun kestoikä (maks.): 5 vuosi/vuosia. Kotelo: Telineasennettava/Torni, Näytön tyyppi: LCD, International Protection (IP)-koodi: IP20. Tuotteen leveys: 440 mm, Tuotteen syvyys: 620 mm, Tuotteen korkeus: 217 mm



| Features | | Battery | |
|--|--|------------------------------------|-------------------------|
| UPS topology * | Double-conversion (Online) | Battery technology | Sealed Lead Acid (VRLA) |
| Output power capacity * | 10 kVA | Battery voltage | 96 V |
| Output power * | 10000 W | Battery life (max) | 5 year(s) |
| Waveform * | Sine | Battery recharge time | 4 h |
| Input operation voltage (min) * | 100 V | Hot-swap battery | ✓ |
| Input operation voltage (max) * | 285 V | Automatic battery test | ✓ |
| Input frequency * | 40/70 Hz | Cold start | ✓ |
| Output operation voltage (min) | 220 V | | |
| Output operation voltage (max) | 240 V | | |
| Output frequency | 50/60 Hz | | |
| Surge energy rating | 600 J | | |
| Crest factor | 3:1 | | |
| ECO mode | ✓ | | |
| Output voltage Total Harmonic Distortion (THD) | 2% | | |
| Noise level | 55 dB | | |
| Audible alarm(s) | ✓ | | |
| Audible alarm modes | Alarm when on battery, Low battery alarm, Overload alarm | | |
| Auto-restart | ✓ | | |
| | | | |
| Ports & interfaces | | Design | |
| AC outlet types | C13 coupler, C19 coupler | Form factor * | Rackmount/Tower |
| Power plug | Hardwire | Display type | LCD |
| AC outlets quantity | 3 AC outlet(s) | LED indicators | ✓ |
| USB port | ✓ | International Protection (IP) code | IP20 |
| Serial interface | ✓ | | |
| Ethernet LAN (RJ-45) ports | 1 | | |
| Emergency Power Off (EPO) connector | ✓ | | |
| | | | |
| | | Operational conditions | |
| | | Operating temperature (T-T) | 0 - 40 °C |
| | | Storage temperature (T-T) | -15 - 45 °C |
| | | Operating relative humidity (H-H) | 0 - 95% |
| | | Storage relative humidity (H-H) | 0 - 95% |
| | | Operating altitude | 0 - 2011.68 m |
| | | Non-operating altitude | 0 - 15240 m |
| | | | |
| | | Weight & dimensions | |
| | | Width | 440 mm |
| | | Depth | 620 mm |
| | | Height | 217 mm |
| | | Weight | 81.1 kg |
| | | | |
| | | Packaging data | |
| | | Package width | 590 mm |

Packaging data

| | |
|----------------|---------|
| Package depth | 790 mm |
| Package height | 414 mm |
| Package weight | 83.1 kg |



0731304411864



731304411864



8592978410353

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.