



iiyama ProLite E1980D-B1 LED display 48.3 cm (19") 1280 x 1024 pixels XGA Black

Brand : iiyama

Product family: ProLite

Product code: E1980D-B1

Product name : E1980D-B1

19", 1280 x 1024, 5:4, TN LED, VGA, DVI, HDCP, 411x402x204.5 mm

[iiyama ProLite E1980D-B1 LED display 48.3 cm \(19"\) 1280 x 1024 pixels XGA Black:](#)

Reliable office solution

The 19" ProLite E1980D is an LED-backlit monitor with good response time, high contrast and sRGB and gamma correction functions that permit even the finest nuances of colour to be set accurately. iiyama ProLite E1980D-B1. Display diagonal: 48.3 cm (19"), Display resolution: 1280 x 1024 pixels, HD type: XGA, Display technology: LED, Display surface: Matt, Response time: 5 ms, Native aspect ratio: 5:4, Viewing angle, horizontal: 170°, Viewing angle, vertical: 160°. VESA mounting. Product colour: Black



| Display | | Ergonomics | |
|------------------------------|-----------------------|---|--|
| Display diagonal * | 48.3 cm (19") | Height adjustment * | ✗ |
| Display resolution * | 1280 x 1024 pixels | Tilt adjustment | ✓ |
| HD type * | XGA | Tilt angle range | -4 - 21° |
| Native aspect ratio * | 5:4 | On Screen Display (OSD) | ✓ |
| Display technology * | LED | On Screen Display (OSD) languages | German, English, Spanish, French, Italian, Japanese, Portuguese, Russian |
| Panel type * | TN | Number of OSD languages | 9 |
| Touchscreen * | ✗ | | |
| Display brightness (typical) | 250 cd/m ² | Power | |
| Response time * | 5 ms | Energy efficiency class (SDR) * | E |
| Display surface | Matt | Energy consumption (SDR) per 1000 hours * | 15 kWh |
| Screen shape * | Flat | Power consumption (typical) * | 16 W |
| Contrast ratio (typical) * | 1000:1 | Power consumption (standby) * | 0.5 W |
| Contrast ratio (dynamic) | 12000000:1 | Power consumption (off) | 0.5 W |
| Maximum refresh rate * | 60 Hz | AC input voltage | 100 - 240 V |
| Viewing angle, horizontal | 170° | AC input frequency | 50 - 60 Hz |
| Viewing angle, vertical | 160° | European Product Registry for Energy Labelling (EPREL) code | 819356 |
| Display number of colours * | 16.7 million colours | Operational conditions | |
| Pixel pitch | 0.294 x 0.294 mm | Operating temperature (T-T) | 5 - 35 °C |
| Horizontal scan range | 24 - 83 kHz | Storage temperature (T-T) | -20 - 60 °C |
| Viewable size, horizontal | 37.6 cm | Operating relative humidity (H-H) | 10 - 80% |
| Viewable size, vertical | 30.1 cm | Storage relative humidity (H-H) | 5 - 85% |
| Display diagonal (metric) | 48 cm | Weight & dimensions | |
| sRGB coverage (typical) | 99% | Width (with stand) | 411 mm |
| NTSC coverage (typical) | 72% | | |
| Performance | | | |
| NVIDIA G-SYNC * | ✗ | | |

| | | | |
|-------------------------------|--------------|--------------------------------|---------------------------|
| Performance | | Weight & dimensions | |
| AMD FreeSync * | ✗ | Depth (with stand) | 204.5 mm |
| Multimedia | | Height (with stand) | 402 mm |
| Built-in speaker(s) * | ✗ | Weight (with stand) | 3.2 kg |
| Built-in camera * | ✗ | Packaging data | |
| Design | | Package width | 122 mm |
| Market positioning * | Business | Package depth | 427 mm |
| Product colour * | Black | Package weight | 4.6 kg |
| Feet colour | Black | Packaging content | |
| Ports & interfaces | | Stand included | ✓ |
| Built-in USB hub * | ✗ | Cables included | AC, DVI |
| VGA (D-Sub) ports quantity | 1 | Quick start guide | ✓ |
| DVI port | ✓ | Sustainability | |
| DVI-D ports quantity | 1 | Sustainability certificates | ENERGY STAR, EPEAT Silver |
| HDMI * | ✗ | Other features | |
| HDCP | ✓ | Compliance certificates | CE, REACH, RoHS, WEEE |
| Ergonomics | | Logistics data | |
| VESA mounting * | ✓ | Harmonized System (HS) code | 85285210 |
| Panel mounting interface | 100 x 100 mm | | |
| Cable lock slot * | ✗ | | |



4948570119332

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 01-MAR-2025. Prints or copies of Information are only valid on the printed Publication date