

## iiyama ProLite X4373UHSU-B1 tietokoneen litteä näyttö 108 cm (42.5") 3840 x 2160 pikseliä 4K Ultra HD musta

**Tuotemerkki :** iiyama

**Tuoteperhe:** ProLite

**Tuotekoodi:** X4373UHSU-B1

**Tuotteen nimi :** X4373UHSU-B1



iiyama ProLite X4373UHSU-B1. Näytön halkaisija: 108 cm (42.5"), Näytön erottelutarkkuus: 3840 x 2160 pikseliä, HD-tyyppi: 4K Ultra HD, Näytön pinta: Matta, Vasteaika (tyypillinen): 3 ms, Vakiokuvausuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 3.2 Gen 1 (3.1 Gen 1). VESA-kiinnitys. Tuotteen väri: musta

Display		Ergonomics	
Display diagonal *	108 cm (42.5")	Cable lock slot *	✗
Display resolution *	3840 x 2160 pixels	Height adjustment *	✗
HD type *	4K Ultra HD	Tilt adjustment	✓
Native aspect ratio *	16:9	Tilt angle range	-2 - 10°
Panel type *	VA	On Screen Display (OSD)	✓
Touchscreen *	✗	On Screen Display (OSD) languages	German, Dutch, English, Spanish, French, Italian, Japanese, Polish, Portuguese, Russian
Display brightness (typical)	400 cd/m <sup>2</sup>	Number of OSD languages	10
Response time *	3 ms	Power	
Display surface	Matt	Energy efficiency class (SDR) *	G
Screen shape *	Flat	Energy efficiency class (HDR) *	G
Contrast ratio (typical) *	4000:1	Energy consumption (SDR) per 1000 hours *	54 kWh
Contrast ratio (dynamic)	80000000:1	Energy consumption (HDR) per 1000 hours *	102 kWh
Maximum refresh rate *	60 Hz	Power consumption (typical) *	92 W
Viewing angle, horizontal	178°	Power consumption (standby) *	0.5 W
Viewing angle, vertical	178°	Power consumption (off)	0.5 W
Display number of colours *	1.07 billion colours	AC input voltage	100 - 240 V
Pixel pitch	0.245 x 0.245 mm	AC input frequency	50 - 60 Hz
Horizontal scan range	30 - 135 kHz	Input current	1.5 A
Viewable size, horizontal	94.1 cm	European Product Registry for Energy Labelling (EPREL) code	756755
Viewable size, vertical	52.9 cm	Operational conditions	
Display diagonal (metric)	108 cm	Operating temperature (T-T)	5 - 35 °C
High Dynamic Range (HDR) supported	✓	Storage temperature (T-T)	-20 - 60 °C
Performance		Operating relative humidity (H-H)	10 - 80%
NVIDIA G-SYNC *	✗	Storage relative humidity (H-H)	5 - 85%
AMD FreeSync *	✗	Weight & dimensions	
Flicker-free technology	✓	Width (with stand)	977.5 mm
Low Blue Light technology	✓		
Multimedia			
Number of speakers	2		
RMS rated power	14 W		

<b>Multimedia</b>		<b>Weight &amp; dimensions</b>	
Built-in speaker(s) *	✓	Depth (with stand)	251 mm
Built-in camera *	✗	Height (with stand)	621.5 mm
<b>Design</b>		Weight (with stand)	14.5 kg
Market positioning *	Business	<b>Packaging data</b>	
Product colour *	Black	Package width	1071 mm
Feet colour	Black	Package depth	240 mm
<b>Ports &amp; interfaces</b>		Package height	760 mm
Built-in USB hub *	✓	Package weight	19 kg
USB hub version	3.2 Gen 1 (3.1 Gen 1)	<b>Packaging content</b>	
USB upstream port type	USB Type-B	Stand included	✓
Number of upstream ports	1	Cables included	AC, DisplayPort, HDMI, USB
USB Type-A downstream ports quantity	4	Remote control included	✓
HDMI *	✓	Remote control batteries included	✓
HDMI ports quantity	2	Quick start guide	✓
DisplayPorts quantity	1	<b>Sustainability</b>	
Mini DisplayPorts quantity	1	Sustainability certificates	ErP
Headphone out *	✓	<b>Other features</b>	
Headphone outputs	1	Compliance certificates	CE, REACH, RoHS, WEEE
HDCP	✓	<b>Logistics data</b>	
<b>Ergonomics</b>		Harmonized System (HS) code	85285210
VESA mounting *	✓		
Panel mounting interface	200 x 100 mm		



4948570118519

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-DEC-2024. Prints or copies of Information are only valid on the printed Publication date