QNAP TS-h987XU-RP NAS Teline (1U) Intel Xeon E E-2334 16 GB DDR4 QuTS hero musta, Hopea

Tuotemerkki : QNAP

Tuotekoodi: TS-H987XU-RP-E2334-16G



Tuotteen nimi : TS-h987XU-RP

QNAP TS-h987XU-RP. Malli: NAS. Alustatyyppi: Teline (1U). Laitteen luokka: Suuryritys. Suoritinperhe: Intel Xeon E, Prosessorimalli: E-2334, Prosessorin taajuus: 3,4 GHz. Sisäinen muisti: 16 GB, Sisäisen muistin tyyppi: DDR4. Käyttöjärjestelmä asennettu: QuTS hero

Storage		Design	
Storage drive interface *	Serial ATA II, Serial ATA III	LED indicators	HDD, LAN, Status
Supported storage drive interfaces	Serial ATA II, Serial ATA III Serial ATA III, U.2 2.5,3.5"		
Storage drive sizes supported		Performance	
RAID support *		Type *	NAS
RAID levels	0, 1, 5, 6, 10, 50, 60, JBOD	Device class *	Large Enterprise Business
Online RAID expansion	 ✓ 	Backup function *	
RAID rebuild	1	Backup features	Cloud, iSCSI LUN
Hot-swap drive bays	1	Multilingual support	
	FAT32, HFS+, NTFS, ZFS, exFAT,	Snapshot	
Supported file systems	ext3, ext4	Management protocols	SNMP V2/V3
Storage drives installed *	×	Security algorithms	256-bit AES, FIPS 140-2, HTTPS, SSH
Number of storage drives supported	9	Access Control List (ACL)	
*	-	Reset button	V
Installed storage drive type *	X	On/off switch	✓
Supported storage drive types *	HDD & SSD	Built-in FTP server	1
Disk roaming	1	Browser supported	Apple Safari, Google Chrome, Microsoft Edge, Mozilla Firefox
Processor		System log	J
Processor manufacturer *	Intel	Hot spare	1
Processor family * Processor model *	Intel Xeon E	Disk scan	1
Processor frequency *	E-2334 3.4 GHz	S.M.A.R.T. support	1
Processor boost frequency	4.8 GHz	Share folder	Thick, Thin
Processor cores	4	Software	
Processor threads	8	Operating system installed *	QuTS hero
Processor cache	8 MB	Operating system version	h5.0.0
Memory		operating system version	10.0.0
Internal memory *	16 GB		
Internal memory type	DDR4		
Maximum RAM supported	128 GB		
Memory slots	4		
Memory form factor	UDIMM		
ECC	1		
Flash memory	5000 MB		

Network		Software	
Ethernet LAN *	1	Soltware	Windows 10, Windows 10
Ethernet LAN data rates Ethernet LAN data rates Ethernet LAN data rate supported (max) DHCP server iSCSI support Wake-on-LAN ready Supported network protocols Dynamic DNS (DDNS) Ports & interfaces USB port *	100,1000,2500,5000,10000 Mbit/s 10000 Mbit/s • • • • • • • • • • • • • • • • • • •	Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education, Windows 10 Education, Windows 10 Education, Windows 10 Education, Windows 10 Home x64, Windows 10 Home x64, Windows 10 Home x64, Windows 10 Home x64, Windows 10 For x64, Windows 10 Windows 10 Enterprise, Windows 7 Enterprise x64, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Premium, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 Ultimate x64, Windows 7 Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64 Windows 8 Pro x64
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity Ethernet LAN (RJ-45) ports * Concurrent connections PCI Express x8 (Gen 4.x) slots Design	4 4 10000 1		
Chassis type * Cooling type * Product colour Number of fans Fan diameter	Rack (1U) Active Black, Silver 4 fan(s) 4 cm	Linux operating systems supported	Debian 7.0, Red Hat Enterprise Linux WS 7.0, SuSE Linux 12.0, SuSE Linux 12.3, SuSE Linux 15, Ubuntu 14.04, Ubuntu 14.10, Ubuntu 15.04, Ubuntu 15.10, Ubuntu 16.04, Ubuntu 16.10, Ubuntu 17.10, Ubuntu 18.04 LTS, Ubuntu 20.04 LTS, Ubuntu 22.04
		Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura
		Server operating systems supported	Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
		Other operating systems supported	IBM AIX 7.1, Solaris 10, Solaris 10 SPARC, Solaris 11, Solaris 11 SPARC
		Power	
		Power supply location	Built-in
		Power supply unit (PSU) capacity	300 W
		Number of power supply units Redundant power supply (RPS) support	2
		Power consumption (typical)	120.58 W
		Power consumption (sleep)	114.6 W
		Weight & dimensions	
		Width *	430 mm
		Depth *	479 mm
		Height * Weight	43.3 mm 8.43 kg
		Package weight	11.1 kg
		Packaging content	-
		Cables included	AC, LAN (RJ-45)
		Power cables quantity	2
		Quick start guide Number of screws	✓ 52
		Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
		Operating relative humidity (H-H) Storage temperature (T-T)	5 - 95% -20 - 70 °C

Other features

Fibre Channel

<





4711103082300

0885022024650



885022024650

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.