QNAP TS-h2287XU-RP NAS Teline (3U) Intel Xeon E E-2336 32 GB DDR4 0 TB QuTS hero musta, Valkoinen

Tuotemerkki : QNAP

Tuotekoodi: TS-H2287XU-RP-E2336-32G



Tuotteen nimi : TS-h2287XU-RP

QNAP TS-h2287XU-RP. Malli: NAS. Alustatyyppi: Teline (3U). Laitteen luokka: Suuryritys. Suoritinperhe: Intel Xeon E, Prosessorimalli: E-2336, Prosessorin taajuus: 2,9 GHz. Sisäinen muisti: 32 GB, Sisäisen muistin tyyppi: DDR4. Asennetun muistin kokonaiskapasiteetti: 0 TB. Käyttöjärjestelmä asennettu: QuTS hero

Storage		Performance	
Storage drive interface *	Serial ATA III	Number of users	16000 user(s)
Supported storage drive interfaces	Serial ATA III	Snapshot	1
Storage drive sizes supported	2.5,3.5"	Management protocols	SMB/CIFS, AFP, NFS
System drive sizes supported	3.5"	Web-based management	1
RAID support *	1	Share folder access right	1
RAID levels	0, 1, 5, 6, 10, 50, 60, JBOD	management	
Online RAID migration	1	Security algorithms	HTTPS, SNMPv2, SNMPv3, SSH
Online RAID expansion	1	Access Control List (ACL)	<i>•</i>
RAID rebuild	1	Reset button	4
Hot-swap drive bays	1	On/off switch	4
Supported file systems	FAT32, HFS+, NTFS, ZFS, exFAT, ext3, ext4	Built-in FTP server	✓ Apple Safari (latest version), Google
Storage drives installed *	×	Browser supported	Chrome (latest version), Microsoft Edge (latest version), Mozilla Firefox (latest version)
Total installed storage capacity *	0 ТВ	browser supported	
Number of storage drives supported *	22	System log	1
Supported storage drive types *	HDD & SSD	Hot spare	1
Auto-rebuild	1	Disk scan	1
Disk roaming	1	S.M.A.R.T. support	1
Processor		Share folder	Thick, Thin
Processor manufacturer *	Intel	Software	
Processor family *	Intel Xeon E	Operating system installed *	QuTS hero
Processor model *	E-2336	Operating system version	h5.0.0
Processor frequency *	2.9 GHz		
Processor boost frequency	4.8 GHz		
Processor cores	6		
Processor threads	12		
Processor cache	12 MB		
CPU configuration (max)	1		
Memory			
Internal memory *	32 GB		
Internal memory type	DDR4		
Maximum RAM supported	128 GB		
Memory slots	4		
Memory form factor	UDIMM		

Memory		Software	
ECC	1		Windows 10, Windows 10
Flash memory	5000 MB		Education, Windows 10 Education x64, Windows 10 Enterprise,
Network			Windows 10 Enterprise x64,
Ethernet LAN *	1		Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core,
Ethernet LAN data rates	100,1000,2500 Mbit/s	Windows 10 IoT E	Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro
Copper ethernet cabling technology	10GBASE-T		x64, Windows 10 x64, Windows 11,
DHCP server			Windows 11 x64, Windows 7, Windows 7 Enterprise, Windows 7
iSCSI support		•	Enterprise x64, Windows 7 Home
Supported network protocols Dynamic DNS (DDNS)	IPv4, IPv6 ✓		Windows 7 Home Premium, Windows 7 Home Premium x64,
Ports & interfaces		Windows 7 Professional, Windows Professional x64, Windows 7	
USB port *	1		Starter, Windows 7 Starter x64,
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	4	Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise Windows 8 Enterprise x64, Windo	Ultimate x64, Windows 7 x64,
Ethernet LAN (RJ-45) ports *	4		Windows 8 Enterprise x64, Windows
Number of SATA III connectors	22		8 Pro, Windows 8 Pro x64, Windows 8 x64
PCI Express x8 (Gen 4.x) slots	1	Linux operating systems supported	CentOS 7.0, Ubuntu 14.04,
Design		Linux operating systems supported	openSUSE 12.1, openSUSE 12.2
Chassis type *	Rack (3U) Active		Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12
Cooling type * Product colour	Active Black, White		Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X
Number of fans	4 fan(s)	Mac operating systems supported	10.15 Catalina, Mac OS X 10.15.3
Fan diameter	6 cm		Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X
Fan diameter 2	8 cm	13.0 Ventura	
LED indicators	HDD, LAN, Status, USB		Windows Server 2008 R2, Windows Server 2012, Windows Server 2012
Performance Type *	NAS	Server operating systems supported	R2, Windows Server 2016, Windows Server 2019
Device class *	Large Enterprise Business	Other operating systems supported	IBM AIX 7.1, Solaris 10
Backup function *	1	Power	
Backup features	Cloud, iSCSI LUN	Power supply location	Built-in
Multilingual support		Power supply unit (PSU) capacity	550 W
		Number of power supply units Redundant power supply (RPS)	2
		support	✓
		Power consumption (typical)	228 W
		Power consumption (HDD standby)	165.39 W
		Weight & dimensions	
		Width *	483 mm
		Depth * Height *	630 mm 133 mm
		Weight	15.6 kg
		Package weight	22.1 kg
		Packaging content	
		Cables included	AC, LAN (RJ-45)
		Power cables quantity	2
		Quick installation guide	 Image: A set of the set of the
		Number of screws	128
		Processor special features	
		Embedded options available	×
		Enhanced Intel SpeedStep Technology	1
		Execute Disable Bit	✓
		Idle States	✓
		Intel 64	1
		Intel Trusted Execution Technology	✓

Processor special features	
Intel Virtualization Technology (VT- x)	1
Intel Virtualization Technology for Directed I/O (VT-d)	1
Intel VT-x with Extended Page Tables (EPT)	1
Operational conditions	
Operating temperature (T-T) Operating relative humidity (H-H) Storage temperature (T-T)	0 - 40 °C 5 - 95% -20 - 70 °C
Other features	
Fibre Channel	1

Publication date: 01-MAR-2025. Prints or copies of Information are only valid on the printed Publication date







Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.