

Brother MFC-L9630CDN multifunction printer Laser A4 2400 x 600 DPI 40 ppm

Brand : Brother Product code: MFC-L9630CDN

Product name: MFC-L9630CDN

- Large 17.6cm touchscreen
- Integrated NFC reader
- Cloud Secure Print
- Gigabit network as standard with optional 2.4/5GHz Wi-Fi module
- Expandable memory capacity (USB flash drive not included)
- Fully compatible with 3rd party print management and document management solutions including Kofax. YSoft

Print/Copy and Scan/Fax, 40ppm, 600 x 600dpi, A4, 2GB, NFC, 503 x 541 x 586 mm, 36500 g

Brother MFC-L9630CDN multifunction printer Laser A4 2400 x 600 DPI 40 ppm:

Our most advanced colour printing technology is guaranteed to make the right impression when it counts. Producing vibrant, professional colour documents and accurate digital files every time. With NFC (for mobile print & card authentication) as standard for secure printing and a large customisable touchscreen, it's ideal for busy offices requiring a user-friendly printer with enterprise level security.





| Printing | | Ports & interfaces | |
|---|---------------------------|--|---------------------------|
| Print technology * | Laser | Direct printing * | ✓ |
| Printing * | Colour printing | USB port | ✓ |
| Duplex printing * | ✓ | USB 2.0 ports quantity | 2 |
| Maximum resolution * | 2400 x 600 DPI | Network | |
| Print speed (black, normal quality, A4/US Letter) * | 40 ppm | Wi-Fi * | × |
| Print speed (colour, normal quality, A4/US Letter) | 40 ppm | Ethernet LAN * | ✓ 10/100/1000Base-T(X) |
| Duplex print speed (black, normal quality, A4/US Letter) | 28 ppm | Cabling technology Ethernet LAN data rates | 100,1000 Mbit/s |
| Duplex print speed (colour, normal quality, A4/US Letter) | 28 ppm | Near Field Communication (NFC) | ✓ |
| Time to first page (black, normal) | 10 s | Performance | |
| Time to first page (colour, normal) | 10 s | Internal memory * | 2000 MB |
| Copying | | Sound pressure level (printing) Sound pressure level (duplex | 55 dB |
| Duplex copying * | ✓ | printing) | 56.5 dB |
| Copying * | Colour copying | Sound pressure level (quiet mode) | 53 dB |
| Maximum copy resolution * | 600 x 600 DPI | Mac compatibility | ✓ |
| Scanning | | Design | |
| Duplex scanning * | ✓ | Product colour * | White |
| Scanning * | Colour scanning | Market positioning * | Home & office |
| Optical scanning resolution * | 600 x 600 DPI | Built-in display * | ✓ |
| Optical scanning resolution (ADF) | 600 x 600 DPI | Display diagonal | 17.8 cm (7") |
| Scanner type * | ADF scanner | Control type | Touch |
| Scan to | FTP 100 ppm 100 ppm | Power | |
| Scan speed (colour) Scan speed (black) | | Power consumption (max) | 1080 W |
| | | Power consumption (printing) | 770 W |
| | | Power consumption (copying) | 730 W |
| | | | |

| Fax | | Power | |
|--|--|--|---|
| Duplex faxing Modem speed Features | √ 33.6 Kbit/s | Power consumption (ready) Power consumption (sleep) Power consumption (off) AC input voltage | 85 W 16.8 W 0.04 W 220 - 240 V |
| Recommended duty cycle Maximum duty cycle * Duplex functions * | 520 - 2600 pages per month 2600 pages per month Copy, Print, Scan | AC input frequency System requirements | 50 - 60 Hz |
| Input & output capacity | | Windows operating systems supported | / |
| Total input capacity * Total output capacity * Multi-Purpose tray Multi-Purpose tray input capacity | 520 sheets 250 sheets | Mac operating systems supported Linux operating systems supported Mobile operating systems supported | |
| Auto document feeder (ADF) | 100 sheets ✓ | Operational conditions | |
| Auto document feeder (ADF) input capacity | 100 sheets | Operating relative humidity (H-H) Storage temperature (T-T) | 20 - 80% 0 - 40 °C |
| Paper handling | | Operating temperature (T-T) | 10 - 32 °C |
| Maximum ISO A-series paper size * | A4 Bond paper, Envelopes, Glossy | Storage relative humidity (H-H) Weight & dimensions | 10 - 90% |
| Paper tray media types * | paper, Plain paper, Recycled paper, Thick paper, Thicker paper, Thin paper | Width Depth | 503 mm 541 mm |
| ISO A-series sizes (A0A9) * ISO B-series sizes (B0B9) Envelopes sizes Custom media width Custom media length | A4, A5, A6 B5, B6 C5, Com-10, DL 100 - 215.9 mm 147.3 - 355.6 mm | Height Weight | 586 mm 36.5 kg |





4977766814188

0012502666240



012502666240

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.