




MSI PRO H610M-G DDR4 emolevy Intel H610 LGA 1700 mikro ATX

Tuotemerkki : MSI

Tuotekoodi: PRO H610M-G DDR4

Tuotteen nimi : PRO H610M-G DDR4

MSI PRO H610M-G DDR4. Suoritinvalmistaja: Intel, Prosessorin kanta: LGA 1700, Yhteensopivat prosessorit: Intel® Core™ i9. Tuetut muistityypit: DDR4-SDRAM, Sisäinen enimmäismuisti: 64 GB, Muistipaikkojen tyyppi: DIMM. Tuetut tallennusasemaliitännät: M.2, SATA III, Tuetut tallennusasematyyppit: SSD. Ethernet-liitännän tyyppi: Gigabitti Ethernet. Komponentti (tuotteelle): PC, Emolevyn muototekijä: mikro ATX, Emolevyn piirisarjan perhe: Intel



Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	USB 2.0 ports quantity *	4
Processor socket *	LGA 1700	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
Compatible processor series *	Intel® Core™ i9	Ethernet LAN (RJ-45) ports *	1
Supported processor sockets	LGA 1700	VGA (D-Sub) ports quantity *	1
Memory		HDMI ports quantity *	1
Supported memory types *	DDR4-SDRAM	DisplayPorts quantity	1
Number of memory slots *	2	Network	
Memory slots type	DIMM	Ethernet LAN	✓
Memory channels	Dual-channel	Ethernet interface type	Gigabit Ethernet
ECC compatibility	Non-ECC	Wi-Fi *	✗
Supported memory clock speeds	2133,2666,2933,3200 MHz	Features	
Maximum internal memory *	64 GB	Motherboard chipset *	Intel H610
Storage controllers		Audio chip	Realtek ALC897
Supported storage drive types	SSD	Audio output channels *	7.1 channels
Supported storage drive interfaces *	M.2, SATA III	Component for *	PC
Graphics		Motherboard form factor *	micro ATX
Parallel processing technology support *	Not supported	Motherboard chipset family *	Intel
DirectX version	12.0	Windows operating systems supported	Windows 10, Windows 11
Internal I/O		BIOS	
USB 2.0 connectors *	2	BIOS type *	UEFI AMI
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2	Logistics data	
Number of SATA III connectors *	4	Harmonized System (HS) code	84733020
Front panel audio connector	✓	Weight & dimensions	
ATX Power connector (24-pin)	✓	Width	211 mm
CPU fan connector	✓	Depth	244 mm
TPM connector	✓	Height	65 mm
12V power connector	✓	Packaging content	
		Cables included	SATA

Packaging content

Drivers included ✓

Other features

Weight 764 g



4719072925024



0824142278789



824142278789

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.