



BenQ EH620 Standard throw projector 3400 ANSI lumens DLP 1080p (1920x1080) 3D White

Brand : BenQ

Product code: 9H.JPT77.34E

Product name : EH620

BenQ EH620. Projector brightness: 3400 ANSI lumens, Projection technology: DLP, Projector native resolution: 1080p (1920x1080). Light source type: Lamp, Service life of light source: 4000 h, Service life of light source (economic mode): 10000 h. Focus: Manual, Focal length range: 12 - 15.6 mm, Aperture range (F-F): 1.84 - 2.47. Supported graphics resolutions: 640 x 480 (VGA), 1920 x 1200 (WUXGA). Serial interface type: RS-232, HDMI version: 1.4a



Projector		Ports & interfaces	
Smart projector *	✗	DVI port *	✗
Projector brightness *	3400 ANSI lumens	Network	
Projection technology *	DLP	Smart TV *	✗
Projector native resolution *	1080p (1920x1080)	Ethernet LAN *	✗
Contrast ratio (typical) *	15000:1	Wi-Fi *	✓
Native aspect ratio *	16:9	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Number of colours	1.07 billion colours	Bluetooth	✓
Horizontal scan range	15 - 102 kHz	Bluetooth version	4.2
Vertical scan range	23 - 120 Hz	Storage	
Keystone correction, vertical	-40 - 40°	Card reader integrated *	✗
Light source		Features	
Light source type *	Lamp	Interactive *	✗
Service life of light source *	4000 h	Noise level (economic mode)	30 dB
Service life of light source (economic mode)	10000 h	HDCP	✓
Lens system		Noise level *	32 dB
Focus *	Manual	Multimedia	
Focal length range	12 - 15.6 mm	Built-in speaker(s) *	✓
Aperture range (F-F)	1.84 - 2.47	RMS rated power	10 W
Offset	105%	Design	
Video		Market positioning *	Business
Full HD *	✓	Product type *	Standard throw projector
3D *	✓	Product colour *	White
Supported graphics resolutions	640 x 480 (VGA), 1920 x 1200 (WUXGA)	Display	
Ports & interfaces		Built-in display *	✗
HDMI version	1.4a		

Ports & interfaces	
USB 2.0 ports quantity	2
Mini-USB 2.0 ports quantity	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	3
Headphone outputs	1
Microphone in	✓
Serial interface type *	RS-232
PC in (D-Sub)	✓
VGA (D-Sub) ports quantity *	2
HDMI ports quantity *	2

Power	
Power source *	AC
Power consumption (typical) *	350 W
Power consumption (standby) *	0.5 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz

Operational conditions	
Operating temperature (T-T)	0 - 40 °C

Weight & dimensions	
Width	380 mm
Depth	263 mm
Height	127 mm
Weight *	4.2 kg

Packaging content	
Remote control included *	✓



4718755087998

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 06-MAR-2025. Prints or copies of Information are only valid on the printed Publication date