



## EZVIZ H8 Pro 2K Spherical IP security camera Indoor & outdoor 2304 x 1296 pixels Wall/Pole

**Brand :** EZVIZ

**Product code:** CS-H8-R100-1H3WKFL(4MM)

**Product name :** H8 Pro 2K

1/2.7" CMOS, 2304 x 1296 max 30fps, IEEE802.11b, 802.11g, 802.11n, 10/100-Mbit/s Ethernet, 3MP, Wi-Fi

EZVIZ H8 Pro 2K. Type: IP security camera, Placement supported: Indoor & outdoor, Connectivity technology: Wireless. Mounting type: Wall/Pole, Product colour: Black, White, Form factor: Spherical. Lens viewing angle, horizontal: 89°, Lens viewing angle, vertical: 46°, Lens viewing angle, diagonal: 104°. Sensor type: CMOS, Optical sensor size: 25.4 / 2.7 mm (1 / 2.7"). Fixed focal length: 4 mm



Performance		Audio	
Type *	IP security camera	Built-in speaker(s)	✓
Placement supported *	Indoor & outdoor	Audio system	2-way
Connectivity technology *	Wireless	<b>Network</b>	
Auto-tracking	✓	Ethernet LAN *	✓
Preset points	✓	Ethernet interface type	Fast Ethernet
Wide Dynamic Range (WDR)	✓	Wi-Fi *	✓
Day/night mode	✓	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Infrared (IR) cut-off filter	✓	Bluetooth *	✗
Remote viewing	✓	<b>Storage</b>	
Certification	UL / FCC / CE / WEEE / RoHS / UKCA	Built-in HDD *	✗
<b>Design</b>		Card reader integrated	✓
Form factor *	Spherical	Compatible memory cards	MicroSD (TransFlash)
Mounting type *	Wall/Pole	Maximum memory card size	512 GB
Product colour *	Black, White	<b>Ports &amp; interfaces</b>	
LED indicators	✓	Ethernet LAN (RJ-45) ports	1
Protection features	Waterproof	<b>Security</b>	
Weatherproof	✓	Built-in siren	✓
<b>Camera</b>		Password protection	✓
Camera pan control	✓	Security algorithms	WPA-PSK, WPA2-PSK
Camera tilt control	✓	Alert notification type	Push notification
Minimum illumination	0 lx	Intelligent Video Surveillance (IVS) system features	Human detection, Vehicle detection
Lens viewing angle, horizontal	89°	Anti-flicker	✓
Lens viewing angle, vertical	46°	Heartbeat	✓
Lens viewing angle, diagonal	104°		

<b>Image sensor</b>		<b>Security</b>	
Number of sensors	1	Digital watermark	✓
Optical sensor size	25.4 / 2.7 mm (1 / 2.7")	<b>Power</b>	
Progressive scan	✓	Power source type *	DC
Sensor type *	CMOS	Power consumption (max)	6 W
<b>Lens system</b>		DC output voltage	12
Zoom capability	✓	DC output current	1 A
Number of lenses *	1	<b>Operational conditions</b>	
Maximum aperture number	1.6	Operating temperature (T-T)	-30 - 50 °C
Fixed focal length	4 mm	Operating relative humidity (H-H)	0 - 95%
<b>Night vision</b>		<b>Weight &amp; dimensions</b>	
Night vision *	✓	Width	116 mm
Night vision distance	30 m	Depth	153.2 mm
B/W night vision distance	30 m	Height	163.8 mm
Colour night vision distance	20 m	Weight	592 g
LED type	IR	<b>Packaging data</b>	
<b>Video</b>		Package width	187 mm
Maximum resolution *	2304 x 1296 pixels	Package depth	174 mm
Total megapixels *	5 MP	Package height	186.5 mm
Video compression formats	H.264, H.265	Package weight	943 g
Frame rate	30 fps	<b>Sustainability</b>	
Video streaming	✓	Sustainability compliance	✓
Noise reduction	✓	Compliance certificates	CE, Federal Communications Commission (FCC), RoHS
Noise reduction technology	3D noise reduction	<b>Packaging content</b>	
Bit rate	2 Mbps	Number of cameras *	1
Digital Wide Dynamic Range (DWDR)	✓	Screws included	✓
		Drilling template included	✓
		Mounting template	✓



6941545612966

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-DEC-2024. Prints or copies of Information are only valid on the printed Publication date