



## EZVIZ BC1 Smart Trio Pack Battery Camera

**Brand :** EZVIZ

**Product code:** CS-BC1-B3

**Product name :** EZVIZ BC1 Smart Trio Pack Battery Camera

- 3x BC1 Cameras + 1x Base Station
- Up to 1 year of battery life on a single charge
- Secure the interior/exterior of your home for peace of mind
- Colour Night Vision for superior 24/7 security
- Built in Alarm Active Defence
- Compatible with Amazon Alexa, Google Assistant and IFTTT
- 2 years' warranty and 24/7 Tech Support

2 MP, 1/2.8" CMOS, FHD, Smart H.265, IR, DNR, WDR, IP 66, Wi-Fi, MicroSD, 12900 mAh, 5W, 3 pcs EZVIZ BC1 Smart Trio Pack Battery Camera. Type: IP security camera, Placement supported: Indoor & outdoor, Connectivity technology: Wired & Wireless. Mounting type: Wall, Product colour: White, Form factor: Turret. Lens viewing angle, horizontal: 108°, Lens viewing angle, diagonal: 128°. Sensor type: CMOS, Optical sensor size: 25.4 / 2.8 mm (1 / 2.8"), Number of effective pixels (H x V): 1920 x 1080 pixels. Lens diameter: 2.8 mm



Performance		Ports & interfaces	
Type *	IP security camera	Ethernet LAN (RJ-45) ports	1
Placement supported *	Indoor & outdoor	DC-in jack	✓
Connectivity technology *	Wired & Wireless	<b>Security</b>	
Virtual assistant	Amazon Alexa & Apple Siri	Video motion detection	✓
Day/night mode	✓	Detection distance	10 m
Antenna type	Internal	Motion sensor	✓
Design		Motion sensor technology	Passive infrared (PIR) sensor
Form factor *	Turret	<b>Management features</b>	
Mounting type *	Wall	Web-based management	✓
Product colour *	White	Web browser	✓
Housing material	Plastic	Firmware upgradeable	✓
Protection features	Dust resistant, Water resistant	Remotely operated	✓
International Protection (IP) code	IP66	<b>Power</b>	
Weatherproof	✓	Power source type *	AC, Battery
Camera		Power consumption (typical)	5 W
Lens viewing angle, horizontal	108°	Power consumption (max)	5 W
Lens viewing angle, diagonal	128°	DC output voltage	5
Image sensor		Battery technology	Lithium
Number of sensors	1	Battery capacity	12900 mAh
Optical sensor size	25.4 / 2.8 mm (1 / 2.8")	Rechargeable battery	✓
Progressive scan	✓	Battery voltage	5 V
Sensor type *	CMOS	<b>Operational conditions</b>	
Number of effective pixels (H x V)	1920 x 1080 pixels	Operating temperature (T-T)	-20 - 45 °C
Lens system		Operating relative humidity (H-H)	0 - 95%
Number of lenses *	1		
Lens diameter	2.8 mm		

Night vision		System requirements	
Night vision *	✓	Linux operating systems supported ✓	
Night vision distance	10 m		
LED type	IR		
Video		Weight & dimensions	
Maximum resolution *	1920 x 1080 pixels	Diameter	6.28 cm
Total megapixels *	2 MP	Length	104.8 mm
Video compression formats	H.265	Weight	851 g
Supported graphics resolutions	1920 x 1080 (HD 1080)		
Supported video modes	1080p		
Frame rate	30 fps		
Noise reduction	✓		
Noise reduction technology	3D noise reduction		
3D NR (Noise Reduction)	✓		
Full HD	✓		
Image quality adjustment	DNR		
Digital Wide Dynamic Range (DWDR)	✓		
Audio		Packaging data	
Built-in speaker(s)	✓	Package width	293 mm
Built-in microphone	✓	Package depth	180 mm
		Package height	288 mm
		Package weight	2.44 kg
		Package type	Box
Network		Sustainability	
Ethernet LAN *	✓	Sustainability certificates	UL ECOLOGO
Ethernet interface type	Gigabit Ethernet	Compliance certificates	CE, REACH, RoHS, WEEE
Wi-Fi *	✓		
Bluetooth *	✗		
Storage		Packaging content	
Built-in HDD *	✗	Number of cameras *	3
Card reader integrated	✓	Cables included	AC, USB
Compatible memory cards	MicroSD (TransFlash)	Mounting kit	✓
Maximum memory card size	256 GB	Mounting brackets included	✓
		Screws included	✓
		Manual	✓
		AC adapter included	✓
		Base included	✓
		Quick start guide	✓
		Wall mounting kit	✓
		Other features	
		Magnetic base	✓
		Technical details	
		Microphone type	Omnidirectional
		Integrated PIR sensor	✓
		Lens mount interface	M12
		Logistics data	
		Harmonized System (HS) code	85258900



6941545602592

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.