



## EZVIZ BC1 Smart Trio Pack Battery Camera

**Brand :** EZVIZ

**Product code:** CS-BC1-B3

**Product name :** EZVIZ BC1 Smart Trio Pack Battery Camera

- 3x BC1 Cameras + 1x Base Station
- Up to 1 year of battery life on a single charge
- Secure the interior/exterior of your home for peace of mind
- Colour Night Vision for superior 24/7 security
- Built in Alarm Active Defence
- Compatible with Amazon Alexa, Google Assistant and IFTTT
- 2 years' warranty and 24/7 Tech Support


2 MP, 1/2.8" CMOS, FHD, Smart H.265, IR, DNR, WDR, IP 66, Wi-Fi, MicroSD, 12900 mAh, 5W, 3 pcs EZVIZ BC1 Smart Trio Pack Battery Camera. Type: IP security camera, Placement supported: Indoor & outdoor, Connectivity technology: Wired & Wireless. Mounting type: Wall, Product colour: White, Form factor: Turret. Lens viewing angle, horizontal: 108°, Lens viewing angle, diagonal: 128°. Sensor type: CMOS, Optical sensor size: 25.4 / 2.8 mm (1 / 2.8"), Number of effective pixels (H x V): 1920 x 1080 pixels. Lens diameter: 2.8 mm



Must be Paired with the Base Station

Performance		Ports & interfaces	
Type *	IP security camera	Ethernet LAN (RJ-45) ports	1
Placement supported *	Indoor & outdoor	DC-in jack	✓
Connectivity technology *	Wired & Wireless	<b>Security</b>	
Virtual assistant	Amazon Alexa & Apple Siri	Video motion detection	✓
Day/night mode	✓	Detection distance	10 m
Antenna type	Internal	Motion sensor	✓
<b>Design</b>		Motion sensor technology	Passive infrared (PIR) sensor
Form factor *	Turret	<b>Management features</b>	
Mounting type *	Wall	Web-based management	✓
Product colour *	White	Web browser	✓
Housing material	Plastic	Firmware upgradeable	✓
Protection features	Dust resistant, Water resistant	Remotely operated	✓
International Protection (IP) code	IP66	<b>Power</b>	
Weatherproof	✓	Power source type *	AC, Battery
<b>Camera</b>		Power consumption (typical)	5 W
Lens viewing angle, horizontal	108°	Power consumption (max)	5 W
Lens viewing angle, diagonal	128°	DC output voltage	5
<b>Image sensor</b>		Battery technology	Lithium
Number of sensors	1	Battery capacity	12900 mAh
Optical sensor size	25.4 / 2.8 mm (1 / 2.8")	Rechargeable battery	✓
Progressive scan	✓	Battery voltage	5 V
Sensor type *	CMOS	<b>Operational conditions</b>	
Number of effective pixels (H x V)	1920 x 1080 pixels	Operating temperature (T-T)	-20 - 45 °C
<b>Lens system</b>		Operating relative humidity (H-H)	0 - 95%
Number of lenses *	1		
Lens diameter	2.8 mm		

<b>Night vision</b>		<b>System requirements</b>	
Night vision *	✓	Linux operating systems supported	✓
Night vision distance	10 m	<b>Weight &amp; dimensions</b>	
LED type	IR	Diameter	6.28 cm
<b>Video</b>		Length	104.8 mm
Maximum resolution *	1920 x 1080 pixels	Weight	851 g
Total megapixels *	2 MP	<b>Packaging data</b>	
Video compression formats	H.265	Package width	293 mm
Supported graphics resolutions	1920 x 1080 (HD 1080)	Package depth	180 mm
Supported video modes	1080p	Package height	288 mm
Frame rate	30 fps	Package weight	2.44 kg
Noise reduction	✓	Package type	Box
Noise reduction technology	3D noise reduction	<b>Sustainability</b>	
3D NR (Noise Reduction)	✓	Sustainability certificates	UL ECOLOGO
Full HD	✓	Compliance certificates	CE, REACH, RoHS, WEEE
Image quality adjustment	DNR	<b>Packaging content</b>	
Digital Wide Dynamic Range (DWDR)	✓	Number of cameras *	3
<b>Audio</b>		Cables included	AC, USB
Built-in speaker(s)	✓	Mounting kit	✓
Built-in microphone	✓	Mounting brackets included	✓
<b>Network</b>		Screws included	✓
Ethernet LAN *	✓	Manual	✓
Ethernet interface type	Gigabit Ethernet	AC adapter included	✓
Wi-Fi *	✓	Base included	✓
Bluetooth *	✗	Quick start guide	✓
<b>Storage</b>		Wall mounting kit	✓
Built-in HDD *	✗	<b>Other features</b>	
Card reader integrated	✓	Magnetic base	✓
Compatible memory cards	MicroSD (TransFlash)	<b>Technical details</b>	
Maximum memory card size	256 GB	Microphone type	Omnidirectional
		Integrated PIR sensor	✓
		Lens mount interface	M12
		<b>Logistics data</b>	
		Harmonized System (HS) code	85258900



6941545602592

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-DEC-2024. Prints or copies of Information are only valid on the printed Publication date