

EZVIZ TY2 Pallomainen IP-turvakamera Sisätila 1920 x 1080 pikseliä Vastaanotto

Tuotemerkki : EZVIZ

Tuotekoodi: CS-TY2-B0-1G2WF

Tuotteen nimi : TY2


EZVIZ TY2. Malli: IP-turvakamera, Tuettu sijoitus: Sisätila, Yhteysteknologia: Langallinen & langaton. Kiinnitystyyppi: Vastaanotto, Tuotteen väri: musta, Valkoinen, Kotelo: Pallomainen. Kiertokulma: 360°, Kallistuskulma: 0 - 55°, Kiertoalue: 0 - 340°. Anturin tyyppi: CMOS, Optisen sensorin koko: 25,4 / 3 mm (1 / 3"). Linssin halkaisija: 4 mm





Performance		Network	
Type * Placement supported * Connectivity technology * Auto-tracking	Wired & Wireless	Wi-Fi * Wi-Fi standards Wi-Fi data rate (max) Bluetooth *	✓ 802.11b, 802.11g, Wi-Fi 4 (802.11n) 72 Mbit/s ★
Auto pan mode Wide Dynamic Range (WDR) Day/night mode Infrared (IR) cut-off filter Remote viewing		Storage Built-in HDD * Card reader integrated Compatible memory cards Maximum memory card size	× ✓ MicroSD (TransFlash) 256 GB
Antenna type Operating frequency Design	Internal 2400 - 2483.5 MHz	Ports & interfaces Ethernet LAN (RJ-45) ports	1
Form factor * Mounting type * Product colour *	Spherical Desk Black, White	USB port DC-in jack Security	<i>I</i> <i>I</i>
Camera Camera pan control	1	Video motion detection Security algorithms	✓ 64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK
Camera tilt control Angle of rotation Tilt angle range	of rotation 360° gle range 0 - 55° nge 0 - 340° a shutter type Electronic	Privacy protection Motion sensor Motion sensor technology	 Passive infrared (PIR) sensor
Pan range Camera shutter type Adjustment shutter speed		Management features Web-based management	J.
Image sensor		Power	
Number of sensors	1	Power source type *	DC

Image sensor		Power	
Optical sensor size Sensor type *	25.4 / 3 mm (1 / 3") CMOS	Power consumption (max) DC output voltage	5 W 5
Lens system		DC output current	1 A
Number of lenses *	1	Operational conditions	
Lens diameter	4 mm	Operating temperature (T-T)	-10 - 45 °C
Maximum aperture number	2.4	Operating relative humidity (H-H)	0 - 95%
Night vision		System requirements	
Night vision *	1	Mobile operating systems supported Android, iOS	
Night vision distance	10 m	Weight & dimensions	
LED type	IR	Height	124 mm
Video		Diameter	8.8 cm
Maximum resolution *	1920 x 1080 pixels	Weight	255 g
Video compression formats	H.264	Cable length	3 m
Supported graphics resolutions	1920 x 1080 (HD 1080)	Packaging data	
Supported video modes	1080p	Package width	103 mm
Video recording	v	Package depth	103 mm
Frame rate	15 fps	Package height	186 mm
Audio		Package type	Box
Built-in speaker(s)	1	Packaging content	
Audio system	2-way	Number of cameras *	1
Network		Cables included	AC
Ethernet LAN *	1	Mounting brackets included	1
Ethernet interface type	Fast Ethernet	Screws included	1
· ····································		Manual	1



6941545601427

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.