


ASUS PRIME B650M-A II AMD B650 Socket AM5 micro ATX

Brand : ASUS

Product code: 90MB1EH0-M0EAY0

Product name : PRIME B650M-A II

- AMD AM5 Socket: Ready for AMD Ryzen™ 7000 Series Desktop Processors
 - Ultrafast Connectivity: M.2 PCIe 5.0, Realtek 2.5Gb Ethernet, USB 3.2 Gen 2 ports, front USB 3.2 Gen 1 Type-C®
 - ASUS OptiMem II: Careful routing of traces and vias, plus ground layer optimizations to preserve signal integrity for improved memory overclocking
 - Comprehensive Cooling: VRM heatsink, PCH heatsink, hybrid fan headers and Fan Xpert 2+
 - Aura Sync RGB Lighting: Onboard Addressable Gen 2 headers and Aura RGB header for RGB LED strips, easily synced with Aura Sync-capable hardware
- AMD B650 Micro-ATX motherboard with DDR5, PCIe 5.0 M.2, 2.5Gb Ethernet, DisplayPort, HDMI®, VGA, rear USB 3.2 Gen 2, front USB 3.2 Gen 1 Type-C®, BIOS FlashBack™, Arua Sync



Processor		Internal I/O	
Processor manufacturer *	AMD	Number of COM connectors	1
Processor socket *	Socket AM5	TPM connector	✓
Compatible processor series *	AMD Ryzen™ 7	12V power connector	✓
Memory		RGB LED pin header	✓
Supported memory types *	DDR5-SDRAM	Rear panel I/O ports	
Number of memory slots *	4	USB 2.0 ports quantity *	4
Memory slots type	DIMM	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
Memory channels	Dual-channel	USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	2
ECC compatibility	ECC & Non-ECC	Ethernet LAN (RJ-45) ports *	1
Supported memory clock speeds	4800,5000,5200,5400,5600,5800,6000,6200,6400 MHz	VGA (D-Sub) ports quantity *	1
Supported memory clock speed (max)	6400 MHz	HDMI ports quantity *	1
Maximum internal memory *	128 GB	DisplayPorts quantity	1
Unbuffered memory	✓	Headphone outputs	1
Storage controllers		Line-in	✓
Supported storage drive interfaces *	M.2, PCI Express 4.0, PCI Express 5.0, SATA	Microphone in	✓
Number of HDDs supported	4	USB connector type	USB Type-A
Number of storage drives supported	2	Network	
RAID support	✓	Ethernet LAN	✓
RAID levels	0, 1, 10	Ethernet interface type	2.5 Gigabit Ethernet
Internal I/O		Wi-Fi *	✗
USB 2.0 connectors *	2	Features	
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2	Motherboard chipset *	AMD B650
Number of SATA connectors	4	Audio output channels *	7.1 channels
S/PDIF out connector	✓	Component for *	PC
Audio connector	✓	Motherboard form factor *	micro ATX
Front panel connector	✓		

Internal I/O		Features	
ATX Power connector (24-pin)	✓	Motherboard chipset family *	AMD
Number of EATX power connectors	1	Windows operating systems supported	Windows 10, Windows 11
Power fan connector	✓	Expansion slots	
CPU fan connector	✓	PCI Express x16 (Gen 4.x) slots	3
Number of chassis fan connectors	3	BIOS	
Peripheral (Molex) power connectors (4-pin)	4	BIOS type *	UEFI
EPS power connector (8-pin)	✓	BIOS memory size	256 Mbit
		Weight & dimensions	
		Width	244 mm
		Depth	244 mm
		Packaging content	
		Cables included	SATA



4711387025512

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 28-FEB-2025. Prints or copies of Information are only valid on the printed Publication date