

## **DELL UltraSharp 27 4K PremierColor Monitor: UP2720QA**

Brand : DELL Product family: UltraSharp Product code: DELL-UP2720QA

Product name: UltraSharp 27 4K PremierColor Monitor:

UP2720QA

- 68.6cm (27") 4K Ultra HD 3840 x 2160 LED IPS
- 8ms, 16:9, 1300:1
- USB, HDMI, DisplayPort

## DELL UltraSharp 27 4K PremierColor Monitor: UP2720QA:

Create on your terms with the world's first 27" 4K monitor with built-in colorimeter and Thunderbolt™ 3. DELL UltraSharp 27 4K PremierColor Monitor: UP2720QA. Display diagonal: 68.6 cm (27"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in USB hub. VESA mounting, Height adjustment. Product colour: Black





Display		Ergonomics	
Display diagonal *	68.6 cm (27")	VESA mounting *	✓
Display resolution *	3840 x 2160 pixels	Panel mounting interface	100 x 100 mm
HD type *	4K Ultra HD	Cable management	✓
Native aspect ratio *	16:9	Cable lock slot *	/
Display technology *	LCD	Height adjustment *	/
Panel type *	IPS	Adjustable height (max)	13 cm
Backlight type	LED	Pivot	<b>✓</b>
Touchscreen *	×	Pivot angle	-90 - 90°
Display brightness (peak)	250 cd/m²	•	
Display brightness (typical)	250 cd/m²	Swivelling	<b>√</b>
Response time *	8 ms	Swivel angle range	-45 - 45°
Anti-glare screen	✓	Tilt adjustment	1
Screen shape *	Flat	Tilt angle range	-5 - 21°
Supported video modes	480p, 576p, 720p, 1080i, 1080p	On Screen Display (OSD)	✓
Contrast ratio (typical) *	1300:1	Plug and Play	✓
Maximum refresh rate *	60 Hz	Power	
Viewing angle, horizontal	178°	Energy efficiency class (SDR) *	G
Viewing angle, vertical	178°	Energy efficiency class (HDR) *	Not available
Display number of colours *	1.07 billion colours	Energy consumption (SDR) per 1000	
Response time (fast)	6 ms	hours *	32 kWh
Pixel pitch	0.1554 x 0.1554 mm	Power consumption (typical) *	32 W
Pixel density	163 ppi	Power consumption (standby) *	0.2 W
Viewable size, horizontal	59.7 cm	Power consumption (max)	230 W
Viewable size, vertical	33.6 cm	Power consumption (off)	0.2 W
Viewable size diagonal	68.5 cm	AC input voltage	100 - 240 V
Digital horizontal frequency	15 - 135 kHz	AC input frequency	50 - 60 Hz
Digital vertical frequency	23 - 86 Hz	Input current	2.8 A
Display diagonal (metric)	68.47 cm	Power supply type	Internal
High Dynamic Range (HDR) supported	×	Energy efficiency scale	A to G
Surface hardness	3H	European Product Registry for Energy Labelling (EPREL) code	1310921
Colour gamut standard	DCI-P3	,	

Display		Operational conditions	
Colour gamut Adobe RGB coverage	98% 100%	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude  Weight & dimensions  Width (with stand) Depth (with stand) Height (with stand) Weight (with stand) Width (without stand) Depth (without stand) Height (without stand) Height (without stand) Weight (without stand) Bezel width (side)	0 - 40 °C -20 - 60 °C 10 - 90% 10 - 90% 0 - 3048 m 3048 - 12192 m  611.9 mm 212 mm 563.4 mm 9.19 kg 611.9 mm 51 mm 376.8 mm 5.55 kg 7.6 mm
Performance  NVIDIA G-SYNC *  AMD FreeSync *  Flicker-free technology  Multimedia  Built-in speaker(s) *  Built-in camera *  Design  Market positioning *  Product colour *	× × ×  V  Office Black		
Front bezel colour Feet colour	Black Black		
Ports & interfaces  Built-in USB hub *	<b>✓</b>	Bezel width (top)  Bezel width (bottom)	7.6 mm 2.71 cm
USB upstream port type	USB Type-C	Packaging data	
USB Type-A downstream ports quantity	4	Package weight	14.1 kg
USB Type-C DisplayPort Alternate Mode	<b>✓</b>	Packaging content Stand included	1
HDMI * HDMI ports quantity	<b>√</b> 2	Cables included	AC, DisplayPort, HDMI, Thunderbolt, USB Type-A to USB Type-C
HDMI version	2.2	Quick start guide	✓
DisplayPorts quantity	1	Sustainability	
DisplayPort version Thunderbolt 3 ports quantity Headphone out *	1.4 2 ×	Sustainability certificates Doesn't contain	TCO PVC/BFR
HDCP	<b>^</b>	Other features	
HDCP version	2.2	Heavy metals free	Hg (mercury)
Network		Compliance certificates	RoHS
Wi-Fi	×		



5397184657218

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.