## **NOC**

## AOC B2 27B2H/EU LED display 68,6 cm (27") 1920 x 1080 pikseliä Full HD musta

Tuotemerkki : AOC Tuoteperhe: B2 Tuotekoodi: 27B2H/EU

Tuotteen nimi: 27B2H/EU


AOC B2 27B2H/EU. Näytön halkaisija: 68,6 cm (27"), Näytön erottelutarkkuus: 1920 x 1080 pikseliä, HDtyyppi: Full HD, Näytön teknologia: LED, Näytön pinta: Matta, Vasteaika (tyypillinen): 4 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. VESA-kiinnitys. Tuotteen väri: musta





| Display                           |   | Ergonomics   |  |
|-----------------------------------|---|--|--|
| Display diagonal *                | 68.6 cm (27")   | VESA mounting *  | <b>✓</b>   |
| Display resolution *              | 1920 x 1080 pixels  | Panel mounting interface                                       | 100 x 100 mm   |
| HD type *                         | Full HD   | Cable lock slot *  | /  |
| Native aspect ratio *             | 16:9  | Cable lock slot type   | Kensington   |
| Display technology *              | LED   | Height adjustment *  | X  |
| Panel type *                      | IPS   | Pivot  |  |
| Backlight type                    | W-LED   |  | X  |
| Touchscreen *                     | ×   | Tilt adjustment  | •  |
| Display brightness (typical)      | 250 cd/m <sup>2</sup>   | Tilt angle range   | -5 - 21.5°   |
| Response time *                   | 4 ms  | On Screen Display (OSD)  | ✓  |
| Display surface                   | Matt  |  | Simplified Chinese, Traditional  |
| Screen shape *                    | Flat  |  | Chinese, Croatian, Czech, German,<br>Dutch, English, Spanish, Finnish, |
| Supported graphics resolutions    | 1280 x 720 (HD 720), 1280 x 768 (WXGA), 1920 x 1080 (HD 1080) | On Screen Display (OSD) languages                              | French, Italian, Japanese, Korean, Polish, Portuguese, Russian,        |
| Supported video modes             | 720p, 768p, 1080p   |  | Swedish, Turkish, Ukrainian  |
| Aspect ratio                      | 4:3, 16:9   | Number of OSD languages  | 16   |
| Contrast ratio (typical) *        | 1000:1  | Plug and Play  | ✓  |
| Contrast ratio (dynamic)          | 20000000:1  | Power  |  |
| Maximum refresh rate *            | 75 Hz   | Energy efficiency class (SDR) *                                | F  |
| Viewing angle, horizontal         | 178°  | Energy efficiency class (HDR) *                                | F  |
| Viewing angle, vertical           | 178°  | Energy consumption (SDR) per 1000                              | )  |
| Display number of colours *       | 16.7 million colours  | hours *  | ' 23 kWh   |
| Pixel pitch Horizontal scan range | 0.3114 x 0.3114 mm<br>30 - 83 kHz                             | Energy consumption (HDR) per 1000 hours *                      | 23 kWh   |
| Vertical scan range               | 50 - 76 Hz  | Power consumption (typical) *                                  | 22 W   |
| Viewable size, horizontal         | 52.7 cm   | Power consumption (standby) *                                  | 0.5 W  |
| Viewable size, vertical           | 29.6 cm   | Power consumption (off)  | 0.5 W  |
| Digital horizontal frequency      | 30 - 83 kHz   | AC input voltage   | 100 - 240 V  |
| Display diagonal (metric)         | 68.58 cm  | AC input frequency   | 50 - 60 Hz   |
| Surface hardness                  | 3H  | Energy efficiency scale  | A to G   |
| Colour depth                      | 8 bit   | European Product Registry for<br>Energy Labelling (EPREL) code | 419755   |
| Colour gamut standard             | sRGB  | External power adapter   | 1  |
| sRGB coverage (typical)           | 101%  | ·  |  |
| NTSC coverage (typical)           | 72%   | Weight & dimensions  |  |
| Adobe RGB coverage                | 74%   | Width (with stand)   | 612.1 mm   |
|                                   |   | Depth (with stand)   | 182.9 mm   |

| Performance                |          | Weight & dimensions               |               |
|----------------------------|----------|-----------------------------------|---------------|
| NVIDIA G-SYNC *            | ×        | Height (with stand)               | 456.4 mm      |
| AMD FreeSync *             | ×        | Weight (with stand)               | 3.6 kg        |
| Fast charging              | ×        | Width (without stand)             | 612.1 mm      |
| Flicker-free technology    | <b>✓</b> | Depth (without stand)             | 36.1 mm       |
| Low Blue Light technology  | ✓        | Height (without stand)            | 361.4 mm      |
| Multimedia                 |          | Packaging data                    |               |
|                            | ×        | Package width                     | 678 mm        |
| Built-in speaker(s) *      |          | Package depth                     | 131 mm        |
| Built-in microphone        | X        | Package height                    | 520 mm        |
| Built-in camera *          | X        | Package weight  Package type      | 5.5 kg<br>Box |
| Design                     |          | J , ,                             | ВОХ           |
| Market positioning *       | Home     | Packaging content                 |               |
| Product colour *           | Black    | Stand included                    | ✓             |
| Frameless design           | ✓        | Cables included                   | HDMI          |
| Front bezel colour         | Black    | Power adapter included            | <b>✓</b>      |
| Detachable stand           | x        | HDMI cable length                 | 1.8 m         |
| Feet colour                | Black    | Power cable length                | 1.8 m         |
| Ports & interfaces         |          | Sustainability                    |               |
| Built-in USB hub *         | x        | Sustainability certificates       | ENERGY STAR   |
| VGA (D-Sub) ports quantity | 1        | Other features                    |               |
| DVI port                   | ×        | Exterior finish type              | Textured      |
| HDMI *                     | ✓        | Recyclable packaging material     | 100%          |
| HDMI ports quantity        | 1        | Heavy metals free                 | Hg (mercury)  |
| HDMI version               | 1.4      | Compliance certificates           | RoHS          |
| Audio input                | ×        | Mean time between failures (MTBF) | 50000 h       |
| Headphone out *            | ✓        | Light effects                     | ×             |
| Headphone outputs          | 1        | Certification                     | True          |
| Headphone connectivity     | 3.5 mm   | Logistics data                    |               |
| DC-in jack                 | ✓        | Harmonized System (HS) code       | 85285210      |
|                            |          |                                   |               |





4038986187183

5715063385364

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.