Canon

Canon i-SENSYS LBP122dw 2400 x 600 DPI A4 Wi-Fi

Tuotemerkki : Canon　　　　**Tuoteperhe:** i-SENSYS　　　　**Tuotekoodi:** 5620C001

Tuotteen nimi : LBP122dw

Canon i-SENSYS LBP122dw. Tulostustekniikka: Laser. Värikasettien määrä: 1, Suurin toimintajakso: 20000 sivua kuukaudessa. Suurin resoluutio: 2400 x 600 DPI. Suurin ISO A-luokan paperikoko: A4. Tulostusnopeus (musta, normaalilaatu, A4/US Letter): 29 ppm, Kaksipuolinen tulostus. Näyttö: LCD. Wi-Fi. Tuotteen väri: musta

Printing

Colour *	✘
Print technology *	Laser
Duplex printing *	✔
Maximum resolution *	2400 x 600 DPI
Print speed (black, normal quality, A4/US Letter) *	29 ppm
Warm-up time	7.5 s

Features

Maximum duty cycle *	20000 pages per month
Recommended duty cycle	150 - 1500 pages per month
Printing colours *	Black
Number of print cartridges *	1
Page description languages *	UFRII

Input & output capacity

Total number of input trays *	1
Total input capacity *	150 sheets
Total output capacity *	50 sheets

Paper handling

Maximum ISO A-series paper size *	A4
Maximum print size	216 x 356 mm
Paper tray media types *	Plain paper
ISO A-series sizes (A0...A9) *	A4, A5, A6
ISO B-series sizes (B0...B9)	B5
Non-ISO print media sizes	Executive, Legal, Letter, Oficio, Statement
Envelopes sizes	C5, Com-10, DL, Monarch
Paper tray media weight	60 - 163 g/m²

Ports & interfaces

USB port *	✔
USB 2.0 ports quantity	1

Network

Wi-Fi *	✔
Ethernet LAN *	✔
Cabling technology	10/100Base-T(X)
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)

Network

Management protocols	SNMPv1, SNMPv3
Mobile printing technologies	Apple AirPrint

Performance

Internal memory *	256 MB
Built-in processor	✔

Design

Market positioning *	Business
Product colour *	Black
Built-in display *	✔
Display	LCD

Power

Power consumption (printing) *	530 W
Power consumption (max)	1300 W
Power consumption (standby)	3.5 W
Energy Star Typical Electricity Consumption (TEC)	0.21 kWh/week
AC input voltage	220 - 240 V
AC input frequency	50 - 60 Hz

System requirements

Windows operating systems supported	Windows 10, Windows 8.1, Windows 11
Mac operating systems supported	Mac OS X 10.15 Catalina, Mac OS X 10.7 Lion, Mac OS X 10.15.3 Catalina, Mac OS X 10.8 Mountain Lion, Mac OS X 10.2 Jaguar, Mac OS X 10.9 Mavericks, Mac OS X 10.3 Panther, Mac OS X 11.0 Big Sur, Mac OS X 10.12 Sierra, Mac OS X 10.4 Tiger, Mac OS X 12.0 Monterey, Mac OS X 10.13 High Sierra, Mac OS X 10.5 Leopard, Mac OS X 13.0 Ventura, Mac OS X 10.14 Mojave
Linux operating systems supported	✔
Server operating systems supported	Windows Server 2019, Windows Server 2012 R2, Windows Server 2022, Windows Server 2016, Windows Server 2012

Operational conditions

Operating temperature (T-T)	10 - 30 °C
Operating relative humidity (H-H)	20 - 80%

Weight & dimensions

Width	356 mm

Weight & dimensions

Depth	283 mm
Height	213 mm
Weight	6 kg

4549292196672