Canon

Canon i-SENSYS MF275dw Laser A4 2400 x 600 DPI 29 ppm Wi-Fi

Brand : Canon Product family: i-SENSYS Product code: 5621C001

Product name: MF275dw

A4, Print, copy, scan, fax, 2400 x 600 dpi, Flatbed and ADF, USB 2.0, LAN, WLAN, 11.4 Kg Canon i-SENSYS MF275dw. Print technology: Laser, Printing: Mono printing, Maximum resolution: 2400 x 600 DPI. Copying: Mono copying, Maximum copy resolution: 600 x 600 DPI. Scanning: Colour scanning, Optical scanning resolution: 600 x 600 DPI. Faxing: Mono faxing. Duplex functions: Copy, Fax, Print. Maximum ISO A-series paper size: A4. Wi-Fi. Product colour: Black



B 4 . 41		5 I III	
Printing		Paper handling	
Duplex printing mode Print technology * Printing * Duplex printing *	Auto Laser Mono printing	Maximum print size Paper tray media types * ISO A-series sizes (A0A9) * ISO B-series sizes (B0B9)	216 x 356 mm Plain paper A4, A6, A5 B5
Maximum resolution *	2400 x 600 DPI	Non-ISO print media sizes	Executive, Legal, Letter, Oficio,
Print speed (black, normal quality, A4/US Letter) * Warm-up time	29 ppm 7.5 s	Envelopes sizes Paper tray media weight	Statement DL, Com-10, Monarch, C5 60 - 163 g/m ²
Time to first page (black, normal)	5.4 s	Ports & interfaces	
Copying		USB port	✓
Duplex copying *	✓	USB 2.0 ports quantity	1
Duplex copying mode	Auto	Network	
Copying * Maximum copy resolution *	Mono copying 600 x 600 DPI	Wi-Fi *	✓
Maximum copy resolution * Maximum number of copies	999 copies	Ethernet LAN *	✓
Copier resize	25 - 400%	Cabling technology	10/100Base-T(X)
N-in-1 copy function N-in-1 copy function (N=) ID-card copy function	✓ 2, 4 ✓	Wi-Fi standards Security algorithms	802.11b, 802.11g, Wi-Fi 4 (802.11n) WPA2-AES, WPA2-EAP, 64-bit WEP, WPA2-PSK, 128-bit WEP, WPA2-TKIP, WPA-AES, WPA-EAP, WPA-PSK, WPA- TKIP
Scanning		Management protocols	SNMPv1, SNMPv3
Scanning *	Colour scanning	Mobile printing technologies	Apple AirPrint
Optical scanning resolution *	600 x 600 DPI	Performance	
Scanner type * Scan to	Flatbed & ADF scanner Cloud, PC	Internal memory *	256 MB
Input colour depth	24 bit	Built-in processor	✓
Output colour depth	24 bit	Processor frequency	1200 MHz
Greyscale levels	256	Design	
Scan drivers	TWAIN, WIA	Product colour *	Black
Fax		Market positioning *	Business
Faxing *	Mono faxing	Built-in display * Control type	✓ Touch
Fax transmission speed Modem speed	3 sec/page 33.6 Kbit/s	Power	Touch
Fax memory	256 pages	Power consumption (max)	1300 W
Speed dialling	✓	Power consumption (max) Power consumption (printing)	530 W
Features		Power consumption (standby)	4.8 W
Recommended duty cycle	150 - 2000 pages per month	Power consumption (sleep)	1 W
Maximum duty cycle *	20000 pages per month	Energy Star Typical Electricity Consumption (TEC)	0.23 kWh/week

Features		Power	
Duplex functions * Number of print cartridges * Printing colours *	Copy, Fax, Print 1 Black	AC input voltage AC input frequency	220 - 240 V 50 - 60 Hz
		System requirements	
Page description languages Input & output capacity	UFRII	Windows operating systems supported	Windows 10, Windows 8.1, Windows 11
Total number of input trays * Total input capacity * Total output capacity * Auto document feeder (ADF) Auto document feeder (ADF) input capacity Maximum input capacity Paper handling	1 150 sheets 50 sheets ✓ 35 sheets 186 sheets	Mac operating systems supported	Mac OS X 10.15 Catalina, Mac OS X 10.7 Lion, Mac OS X 10.15.3 Catalina, Mac OS X 10.8 Mountain Lion, Mac OS X 10.2 Jaguar, Mac OS X 10.9 Mavericks, Mac OS X 10.3 Panther, Mac OS X 11.0 Big Sur, Mac OS X 10.12 Sierra, Mac OS X 10.4 Tiger, Mac OS X 12.0 Monterey, Mac OS X 10.13 High Sierra, Mac OS X 10.5 Leopard, Mac OS X 13.0 Ventura, Mac OS X 10.14
Maximum ISO A-series paper size *	A4	Linux operating systems supported	Mojave ✓
		Server operating systems supported	Windows Server 2019, Windows Server 2012 R2, Windows Server 2022, Windows Server 2016, Windows Server 2012
		Operational conditions	
		Operating relative humidity (H-H) Operating temperature (T-T)	20 - 80% 10 - 30 °C
		Weight & dimensions	
		Width Depth Height Weight	390 mm 374 mm 368 mm 11.4 kg



4549292196832

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.