

Canon i-SENSYS MF275dw Laser A4 2400 x 600 DPI 29 ppm Wi-Fi

Tuotemerkki : Canon

Tuoteperhe: i-SENSYS

Tuotekoodi: 5621C001

Tuotteen nimi : MF275dw

Canon i-SENSYS MF275dw. Tulostustekniikka: Laser, Tulostus: Yksittäistulostus, Suurin resoluutio: 2400 x 600 DPI. Kopiointi: Yksittäiskopiointi, Kopioinnin enimmäistarkkuus: 600 x 600 DPI. Skannaus: Väriskannaus, Optinen skannauserottelutarkkuus: 600 x 600 DPI. Faksaus: Yksittäisfaksin lähetys. Kaksipuolinen toiminto: Kopiointi, Faksi, Tulosta. Suurin ISO A-luokan paperikoko: A4. Wi-Fi. Tuotteen väri: musta



Printing		Paper handling	
Duplex printing mode	Auto	Maximum print size	216 x 356 mm
Print technology *	Laser	Paper tray media types *	Plain paper
Printing *	Mono printing	ISO A-series sizes (A0...A9) *	A4, A6, A5
Duplex printing *	✓	ISO B-series sizes (B0...B9)	B5
Maximum resolution *	2400 x 600 DPI	Non-ISO print media sizes	Executive, Legal, Letter, Oficio, Statement
Print speed (black, normal quality, A4/US Letter) *	29 ppm	Envelopes sizes	DL, Com-10, Monarch, C5
Warm-up time	7.5 s	Paper tray media weight	60 - 163 g/m ²
Time to first page (black, normal)	5.4 s	Ports & interfaces	
Copying		USB port	✓
Duplex copying *	✓	USB 2.0 ports quantity	1
Duplex copying mode	Auto	Network	
Copying *	Mono copying	Wi-Fi *	✓
Maximum copy resolution *	600 x 600 DPI	Ethernet LAN *	✓
Maximum number of copies	999 copies	Cabling technology	10/100Base-T(X)
Copier resize	25 - 400%	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
N-in-1 copy function	✓	Security algorithms	WPA2-AES, WPA2-EAP, 64-bit WEP, WPA2-PSK, 128-bit WEP, WPA2-TKIP, WPA-AES, WPA-EAP, WPA-PSK, WPA-TKIP
N-in-1 copy function (N=)	2, 4	Management protocols	SNMPv1, SNMPv3
ID-card copy function	✓	Mobile printing technologies	Apple AirPrint
Scanning		Performance	
Scanning *	Colour scanning	Internal memory *	256 MB
Optical scanning resolution *	600 x 600 DPI	Built-in processor	✓
Scanner type *	Flatbed & ADF scanner	Processor frequency	1200 MHz
Scan to	Cloud, PC	Design	
Input colour depth	24 bit	Product colour *	Black
Output colour depth	24 bit	Market positioning *	Business
Greyscale levels	256	Built-in display *	✓
Scan drivers	TWAIN, WIA	Control type	Touch
Fax		Power	
Faxing *	Mono faxing	Power consumption (max)	1300 W
Fax transmission speed	3 sec/page	Power consumption (printing)	530 W
Modem speed	33.6 Kbit/s	Power consumption (standby)	4.8 W
Fax memory	256 pages	Power consumption (sleep)	1 W
Speed dialling	✓	Energy Star Typical Electricity Consumption (TEC)	0.23 kWh/week
Features			
Recommended duty cycle	150 - 2000 pages per month		
Maximum duty cycle *	20000 pages per month		

Features		Power	
Duplex functions *	Copy, Fax, Print	AC input voltage	220 - 240 V
Number of print cartridges *	1	AC input frequency	50 - 60 Hz
Printing colours *	Black	System requirements	
Page description languages	UFR II	Windows operating systems supported	Windows 10, Windows 8.1, Windows 11
Input & output capacity		Mac operating systems supported	Mac OS X 10.15 Catalina, Mac OS X 10.7 Lion, Mac OS X 10.15.3 Catalina, Mac OS X 10.8 Mountain Lion, Mac OS X 10.2 Jaguar, Mac OS X 10.9 Mavericks, Mac OS X 10.3 Panther, Mac OS X 11.0 Big Sur, Mac OS X 10.12 Sierra, Mac OS X 10.4 Tiger, Mac OS X 12.0 Monterey, Mac OS X 10.13 High Sierra, Mac OS X 10.5 Leopard, Mac OS X 13.0 Ventura, Mac OS X 10.14 Mojave
Total number of input trays *	1	Linux operating systems supported	✓
Total input capacity *	150 sheets	Server operating systems supported	Windows Server 2019, Windows Server 2012 R2, Windows Server 2022, Windows Server 2016, Windows Server 2012
Total output capacity *	50 sheets	Operational conditions	
Auto document feeder (ADF)	✓	Operating relative humidity (H-H)	20 - 80%
Auto document feeder (ADF) input capacity	35 sheets	Operating temperature (T-T)	10 - 30 °C
Maximum input capacity	186 sheets	Weight & dimensions	
Paper handling		Width	390 mm
Maximum ISO A-series paper size *	A4	Depth	374 mm
		Height	368 mm
		Weight	11.4 kg



4549292196832

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.