

USB-C Hub with Card Reader

devices

- Expand your USB-C laptop/tablet's data & charging functionality
- Transfer files between devices at ultra-fast 10Gbps data rates
- 1x USB-C 3.1 Gen 2 port connects USB-C-enabled devices
- 4x USB 3.0 Type-A ports connect older existing peripherals
 1x BC1.2 charging port (1.5A) charges smartphones or other
- Expand your USB-C desktop, laptop or tablet's connectivity and quick charging functionality with IOGEAR's USB-C Hub with Card Reader. Designed to maximize desk space for a convenient, single connection point for all your devices, easily connect four existing peripherals even if your new laptop or tablet has eliminated these ports. Instantly attach multiple peripherals through a single USB-C cable and charge a mobile device through the featured BC1.2 charging port.

Dual-Access Memory Slots

This high-performing hub also includes a dual-access SD/MicroSD card reader which allows simultaneous access to both memory cards for fast read/write transfers.

5 SuperSpeed USB 3.1 Ports

Transfer files ultra-fast between your computer or tablet and your connected devices* at speeds reaching up to 10 Gbps via the hub's USB-C and USB-A ports. With its five SuperSpeed USB 3.1 ports, the hub allows for rapid synching, saving and transfer of photos, video or documents.

Flexible Desktop

- Expand your USB-C laptop/tablet's data & charging functionality
- Transfer files between devices at ultra-fast 10Gbps data rates
- 1x USB-C 3.1 Gen 2 port connects USB-C-enabled devices
- 4x USB 3.1 Type-A ports connect older existing peripherals
- 1x BC1.2 charging port (1.5A) charges smartphones or other devices
- 1x SD/MicroSD card reader/writer adds dual-access memory expansion
- Perfect for use with Thunderbolt 3 (USB-C) laptops & tablets
- Optional AC (5V5A) power adapter ensures performance stability














Requirements

Package Contents

- USB-C (Thunderbolt
- 3 compatible) device
- Windows 7/8/8.1/10
- Mac OS X 10.7+
- Chrome OS
- 1 x GUH3C41SD
- 1 x 1m USB-C 3.1 G2
- (3A) to USB-C Cable
 - 1 x Warranty Card



Specifications

Function	GUH3C41SD	Dimensions	GUH3C41SD
Upstream Port		Unit Dimensions	
USB-C	USB-C 3.1 G2 (10Gbps)	Height	5.71" (14.5cm)
Downstream Port		Depth	0.98" (2.5cm)
USB-A	3 x USB-A 3.1 10G (@0.9A each), 1 x USB- A 3.1 10G (BC1.2@1.5A)	Length	3.19" (8.1cm)
USB-C	1 x USB-C 10G (data only) @ 1.5A 1 x SD 3.0 card slot @3.3V/800mA, 1 x Micro SD card slot@ 3.3V/400mA, Dual Access	Inner Pack Width	7.48" (19cm)
Card Reader			
		Height	10.23" (26cm)
Operating System Requirements		Length	14.17" (39cm)
Mac	Mac OS X 10.7+	Inner Pack Qty.	6
Windows	Windows 7/8/8.1/10	Unit Package Dimensions	
Chrome OS		Width	6.73" (17.1cm)
		Height	7.7?(19.6cm)
Environment		Depth	2.4? (6.2cm)
Humidity	10% to 90% RH	Master Carton	
Operation Temperature	0 ~ 45 Celsius	Width	16.14" (41cm)
Storage Temperature	-10 ~ 70 Celsius	Height	21.26" (54cm)
		Depth	8.26" (21cm)
		Master Carton Qty.	12
		Weight	
		Master Carton Wt.	11.68lb (5.3kg)
		Inner Pack Wt.	5.5lb (2.5kg)
		Unit Pack Wt.	0.8lb (0.4kg)
		Unit Wt.	0.3lb (0.14kg)