

## Epson EB-L570U data projector 5200 ANSI lumens 3LCD WUXGA (1920x1200) Black, White



**Brand :** Epson

**Product code:** V11HA98080

**Product name :** EB-L570U

3LCD, 0.67", WUXGA, 5200 lumens, 16:10, speaker 10 W, 8.3 kg

Epson EB-L570U. Projector brightness: 5200 ANSI lumens, Projection technology: 3LCD, Projector native resolution: WUXGA (1920x1200). Light source type: Laser, Service life of light source: 20000 h, Service life of light source (economic mode): 30000 h. Focus: Manual, Focal length range: 20 - 31.8 mm, Aperture range (F-F): 1.5 - 1.7. Serial interface type: RS-232C. Noise level: 31 dB, Noise level (economic mode): 23 dB, High Dynamic Range (HDR) technology: High Dynamic Range 10 (HDR10)

<b>Projector</b>		<b>Network</b>	
Screen size compatibility *	1270 - 12700 mm (50 - 500")	Ethernet LAN *	✗
Projection distance	1.44 - 23.84 m	Wi-Fi *	✓
Projection distance (wide)	1.4 - 14.8 m	<b>Storage</b>	
Projection distance (tele)	2.4 - 23.8 m	Card reader integrated *	✗
Projector brightness *	5200 ANSI lumens	<b>Features</b>	
Projection technology *	3LCD	Interactive *	✗
Projector native resolution *	WUXGA (1920x1200)	Noise level (economic mode)	23 dB
Contrast ratio (typical) *	2500000:1	Noise level *	31 dB
Native aspect ratio *	16:10	High Dynamic Range (HDR) supported	✓
Number of colours	1.07 billion colours	High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)
Keystone correction, horizontal	-30 - 30°	<b>Multimedia</b>	
Keystone correction, vertical	-30 - 30°	Built-in speaker(s) *	✓
Matrix size	1.7 cm (0.67")	RMS rated power	10 W
<b>Light source</b>		<b>Design</b>	
Light source type *	Laser	Market positioning *	Business
Service life of light source *	20000 h	Product colour *	Black, White
Service life of light source (economic mode)	30000 h	<b>Power</b>	
<b>Lens system</b>		Power source *	AC
Focus *	Manual	Power consumption (typical) *	201 W
Focal length range	20 - 31.8 mm	Power consumption (standby) *	2 W
Aperture range (F-F)	1.5 - 1.7	Power consumption (max)	260 W
Zoom capability	✓	Power consumption (economy mode)	199 W
Zoom type	Manual	AC input frequency	50/60 Hz
Throw ratio	1.35 - 2.20:1	AC adapter output voltage	100 - 240 V
Horizontal lens shift range	-20 - 20%	<b>Operational conditions</b>	
Vertical lens shift range	-50 - 50%	Storage temperature (T-T)	-10 - 60 °C
<b>Video</b>		Operating relative humidity (H-H)	20 - 80%
Analog signal format system *	Not supported	Storage relative humidity (H-H)	10 - 90%
Full HD *	✓	<b>Weight &amp; dimensions</b>	
3D *	✗	Width	440 mm
<b>Ports &amp; interfaces</b>		Depth	304 mm
HDBaseT port	✓		
USB 2.0 ports quantity	2		
USB 2.0 Type-A ports quantity	1		
USB 2.0 Type-B ports quantity	1		

Ports & interfaces		Weight & dimensions	
Serial interface type *	RS-232C	Height	122 mm
HDMI ports quantity *	3	Weight *	8.3 kg
DVI port *	×	<b>Packaging content</b>	
		Remote control included *	✓
		Batteries included	✓
		Cables included	AC



8715946714912

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-DEC-2024. Prints or copies of Information are only valid on the printed Publication date