![EPSON]

Epson EB-L570U 5200 ANSI lumenia 3LCD WUXGA (1920x1200) musta, Valkoinen

Tuotemerkki : Epson

Tuotekoodi: V11HA98080

Tuotteen nimi : EB-L570U

Epson EB-L570U. Projektorin kirkkaus: 5200 ANSI lumenia, Projektioteknologia: 3LCD, Projektorin oletusresoluutio: WUXGA (1920x1200). Valonlähteen tyyppi: Laser, Valonlähteen käyttöikä: 20000 h, Valonlähteen käyttöikä (säästötila): 30000 h. Tarkennus: Ohje, Polttovälialue: 20 - 31.8 mm, Aukkoalue (F-F): 1,5 - 1,7. Sarjaliitännän tyyppi: RS-232C. Melutaso: 31 dB, Melutaso (taloudellinen tila): 23 dB, Korkeadynaaminen teknologia-alue (HDR): High Dynamic Range 10 (HDR10)

Projector

Screen size compatibility *	1270 - 12700 mm (50 - 500")
Projection distance	1.44 - 23.84 m
Projection distance (wide)	1.4 - 14.8 m
Projection distance (tele)	2.4 - 23.8 m
Projector brightness *	5200 ANSI lumens
Projection technology *	3LCD
Projector native resolution *	WUXGA (1920x1200)
Contrast ratio (typical) *	2500000:1
Native aspect ratio *	16:10
Number of colours	1.07 billion colours
Keystone correction, horizontal	-30 - 30°
Keystone correction, vertical	-30 - 30°
Matrix size	1.7 cm (0.67")

Light source

Light source type *	Laser
Service life of light source *	20000 h
Service life of light source (economic mode)	30000 h

Lens system

Focus *	Manual
Focal length range	20 - 31.8 mm
Aperture range (F-F)	1.5 - 1.7
Zoom capability	✔
Zoom type	Manual
Throw ratio	1.35 - 2.20:1
Horizontal lens shift range	-20 - 20%
Vertical lens shift range	-50 - 50%

Video

Analog signal format system *	Not supported
Full HD *	✔
3D *	✘

Ports & interfaces

HDBaseT port	✔
USB 2.0 ports quantity	2
USB 2.0 Type-A ports quantity	1
USB 2.0 Type-B ports quantity	1

Network

Ethernet LAN *	✘
Wi-Fi *	✔

Storage

Card reader integrated *	✘

Features

Interactive *	✘
Noise level (economic mode)	23 dB
Noise level *	31 dB
High Dynamic Range (HDR) supported	✔
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)

Multimedia

Built-in speaker(s) *	✔
RMS rated power	10 W

Design

Market positioning *	Business
Product colour *	Black, White

Power

Power source *	AC
Power consumption (typical) *	201 W
Power consumption (standby) *	2 W
Power consumption (max)	260 W
Power consumption (economy mode)	199 W
AC input frequency	50/60 Hz
AC adapter output voltage	100 - 240 V

Operational conditions

Storage temperature (T-T)	-10 - 60 °C
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	10 - 90%

Weight & dimensions

Width	440 mm
Depth	304 mm

Ports & interfaces

Serial interface type *	RS-232C
HDMI ports quantity *	3
DVI port *	✖

Weight & dimensions

Height	122 mm
Weight *	8.3 kg

Packaging content

Remote control included *	✔
Batteries included	✔
Cables included	AC

8715946714912