



## Xerox B315, A4, 40 s/min, langaton, kaksipuolinen kopiointi/tulostus/skannaus/faksaus, PS3 PCL5e/6 , 2 alustaa, 350 arkkia

**Tuotemerkki :** Xerox

**Tuotekoodi:** B315V\_DNI

**Tuotteen nimi :** Xerox B315, A4, 40 s/min, langaton, kaksipuolinen kopiointi/tulostus/skannaus/faksaus, PS3 PCL5e/6 , 2 alustaa, 350 arkkia

Xerox B315, A4, 40 s/min, langaton, kaksipuolinen kopiointi/tulostus/skannaus/faksaus, PS3 PCL5e/6 , 2 alustaa, 350 arkkia. Tulostustekniikka: Laser, Tulostus: Yksittäistulostus, Suurin resoluutio: 2400 x 2400 DPI, Tulostusnopeus (väri, normaalilaatu, A4/US Letter): 40 ppm. Kopiointi: Yksittäiskopiointi, Kopiointin enimmäistarkkuus: 600 x 600 DPI. Skannaus: Väriskanuus, Optinen skannauserottelutarkkuus: 600 x 600 DPI. Faksaus: Värifaksaus. Kaksipuolinen toiminto: Kopiointi, Tulosta, Skannaus. Suurin ISO A-luokan paperikoko: A4. Wi-Fi. Suoratulostus. Tuotteen väri: Sininen, Valkoinen



### Printing

Duplex printing mode	Auto
Print resolution black	600 x 600 DPI
Print technology *	Laser
Printing *	Mono printing
Duplex printing *	✓
Maximum resolution *	2400 x 2400 DPI
Print speed (black, normal quality, A4/US Letter) *	40 ppm
Print speed (colour, normal quality, A4/US Letter)	40 ppm
Duplex print speed (black, normal quality, A4/US Letter)	18 ppm
Duplex print speed (colour, normal quality, A4/US Letter)	18 ppm
Warm-up time	90 s
Time to first page (black, normal)	5.8 s
N-in-1 print function	✓
Watermark printing	✓
Secure printing	✓
Booklet printing function	✓

### Copying

Duplex copying *	✓
Copying *	Mono copying
Maximum copy resolution *	600 x 600 DPI
Maximum copy size	A4
Duplex copy speed (black, US Letter)	17 ppm
Time to first copy (black, normal)	5.3 s
Maximum number of copies	9999 copies
Copier resize	-25 - 400%

### Paper handling

Non-ISO print media sizes	Folio, Legal, Oficio, Statement
JIS B-series sizes (B0...B9)	B5
Envelopes sizes	C5
Custom media width	99 - 216 mm
Custom media length	148 - 360 mm
Paper tray media weight	60 - 120 g/m <sup>2</sup>
Multi-Purpose Tray media weight	60 - 217 g/m <sup>2</sup>
Auto Document Feeder (ADF) media weight	60 - 90 g/m <sup>2</sup>
Duplex media weight	60 - 90 g/m <sup>2</sup>

### Ports & interfaces

Direct printing *	✓
USB port	✓
USB connector	USB Type-A / USB Type-B

### Network

Wi-Fi *	✓
Ethernet LAN *	✓
Cabling technology	10/100Base-T(X)
Ethernet LAN data rates	10,100 Mbit/s
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Security algorithms	EAP-MD5, EAP-TLS, EAP-TTLS, LEAP, PEAP, WEP, WMM, WPA, WPA-TKIP, WPA2, WPA2-Enterprise
Embedded web server	✓
IP address filtering	✓
Mobile printing technologies	Apple AirPrint, Mopria Print Service

### Performance

Internal memory *	512 MB
-------------------	--------

<b>Copying</b>		<b>Performance</b>	
N-in-1 copy function	✓	Built-in processor	✓
N-in-1 copy function (N=)	2, 4	Processor frequency	1000 MHz
<b>Scanning</b>		Processor cores	2
Duplex scanning *	✓	Sound pressure level (printing)	67.1 dB
Scanning *	Colour scanning	Sound power level (printing)	67.1 dB
Optical scanning resolution *	600 x 600 DPI	Sound power level (standby)	3.1 dB
Optical scanning resolution (black)	600 x 600 ppi	<b>Design</b>	
Optical scanning resolution (colour)	600 x 600 ppi	Product colour *	Blue, White
Maximum scan area	216 x 297 mm	Market positioning *	Home & office
Scanner type *	Flatbed & ADF scanner	Built-in display *	✓
Scan technology	CIS	Display	LCD
Scan to	E-mail, FTP, File, Network folder, USB	Display diagonal	7.11 cm (2.8")
Image formats supported	GIF, TIFF, JPG	Control type	Touch
Document formats supported	PDF	Colour display	✓
Input colour depth	24 bit	<b>Power</b>	
Output colour depth	24 bit	Power consumption (max)	580 W
Scan drivers	ICA, TWAIN, WIA	Power consumption (printing)	360 W
<b>Fax</b>		Power consumption (standby)	7.5 W
Duplex faxing	✓	Power consumption (sleep)	1.1 W
Faxing *	Colour faxing	Power consumption (off)	0.1 W
Fax resolution (black)	600 x 600 DPI	AC input voltage	220 - 240 V
Fax resolution (colour)	600 x 600 DPI	AC input frequency	47-63 Hz
Modem speed	33.6 Kbit/s	<b>System requirements</b>	
Fax memory	6 MB	Windows operating systems supported	Windows 10, Windows 11, Windows 8, Windows 8.1
Auto-redialing	✓	Mac operating systems supported	Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur
Fax forwarding to	E-mail, FTP, Fax	Server operating systems supported	Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2019
Fax delayed sending	✓	<b>Operational conditions</b>	
Auto reduction	✓	Operating relative humidity (H-H)	8 - 80%
Fax coding methods	JBIG, JPEG, MH, MMR, MR	Storage temperature (T-T)	-40 - 40 °C
<b>Features</b>		Operating temperature (T-T)	10 - 32.2 °C
Recommended duty cycle	0 - 6000 pages per month	Storage relative humidity (H-H)	8 - 80%
Maximum duty cycle *	80000 pages per month	<b>Sustainability</b>	
Duplex functions *	Copy, Print, Scan	Sustainability certificates	Blue Angel, ENERGY STAR, EPEAT
Number of print cartridges *	1	<b>Weight &amp; dimensions</b>	
Printing colours *	Black	Width	411 mm
Page description languages	PCL 5, PCL 6, PostScript 3	Depth	266 mm
Printer fonts	Bitmap, PCL, PostScript, Scalable	Height	339 mm
Number of PCL fonts	6	Weight	12.8 kg
Number of PostScript fonts	158	<b>Packaging data</b>	
Number of bitmap fonts	2	Package width	420 mm
Number of scalable fonts	89	Package depth	470 mm
<b>Input &amp; output capacity</b>		Package height	390 mm
Total number of input trays *	2	Package weight	14.7 kg
Total input capacity *	350 sheets	<b>Packaging content</b>	
Total output capacity *	100 sheets	Cartridge(s) included	✓
Paper tray 1 input capacity	250 sheets	Included cartridge capacity (black)	2500 pages
Multi-Purpose tray	✓	Cables included	AC
Multi-Purpose tray input capacity	100 sheets	Drivers included	✓
Auto document feeder (ADF)	✓	Power cord included	✓
Auto document feeder (ADF) input capacity	50 sheets	Quick installation guide	✓
<b>Paper handling</b>			
Maximum ISO A-series paper size *	A4		
Paper tray media types *	Bond paper, Card stock, Envelopes, Glossy paper, Heavy paper, Labels, Letterhead, Plain paper, Pre-printed, Recycled paper, Rough paper		

Paper handling		Logistics data	
ISO A-series sizes (A0...A9) *	A4, A5, A6	Export Control Classification Number (ECCN)	EAR99
ISO B-series sizes (B0...B9)	B5	Harmonized System (HS) code	84433100
ISO C-series sizes (C0...C9)	C5	<b>Other features</b>	
		Web-based management	✓
		Maximum scan area (ADF)	216 x 356 mm
		Supported network protocols	TCP/IP: HTTP/HTTPS, IPP, LPR/LDP, Raw Socket Printing/Port 9100, IPv4/IPv6, MS Web Services WSD-Print 802.1x, SNMP
		Software CD	✓
		Documentation CD	✓



0095205069396



095205069396



0095205069419



095205069419

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.