



## MSI B550 GAMING GEN3 emolevy AMD B550 Kanta AM4 ATX

**Tuotemerkki :** MSI

**Tuotekoodi:** B550 GAMING GEN3

**Tuotteen nimi :** B550 GAMING GEN3

MSI B550 GAMING GEN3. Suoritinvalmistaja: AMD, Prosessorin kanta: Kanta AM4, Yhteensopivat prosessorit: AMD Ryzen 3000 Series. Tuetut muistityypit: DDR4-SDRAM, Sisäinen enimmäismuisti: 128 GB, Muistipaikkojen tyyppi: DIMM. Tuetut tallennusasemaliitännät: SATA III, RAID-tasot: 0, 1, 10. Näytönohjaimen enimmäismuisti: 16000 MB, Enimmäiserottelutarkkuus: 4096 x 2160 pikseliä. HDMI-versio: 2.0b



Processor		Rear panel I/O ports	
Processor manufacturer *	AMD	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
Processor socket *	Socket AM4	USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	1
Compatible processor series *	AMD Ryzen 3000 Series	USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1
Maximum number of SMP processors	1	Ethernet LAN (RJ-45) ports *	1
<b>Memory</b>		PS/2 ports quantity	1
Supported memory types *	DDR4-SDRAM	HDMI ports quantity *	1
Number of memory slots *	4	HDMI version	2.0b
Memory slots type	DIMM	DVI-D ports quantity *	1
Memory channels	Dual-channel	S/PDIF out port	✓
ECC compatibility	Non-ECC	Digital audio optical out	1
Supported memory clock speeds	1866,2133,2400,2667,2800,2933,3000,3066,3200,3466,3600,3733,3866,4000,4133,4266,4400 MHz	<b>Network</b>	
Maximum internal memory *	128 GB	Ethernet LAN	✓
Unbuffered memory	✓	Ethernet interface type	Gigabit Ethernet
<b>Storage controllers</b>		LAN controller	Realtek RTL8111H
Supported storage drive interfaces *	SATA III	Wi-Fi *	✗
RAID levels	0, 1, 10	Bluetooth	✗
<b>Graphics</b>		<b>Features</b>	
Maximum graphics card memory	16000 MB	Motherboard chipset *	AMD B550
On-board graphics card	✗	Audio chip	Realtek ALC897
Maximum resolution	4096 x 2160 pixels	Audio output channels *	7.1 channels
<b>Internal I/O</b>		Product colour	Black
USB 2.0 connectors *	2	Component for *	PC
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2	Motherboard form factor *	ATX
Number of SATA III connectors *	6	Motherboard chipset family *	AMD
Front panel audio connector	✓	<b>Expansion slots</b>	
ATX Power connector (24-pin)	✓	PCI Express x1 slots	4
CPU fan connector	✓	PCI Express x16 slots	2
Number of chassis fan connectors	2	Number of M.2 (M) slots	1
Chassis intrusion connector	✓		
12V power connector	✓		
RGB LED pin header	✓		

Rear panel I/O ports		BIOS	
USB 2.0 ports quantity *	2	BIOS type *	UEFI AMI
		BIOS memory size	256 Mbit
		Clear CMOS jumper	✓
		Weight & dimensions	
		Width	305 mm
		Depth	244 mm
		Packaging content	
		Cables included	SATA
		Drivers included	✓



4719072928346

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 28-DEC-2024. Prints or copies of Information are only valid on the printed Publication date