

## iiyama ProLite XUB2792HSC-B5 LED display 68.6 cm (27") 1920 x 1080 pixels Full HD Black

**Brand :** iiyama

**Product family:** ProLite

**Product code:** XUB2792HSC-B5

**Product name :** XUB2792HSC-B5

27", 68.6cm, IPS, 1920x1080, 75Hz, 16:9, 250 cd/m<sup>2</sup>, 1000:1, 4ms, 178°/178°, 16.7mln, sRGB: 99%

[iiyama ProLite XUB2792HSC-B5 LED display 68.6 cm \(27"\) 1920 x 1080 pixels Full HD Black:](#)

27" IPS monitor with USB-C

Equipped with a USB-C connector, the XUB2792HSC allows you to simplify your workspace by using a single cable to power and charge the notebook from the monitor. The IPS matrix offers accurate and consistent colour reproduction with wide viewing angles. The blue light reducer function with flicker free LCD technology reduce eye strain and offer a more comfortable viewing experience. Supplied with a 150mm height-adjustable stand featuring pivot and swivel functions, the XUB2792HSC allows you to easily adjust the screen position to your preferences.



### IPS TECHNOLOGY

IPS technology offers higher contrast, darker blacks and much better viewing angles than standard TN technology. The screen will look good no matter what angle you look at it.

| Display                      |                       | Ergonomics  |   |
|------------------------------|-----------------------|---|---|
| Display diagonal *           | 68.6 cm (27")         | VESA mounting *   | ✓   |
| Display resolution *         | 1920 x 1080 pixels    | Panel mounting interface                                    | 100 x 100 mm  |
| HD type *                    | Full HD               | Cable management  | ✓   |
| Native aspect ratio *        | 16:9                  | Height adjustment *   | ✓   |
| Display technology *         | LED                   | Adjustable height (max)                                     | 15 cm   |
| Panel type *                 | IPS                   | Pivot   | ✓   |
| Backlight type               | LED                   | Pivot angle   | 0 - 90°   |
| Touchscreen *                | ✗                     | Swivelling  | ✓   |
| Display brightness (typical) | 250 cd/m <sup>2</sup> | Swivel angle range  | 45 - 90°  |
| Response time *              | 4 ms                  | Tilt angle range  | 5 - 23°   |
| Display surface              | Matt                  | On Screen Display (OSD)                                     | ✓   |
| Screen shape *               | Flat                  | On Screen Display (OSD) languages                           | Czech, German, Dutch, English, Estonian, French, Italian, Japanese, Polish, Russian |
| Aspect ratio                 | 16:9                  | Number of OSD languages                                     | 10  |
| Contrast ratio (typical) *   | 1000:1                | Power   |   |
| Maximum refresh rate *       | 75 Hz                 | Energy efficiency class (SDR) *                             | E   |
| Viewing angle, horizontal    | 178°                  | Energy consumption (SDR) per 1000 hours *                   | 22 kWh  |
| Viewing angle, vertical      | 178°                  | Power consumption (typical) *                               | 20 W  |
| Display number of colours *  | 16.7 million colours  | Power consumption (standby) *                               | 0.5 W   |
| Digital horizontal frequency | 30 - 85 kHz           | Power consumption (off)                                     | 0.5 W   |
| Colour gamut standard        | sRGB                  | AC input voltage  | 100 - 240 V   |
| sRGB coverage (typical)      | 99%                   | AC input frequency  | 50 - 60 Hz  |
| Performance                  |                       | European Product Registry for Energy Labelling (EPREL) code | 1331318   |
| Flicker-free technology      | ✓                     | Weight & dimensions   |   |
| Low Blue Light technology    | ✓                     | Width (with stand)  | 612 mm  |
| Multimedia                   |                       | Depth (with stand)  | 209.5 mm  |
| Number of speakers           | 2                     | Height (with stand)   | 543.5 mm  |
| RMS rated power              | 2 W                   | Weight (with stand)   | 6.6 kg  |
| Built-in speaker(s) *        | ✓                     |   |   |
| Built-in camera *            | ✗                     |   |   |
| Design                       |                       |   |   |
| Product colour *             | Black                 |   |   |

| Design                               |                             | Packaging data    |  |
|--------------------------------------|-----------------------------|-------------------|--|
| Frameless design                     | ✓                           | Package width     | 693 mm   |
| Ports & interfaces                   |                             | Package depth     | 170 mm   |
| Built-in USB hub *                   | ✓                           | Package height    | 440 mm   |
| USB hub version                      | 2.0 / 3.2 Gen 1 (3.1 Gen 1) | Package weight    | 7 kg   |
| USB upstream port type               | USB Type-A                  | Package type      | Box  |
| Number of upstream ports             | 2                           | Packaging content |  |
| USB Type-C downstream ports quantity | 1                           | Stand included    | ✓  |
| USB Power Delivery (USB PD)          | ✓                           | Cables included   | AC, HDMI, USB Type-C   |
| USB Power Delivery up to             | 65 W                        | Manual            | ✓  |
| HDMI *                               | ✓                           | Other features    |  |
| HDMI ports quantity                  | 1                           | Certification     | TCO Certified, CE, TÜV-GS, EAC, VCCI-B, PSE, RoHS support, ErP, WEEE, REACH, ENERGY STAR, UKCA |
| DisplayPorts quantity                | 1                           |                   |  |
| Headphone out *                      | ✓                           |                   |  |
| HDCP                                 | ✓                           |                   |  |



4948570121786

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 01-MAR-2025. Prints or copies of Information are only valid on the printed Publication date