

Epson WorkForce WF-2930DWF Inkjet A4 5760 x 1440 DPI 33 ppm Wi-Fi

Brand : Epson

Product family: WorkForce

Product code: C11CK63403

Product name : WF-2930DWF

WorkForce WF-2930DWF

[Epson WorkForce WF-2930DWF Inkjet A4 5760 x 1440 DPI 33 ppm Wi-Fi:](#)

Compact multifunction inkjet printer designed for home and small offices with automatic document feeder, Wi-Fi and mobile printing.

This feature-rich multifunction inkjet printer is stylish, compact and easy-to-use in your home office. Reduce waste and costs with A4 double-sided printing and affordable individual inks. Labour-intensive tasks such as multi-page copying, scanning and faxing are effortless with its Automatic Document Feeder (ADF). Printing on the go is easy with Wi-Fi, Wi-Fi Direct, Epson Connect1 and Apple AirPrint2. Epson WorkForce WF-2930DWF. Print technology: Inkjet, Printing: Colour printing, Maximum resolution: 5760 x 1440 DPI, Print speed (colour, normal quality, A4/US Letter): 18 ppm. Copying: Colour copying. Scanning: Colour scanning, Optical scanning resolution: 1200 x 2400 DPI. Faxing: Colour faxing. Duplex functions: Print. Maximum ISO A-series paper size: A4. Wi-Fi. Direct printing. Product colour: Black



Printing		Paper handling	
Duplex printing mode	Auto	Envelopes sizes	10, C6
Print technology *	Inkjet	Photo paper sizes	10x15,13x18 cm
Printing *	Colour printing	Paper tray media weight	64 - 300 g/m ²
Duplex printing *	✓	Ports & interfaces	
Maximum resolution *	5760 x 1440 DPI	Direct printing *	✓
Print speed (black, normal quality, A4/US Letter) *	33 ppm	USB port	✓
Print speed (colour, normal quality, A4/US Letter)	18 ppm	USB 2.0 ports quantity	1
Copying		Network	
Copying *	Colour copying	Wi-Fi *	✓
Scanning		Ethernet LAN *	✗
Scanning *	Colour scanning	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Optical scanning resolution *	1200 x 2400 DPI	Security algorithms	64-bit WEP, 128-bit WEP, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-PSK, WPA3-SAE
Maximum scan area	216 x 297 mm	Mobile printing technologies	Apple AirPrint, Epson Connect, Epson Email Print, Epson Remote Print, Epson Scan to Cloud, Epson iPrint, Mopria Print Service
Scanner type *	ADF scanner	Design	
Scan technology	CIS	Product colour *	Black
Fax		Market positioning *	Home & office
Faxing *	Colour faxing	Built-in display *	✓
Fax transmission speed	3 sec/page	Colour display	✓
Modem speed	33.6 Kbit/s	Power	
Fax memory	100 pages	Power consumption (copying)	12 W
Speed dialling	✓	Power consumption (ready)	4.6 W
Error Correction Mode (ECM)	✓	Power consumption (standby)	0.7 W
Features			
Maximum duty cycle *	3000 pages per month		
Duplex functions *	Print		

Features		Power	
Number of print cartridges *	4	Power consumption (off)	0.2 W
Printing colours *	Black, Cyan, Magenta, Yellow	AC input voltage	100 - 240 V
Country of origin	Indonesia	AC input frequency	50 - 60 Hz
Input & output capacity		System requirements	
Total number of input trays *	1	Windows operating systems supported	Windows 10, Windows 11, Windows 7, Windows 8, Windows Vista, Windows XP
Total input capacity *	100 sheets		Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey
Auto document feeder (ADF)	✓	Mac operating systems supported	
Auto document feeder (ADF) input capacity	30 sheets		
Paper handling		Server operating systems supported	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2012 x64, Windows Server 2016
Maximum ISO A-series paper size *	A4		
Paper tray media types *	Envelopes, Photo paper, Plain paper		
ISO A-series sizes (A0...A9) *	A4, A5, A6		
ISO B-series sizes (B0...B9)	B5, B6		
Non-ISO print media sizes	Letter		
Weight & dimensions			
		Width	375 mm
		Depth	300 mm
		Height	218 mm
		Weight	5.2 kg
Packaging data			
		Package width	384 mm
		Package depth	438 mm
		Package height	292 mm
		Package weight	6.3 kg
Logistics data			
		Harmonized System (HS) code	8443310000



8715946701974

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.