

## Epson LabelWorks LW-K400 (AZERTY) label printer Thermal transfer 180 x 180 DPI 6 mm/sec

Brand : Epson

Product family: LabelWorks

Product code: C51CB70330

Product name : LW-K400 (AZERTY)



- Cut & Print: Auto-print the next label in a pre-set series
- Narrow margins, less waste: Margins can now be cut to one millimetre, reducing wastage
- Longer tapes: Tapes are available in nine metre sizes, saving money
- Auto-fit text: Intelligently fits text to the desired size of label
- 780 different symbols: More choice than on competitor products

180DPI, 6mm/sec, AZERTY, LCD 130 x 48, 110 x 170 x 460mm, 415g

Epson LabelWorks LW-K400 (AZERTY). Keyboard layout: AZERTY. Print technology: Thermal transfer, Maximum resolution: 180 x 180 DPI, Print speed: 6 mm/sec. Product colour: Black, Green, Grey

Printing		Weight & dimensions	
Print technology *	Thermal transfer	Height	560 mm
Maximum resolution *	180 x 180 DPI	Weight	415 g
Print speed *	6 mm/sec	Packaging data	
Maximum printing width *	1.8 cm	Quantity per pack	1 pc(s)
Maximum print height	9 mm	Package width	200 mm
Vertical printing	✓	Package depth	262 mm
Mirror printing	✓	Package height	84 mm
Performance		Package weight	973 g
Built-in barcodes	CODABAR (NW-7), Code 39, Code-128 Codabar Library, EAN13, EAN8, ITF, UPC-A, UPC-E	Logistics data	
Cutter	✓	Products per pallet layer	30 pc(s)
Design		Products per pallet layer (UK)	45 pc(s)
Product colour *	Black, Green, Grey	Products per pallet (UK)	405 pc(s)
Keyboard number of keys	61	Pallet length (UK)	120 cm
Built-in display	✓	Pallet width (UK)	100 cm
Display *	LCD	Pallet height (UK)	15 cm
Display resolution	130 x 48 pixels	Harmonized System (HS) code	84433210
Colour display	✓	Pallet gross width	80 cm
Display number of lines	2 lines	Pallet gross length	120 cm
Keyboard layout	AZERTY	Pallet gross height	15 cm
Power		Products per pallet	270 pc(s)
Power consumption (printing)	2.5 W	Minimum order quantity	5 pc(s)
Power consumption (off)	0.12 W	Other features	
Weight & dimensions		Country of origin	Philippines
Width	110 mm	Clock function	✗
Depth	170 mm		



8715946620688

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-FEB-2025. Prints or copies of Information are only valid on the printed Publication date