ASUS TUF Gaming 1000W Gold virtalähdeyksikkö 20+4 pin ATX ATX musta

Tuotemerkki : ASUS Tuotekoodi: 90YE00S1-B0NA00

Tuotteen nimi: TUF Gaming 1000W Gold

ASUS TUF Gaming 1000W Gold. Kokonaisteho: 1000 W, AC-syöttöjännite: 100 - 240 V, Yhdistetty teho (+3.3V): 130 W. Emolevyn virtaliitin: 20+4 pin ATX, Emolevyn virtapiuhan pituus: 61 cm, SATA-virtakaapelin pituus: 120,400 mm. Tarkoitus: PC, Virransyöttöyksikön mitat: ATX, 80 PLUS certification: 80 PLUS Gold. Tuotteen väri: musta, Jäähdytyksen tyyppi: Aktiivinen, Tuulettimen halkaisija: 13,5 cm. Sisältää johdot: AC, Prosessori (CPU), PCIe, Peripheral (Molex), SATA





Power		Ports & interfaces	
Total power * 1000 W AC input voltage * 100 - 240 V Combined power (+3.3V) 130 W	CPU power cable length ATX power connector (20+4 pin) Cabling type	65 cm ✓ Fully-Modular	
Combined power (+12V)	1000 W 130 W 9.6 W 15 W 25 A 83.3 A	Performance	
Combined power (+5V) Combined power (-12V) Combined power (+5Vsb) Max output current (+3.3V) Max output current (+12V)		80 PLUS certification * Purpose * Power supply unit (PSU) form factor * ATX version	80 PLUS Gold PC ATX 3.0
Max output current (+5V) Max output current (-12V)	25 A 0.8 A	Design	
Max output current (+5Vsb) Efficiency Power protection features	0.8 A 3 A 92% Over power, Over voltage, Overcharge, Overheating, Short circuit, Under power, Under voltage	Product colour Cooling type Fan diameter Number of fans On/off switch	Black Active 13.5 cm 1 fan(s)
Ports & interfaces		Packaging content	
Motherboard power connector * Motherboard power cable length Number of SATA power connectors	20+4 pin ATX 61 cm 5	Cables included Cable tie(s) included	AC, CPU, PCIe, Peripheral (Molex), SATA ✓
SATA power cable length Peripheral (Molex) power connectors (4-pin) *	120,400 mm 4	Certificates Compliance certificates	RoHS
Peripheral (Molex) power cable length	150,400 mm	Weight & dimensions	КОПО
PCI Express power connectors (8-pin)	4	Width Depth	150 mm 150 mm
PCI Express power connectors (16-pin)	1	Height Weight	86 mm 2.48 kg
PCI Express power cable length	67.5 cm	Weight	2.70 Ng

Ports & interfaces		Packaging data	
CPU power connector (4+4 pin)	•	Package width	310 mm
		Package depth	200 mm
		Package height	108 mm
		Package weight	3.17 kg
		Package type	Box
		Technical details	
		Sustainability compliance	✓



4711081786412

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.