

## Philips E Line 346E2LAE/00 LED display 86,4 cm (34") 3440 x 1440 pikseliä Wide Quad HD LCD musta

**Tuotemerkki :** Philips

**Tuoteperhe:** E Line

**Tuotekoodi:** 346E2LAE/00

**Tuotteen nimi :** 346E2LAE/00



Monitor 346E2LAE UltraWide LCD -näyttö

Philips E Line 346E2LAE/00 LED display 86,4 cm (34") 3440 x 1440 pikseliä Wide Quad HD LCD musta:

Philipsin E-line UltraWide -näyttö tarjoaa laajan panoraamakuvan. WQHD-näyttö ja ergonominen teline takaavat täydellisen katselukokemuksen. USB-C, sisäänrakennettu USB-keskitin, MultiView ja monet muut ominaisuudet parantavat käytettävyyttä ja tuottavuutta.

Philips E Line 346E2LAE/00. Näytön halkaisija: 86,4 cm (34"), Näytön erottelutarkkuus: 3440 x 1440 pikseliä, HD-tyyppi: Wide Quad HD, Näytön teknologia: LCD, Vasteaika (tyypillinen): 4 ms, Vakiokuvasuhde: 21:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 3.2 Gen 1 (3.1 Gen 1). VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta

Display		Ergonomics	
Display diagonal *	86.4 cm (34")	Panel mounting interface	100 x 100 mm
Display resolution *	3440 x 1440 pixels	Cable management	✓
HD type *	Wide Quad HD	Cable lock slot *	✓
Native aspect ratio *	21:9	Cable lock slot type	Kensington
Display technology *	LCD	Height adjustment *	✓
Panel type *	VA	Adjustable height (max)	10 cm
Backlight type	W-LED	Tilt adjustment	✓
Touchscreen *	✗	Tilt angle range	-5 - 20°
Display brightness (typical)	300 cd/m <sup>2</sup>	Picture-in-Picture	✓
Response time *	4 ms	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Anti-glare screen	✓	Plug and Play	✓
Screen shape *	Flat	LED indicators	Operation, Stand-by
Contrast ratio (typical) *	4000:1		
Dynamic contrast ratio marketing name	Mega Infinity DCR	Power	
Maximum refresh rate *	100 Hz	Energy efficiency class (SDR) *	F
Viewing angle, horizontal	178°	Energy consumption (SDR) per 1000 hours *	31 kWh
Viewing angle, vertical	178°	Power consumption (typical) *	35 W
Display number of colours *	16.7 million colours	Power consumption (standby) *	0.5 W
Response time (fast)	1 ms	Power consumption (off)	0.3 W
Pixel pitch	0.23175 x 0.23175 mm	AC input voltage	100 - 240 V
Pixel density	109.68 ppi	AC input frequency	50 - 60 Hz
Viewable size, horizontal	79.7 cm	Power supply type	External
Viewable size, vertical	33.4 cm	Energy efficiency scale	A to G
Digital horizontal frequency	30 - 160 kHz	European Product Registry for Energy Labelling (EPREL) code	1323290
Digital vertical frequency	48 - 100 Hz	Operational conditions	
Display diagonal (metric)	86.36 cm	Operating temperature (T-T)	0 - 40 °C
DDC/CI	✓	Storage temperature (T-T)	-20 - 60 °C
Haze rate	25%	Operating relative humidity (H-H)	20 - 80%
Surface hardness	3H	Operating altitude	0 - 3658 m
Colour depth	8 bit	Non-operating altitude	3658 - 12192 m
Colour gamut standard	sRGB		
sRGB coverage (typical)	121.32%		
NTSC coverage (typical)	100.05%		
Display sRGB	✓		

<b>Performance</b>		<b>Weight &amp; dimensions</b>	
NVIDIA G-SYNC *	✗	Width (with stand)	817 mm
AMD FreeSync *	✓	Depth (with stand)	235 mm
VESA Adaptive Sync support	✓	Height (with stand)	491 mm
Component video sync	Separate sync	Weight (with stand)	7.36 kg
Flicker-free technology	✓	Width (without stand)	817 mm
Low Blue Light technology	✓	Depth (without stand)	49 mm
<b>Multimedia</b>		Height (without stand)	365 mm
Number of speakers	2	Weight (without stand)	5.43 kg
RMS rated power	3 W	<b>Packaging data</b>	
Built-in speaker(s) *	✓	Package width	930 mm
Built-in camera *	✗	Package depth	186 mm
<b>Design</b>		Package height	525 mm
Market positioning *	Home	Package weight	10.7 kg
Product colour *	Black	<b>Packaging content</b>	
Feet colour	Black	Stand included	✓
<b>Ports &amp; interfaces</b>		Cables included	HDMI, USB Type-C to USB Type-C, AC
Built-in USB hub *	✓	Manual	✓
USB hub version	3.2 Gen 1 (3.1 Gen 1)	<b>Sustainability</b>	
USB Type-C DisplayPort Alternate Mode	✓	Sustainability compliance	✓
USB Power Delivery (USB PD)	✓	Doesn't contain	Mercury, PVC/BFR
USB Power Delivery up to	65 W	<b>Other features</b>	
HDMI *	✓	Compatible operating systems	Mac OS X Windows 11 / 10 / 8.1 / 8 / 7
HDMI ports quantity	2	Picture-by-Picture (PbP)	✓
HDMI version	2.0	Exterior finish type	Textured
DisplayPorts quantity	1	Picture enhancement	SmartImage game
DisplayPort version	1.2	Recyclable packaging material	100%
Audio output	✓	Regulatory Approvals	CB; TUV/ISO9241-307; TUV-BAUART; CU-EAC; EAEU RoHS; CE Mark; FCC Class B; ICES-003
HDCP	✓	EasyRead mode	✓
HDCP version	1.4/2.2	LowBlue mode	✓
<b>Ergonomics</b>		Compliance certificates	RoHS
VESA mounting *	✓	Mean time between failures (MTBF)	50000 h



8712581796136

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-FEB-2025. Prints or copies of Information are only valid on the printed Publication date