

DELL UltraSharp U4323QE LED display 109,2 cm (43") 3840 x 2160 pikseliä 4K Ultra HD LCD Hopea

Tuotemerkki : DELL

Tuoteperhe: UltraSharp

Tuotekoodi: DELL-U4323QE



DELL UltraSharp U4323QE. Näytön halkaisija: 109,2 cm (43"), Näytön erottelutarkkuus: 3840 x 2160 pikseliä, HD-tyyppi: 4K Ultra HD, Näytön teknologia: LCD, Vasteaika (tyypillinen): 8 ms, Vakiokuvasuhde: 16:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 3.2 Gen 2 (3.1 Gen 2). VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: Hopea





Display		Ergonomics	
Display diagonal *	109.2 cm (43")	Adjustable height (max)	6 cm
Display resolution *	3840 x 2160 pixels	Pivot	×
HD type *	4K Ultra HD	Swivelling	1
Native aspect ratio *	16:9	Swivel angle range	-20 - 20°
Display technology *	LCD	Tilt adjustment	1
Panel type *	IPS	Tilt angle range	-5 - 10°
Backlight type	W-LED	On Screen Display (OSD)	 I
Fouchscreen *	×	Plug and Play	·
Display brightness (typical)	350 cd/m ²	5 ,	-
Response time *	8 ms	LED indicators	✓
Anti-glare screen	1	Power	
Screen shape *	Flat	Energy efficiency class (SDR) *	G
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 800, 1600 x 1200 (UXGA), 1920 x 1080 (HD 1080),	Energy efficiency class (HDR) *	Not available
		Energy consumption (SDR) per 1000 hours *	52 kWh
		Power consumption (typical) *	52.1 W
	1920 x 1200 (WUXGA), 2048 x	Power consumption (standby) *	0.3 W
	1152, 3840 x 2160	Power consumption (max)	250 W
Supported video modes	480p, 576p, 720p, 1080i, 1080p, 2160p	Power consumption (off)	0.3 W
Contrast ratio (typical) *	1000:1	AC input voltage	100 - 240 V
Maximum refresh rate *	60 Hz	AC input frequency	50 - 60 Hz
Viewing angle, horizontal	178°	Power supply type	Internal
Viewing angle, vertical	178°	European Product Registry for	1260604
Display number of colours *	1.07 billion colours	Energy Labelling (EPREL) code	
Response time (fast)	5 ms	Operational conditions	
Pixel pitch	0.2451 x 0.2451 mm	Operating temperature (T-T)	0 - 40 °C
Pixel density	103.6 ppi	Storage temperature (T-T)	-20 - 60 °C
Horizontal scan range	30 - 140 kHz	Operating relative humidity (H-H)	10 - 80%
Vertical scan range	29 - 76 Hz	Storage relative humidity (H-H)	5 - 90%

Display		Operational conditions	
	04.1 cm		0 E000 m
Viewable size, horizontal	94.1 cm	Operating altitude	0 - 5000 m
Viewable size, vertical	52.9 cm 10.8 cm	Non-operating altitude	0 - 12192 m
Viewable size diagonal High Dynamic Range (HDR)	10.8 Cm	Weight & dimensions	
supported	×	Width (with stand)	967.2 mm
Surface hardness	ЗН	Depth (with stand)	256.4 mm
Colour gamut standard	sRGB	Height (with stand)	595.2 mm
Colour gamut	95%	Weight (with stand)	18.6 kg
Multimedia		Width (without stand)	967.2 mm
Number of speakers	2	Depth (without stand)	64.1 mm
RMS rated power	- 8 W	Height (without stand) Weight (without stand)	560.5 mm 13.2 kg
Built-in speaker(s) *	1	Bezel width (side)	1.3 cm
Built-in camera *	x	Bezel width (top)	1.3 cm
	^	Bezel width (bottom)	1.81 cm
Design			
Market positioning *	Business	Packaging data	
Product colour *	Silver	Package weight	25.2 kg
Front bezel colour Feet colour	Black	Sustainability	
	Silver	Sustainability certificates	ENERGY STAR
Ports & interfaces		Doesn't contain	PVC/BFR
Built-in USB hub *	 Image: A set of the set of the	Carbon footprint	
USB hub version	3.2 Gen 2 (3.1 Gen 2)	Total carbon footprint (kg of CO2e)	1010
USB upstream port type	USB Type-C	Total carbon emissions, standard	263
Number of USB Type-C upstream ports quantity	4	deviation (kg of CO2e) Carbon emissions, manufacturing	
USB Type-A downstream ports quantity	4	(kg of CO2e) Carbon emissions, logistics (kg of	513
USB Type-C downstream ports quantity	1	CO2e) Carbon emissions, energy usage (kg	124
USB Type-C DisplayPort Alternate Mode	1	of CO2e)	220
USB Power Delivery (USB PD)	1	Carbon emissions, end-of-life (kg of CO2e)	14
USB Power Delivery up to	90 W	Total carbon emissions, w/o use	651
HDMI *	1	phase (kg of CO2e)	
HDMI ports quantity	2	PAIA version	1.3.2, 2022
HDMI version	2.1	Other features	
DisplayPorts quantity	2	On/off switch	1
DisplayPort version	1.4	RJ-45 ports quantity	1
Headphone out *	1	Heavy metals free	Hg (mercury)
Headphone outputs	1	Compliance certificates	RoHS
Built-in KVM switch	✓	Brand-specific features	
Charging port type	USB Type-C	Dell Display Manager (DDM)	
AC (power) in	✓	compatibility	✓
Network			
Wi-Fi	×		
Ergonomics			
VESA mounting *	1		
Panel mounting interface	100 x 100,200 x 200 mm		
Cable management	 Image: A second s		
Cable lock slot *	1		
Height adjustment *	✓		





5397184656976

0884116434498



884116434498

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.