ASUS

ASUS PRIME A620M-A-CSM AMD A620 Pistoke AM5 mikro ATX

Tuotemerkki : ASUS

Tuotekoodi: 90MB1F10-M0EAYC

Tuotteen nimi : PRIME A620M-A-CSM

ASUS PRIME A620M-A-CSM. Suoritinvalmistaja: AMD, Prosessorin kanta: Pistoke AM5, Yhteensopivat prosessorit: AMD Ryzen 7000 Series. Tuetut muistityypit: DDR5-SDRAM, Sisäinen enimmäismuisti: 128 GB, Muistipaikkojen tyyppi: DIMM. Tuetut tallennusasemaliitännät: M.2, SATA III, Tuetut tallennusasematyypit: HDD & SSD, RAID-tasot: 0, 1, 10. Ethernet-liitännän tyyppi: Gigabitti Ethernet. Komponentti (tuotteelle): PC, Emolevyn muototekijä: mikro ATX, Emolevyn piirisarjan perhe: AMD

Processor

Processor manufacturer *	AMD
Processor socket *	Socket AM5
Compatible processor series *	AMD Ryzen 7000 Series
Supported processor sockets	Socket AM5

Memory

Supported memory types *	DDR5-SDRAM
Number of memory slots *	4
Memory slots type	DIMM
Memory channels	Dual-channel
ECC compatibility	Non-ECC
Supported memory clock speeds	4800,5000,5200,5400,5600,5800,6000,6200,6400 MHz
Supported memory clock speed (max)	6400 MHz
Maximum internal memory *	128 GB
Unbuffered memory	✔

Storage controllers

Supported storage drive types	HDD & SSD
Supported storage drive interfaces *	M.2, SATA III
Number of HDDs supported	4
Number of storage drives supported	6
RAID support	✔
RAID levels	0, 1, 10

Graphics

Parallel processing technology support *	Not supported

Internal I/O

USB 2.0 connectors *	2
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2

Internal I/O

12V power connector	✔
RGB LED pin header	✔

Rear panel I/O ports

USB 2.0 ports quantity *	4
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
Ethernet LAN (RJ-45) ports *	1
PS/2 ports quantity	1
VGA (D-Sub) ports quantity *	1
HDMI ports quantity *	1
DisplayPorts quantity	1
Headphone outputs	1
Line-in	✔
Microphone in	✔

Network

Ethernet LAN	✔
Ethernet interface type	Gigabit Ethernet
Wi-Fi *	✘

Features

Motherboard chipset *	AMD A620
Audio output channels *	7.1 channels
Component for *	PC
Motherboard form factor *	micro ATX
Motherboard chipset family *	AMD
Windows operating systems supported	Windows 10 x64, Windows 11

Internal I/O

Number of SATA III connectors *	4
S/PDIF out connector	✔
Front panel audio connector	✔
Front panel connector	✔
ATX Power connector (24-pin)	✔
CPU fan connector	✔
Number of chassis fan connectors	2
EPS power connector (8-pin)	✔
Number of COM connectors	1
TPM connector	✔

Expansion slots

PCI Express x1 (Gen 3.x) slots	2
PCI Express x16 (Gen 4.x) slots	1
Number of M.2 (M) slots	2

BIOS

BIOS type *	UEFI AMI
BIOS memory size	256 Mbit

Packaging data

Package width	275 mm
Package depth	275 mm
Package height	67.5 mm
Package weight	1.36 kg

Weight & dimensions

Width	244 mm
Depth	244 mm
Height	43 mm

Packaging content

Cables included	SATA

4711387176405

0197105176409

197105176409