## Epson EcoTank ET-4810 Mustesuihku A4 4800 x 1200 DPI 33 ppm Wi-Fi

Tuotemerkki : Epson Tuoteperhe: EcoTank Tuotekoodi: C11CK57402

Tuotteen nimi: ET-4810

Epson EcoTank ET-4810. Tulostustekniikka: Mustesuihku, Tulostus: Väritulostus, Suurin resoluutio: 4800 x 1200 DPI, Tulostusnopeus (väri, normaalilaatu, A4/US Letter): 20 ppm. Kopiointi: Värikopiointi. Skannaus: Väriskannaus, Optinen skannauserottelutarkkuus: 1200 x 2400 DPI. Faksaus: Värifaksaus. Suurin ISO A-luokan paperikoko: A4. Wi-Fi. Tuotteen väri: musta



Pint Lechnology**         Inkjet         ISD Baseries sizes (Bu., B9)         B, B G           Printing**         Colour printing         Non-ISO print media sizes         Legal, Letter           Maximum resolution**         4800 x 1200 DPI         Envelopes sizes         10, C6, DL           Print speed (IsOREC 4734) black         33 ppm         Photo apper sizes         9x13,10x15,13x18           A/US Letter)*         20 ppm         Ports & interfaces         ************************************	Printing		Paper handling	
AA/US Letter)         Open Se interfaces           Print speed (ISO/IEC 24734) black         15 ppm         USB port         y           Copying         WFII*         y           Copying*         Colour copying         Ethemet LAN *         y           Scanning         Colour scanning         Security algorithms         64-bit WEP, 128-bit WEP, WPA-PSK, WPA-SSA, WPA-SS	Printing *  Maximum resolution *  Print speed (black, normal quality, A4/US Letter) *	Colour printing 4800 x 1200 DPI	Non-ISO print media sizes Envelopes sizes Photo paper sizes	Legal, Letter 10, C6, DL 9x13,10x15,13x18
Print speed (ISO/IEC 24734) colour         8 ppm         Metwork           Copying         Vi-Fi*         ✓           Copying*         Colour copying         Ethernet LAN*         ✓           Scanning         Colour scanning         Ethernet LAN*         ✓           Scanning and Colour scanning         Colour scanning         Ethernet LAN*         ✓           Optical scanning resolution*         120 x 2400 DPI         Mobile printing technologies         46-bit WEP, 128-bit WEP, WPA-PSS, WPA2-PSS, WPA2-PSS, WPA3-SAE           Connection of Scanner year         Application of Mobile printing technologies         46-bit WEP, 128-bit WEP, WPA-PSS, WPA2-PSS, WPA2-PSS, WPA3-SAE           Scanner year         ADD Sean         Mobile printing technologies         46-bit WEP, 128-bit WEP, WPA2-PSS, WPA2-PSS, WPA2-PSS, WPA3-PSS,		20 ppm	Ports & interfaces	
Copying         Colour copying         Metwork           Copying **         Colour copying         Ethernet LAN **         ✓           Scanning         Colour scanning         Security algorithms         ✓           Scanning **         Colour scanning         Security algorithms         WPA-TKIP, WPA2-PSK, WPA2-PSK, WPA2-PSK, WPA2-PSK, WPA2-PSK, WPA2-PSK, WPA2-SSA, WPA2-SS	• • •	• •	USB port	✓
Copying * Colour copying		8 ppm	Network	
Scanning Scanner Scan			Wi-Fi *	✓
Scanning Colour scanning Optical scanning resolution 1200 x 2400 DPI Maximum scan area 216 x 297 mm  ADF scanner Ype * ADF scanner Scanner Lyne * CIS  Fax  Fax Faxing Colour faxing Selution 3 sec/page Display Colour display Practice Secondary Colour Secondary Colour Secondary Colour Secondary Colour Secondary Colour display Product colour Secondary Colour display Product Colour display Product Colour Secondary Colour display Product	Copying *	Colour copying	Ethernet LAN *	✓
Scanner type * ADF scanner Scanner type * Scanner type * CIS	Scanning * Optical scanning resolution *	1200 x 2400 DPI		WPA-TKIP, WPA2-AES, WPA2-PSK, WPA3-SAE
Scan technology  Fax  Fax  Colour faxing  Colour faxing  Sac/page  Modem speed  33.6 Kbit/s  Auto-redialing  Features  Number of print cartridges  Black, Cyan, Magenta, Yellow  Forating todours  Input & output capacity  Total number of input trays  Auto document feeder (ADF) input capacity  Auto document feeder (ADF) input capacity  Paper handling  Paper handling  Au, AS, A6  Ad, AS, A6  Ad, AS, A6  Ad, AS, A6  Weight & dimensions  Windows 175 mm  Windows 175 mm  Windows 375 mm  Depth  Windows 175 mm  Weight & dimensions  Windows 175 mm  Windows Server 2012 R2, Windows Server 2012 R2, Windows Server 2012 R2, Windows Server 2015 R2, Windows Server 2016 R2, Windows Server 2017 R2, Windows Server 2016 R2, Windows Server 2017 R2, Windows Server 2016 R2, Windows Server 2017 R2, Windows Server 2016 R2			Mobile printing technologies	Mopria Print Service
Fax   Product colour *   Black   Home & office   Faxing *   Colour faxing   Built-in display *   CD   Fax transmission speed   33.6 kbit/s   Colour display   CD   Fax memory   100 pages   Power   Auto-redialing   V   Power   Number of print cartridges *   4   Power consumption (copying)   12 W   Power consumption (ready)   7.1 W   Number of print cartridges *   4   Power consumption (sleep)   0.9 W   Printing colours *   Black, Cyan, Magenta, Yellow   Power consumption (sleep)   0.2 W   Power consumption (facep)   0.2 W   Power consumption (facep)   0.14 kWh/week   Consumption (TEC)   CONSUMPTION (TEC)   CONSUMPTION (TEC)   Total input capacity *   100 sheets   AC input voltage   100 - 240 V   Auto document feeder (ADF)   AC input frequency   50 - 60 Hz   Auto document feeder (ADF)   AC input frequency   System requirements   Capacity   Windows operating systems supported   Windows 11, Windows 7, Windows 12, Windows Vista   Paper tray media types *   Photo paper, Plain paper   ISO A-series sizes (A0A9) *   A4, A5, A6   Paper tray media types *   Photo paper, Plain paper   ISO A-series sizes (A0A9) *   A4, A5, A6   Paper tray media types *   Photo paper, Plain paper   ISO A-series sizes (A0A9) *   A4, A5, A6   Paper tray media types *   Photo paper, Plain paper   ISO A-series sizes (A0A9) *   A4, A5, A6   Paper tray media types *   Photo paper, Plain paper   ISO A-series sizes (A0A9) *   A4, A5, A6   Paper tray media types *   Photo paper, Plain paper   ISO A-series sizes (A0A9) *   A4, A5, A6   Paper tray media types *   Photo paper, Plain paper   ISO A-series sizes (A0A9) *   A4, A5, A6   Paper tray media types *   Photo paper, Plain paper   ISO A-series sizes (A0A9) *   A4, A5, A6   Paper tray media types *   Photo paper, Plain paper   ISO A-series sizes (A0A9) *   A4, A5, A6   Paper tray media types *   Photo paper, Plain paper   ISO A-series sizes (A0A9) *   A4, A5, A6   Paper tray media types *   Photo paper, Plain paper   ISO A-series sizes (A0A9) *   A4, A5, A6   Paper tr	· ·		Design	
Fax transmission speed 3 sec/page Display LCD  Modem speed 33.6 Kbit/s Colour display / Col	5,	CIS		
Modem speed33.6 kbit/sColour displayECUFax memory100 pagesPowerAuto-redialing✓PowerFeaturesPower consumption (copying)12 WNumber of print cartridges * Printing colours *4Power consumption (fready)7.1 WInput & output capacityBlack, Cyan, Magenta, YellowPower consumption (sleep)0.9 WTotal number of input trays * Total number feeder (ADF)AC input frequency100 - 240 VAuto document feeder (ADF)✓AC input frequency50 - 60 HzAuto document feeder (ADF) apacety30 sheetsSystem requirementsPaper handlingWindows operating systems supportedWindows 11, Windows 7, Windows 8, Windows 8.1, Windows VistaMaximum ISO A-series paper size * Paper tray media types * Photo paper, Plain paperA4Mac operating systems supportedMac OS X 10.9 Mavericks, Mac OS X 12.0 Paper tray media types * Photo paper, Plain paperISO A-series sizes (A0A9) * Windows Server 2013 R2, Windows Server 2013 R2, Windows Server 2012 R2, Windows Server 2016Server operating systems supportedWindows Server 2012 R2, Windows Server 2016Weight & dimensionsWindth375 mmWidthDepth347 mm		•	Built-in display *	✓
Fax memory Auto-redialing Auto-redialing  Features  Number of print cartridges* Printing colours* Black, Cyan, Magenta, Yellow Printing colours*  India foutput capacity  Total number of input trays* 1 100 sheets Auto document feeder (ADF) Apper handling  Maximum ISO A-series paper size* Paper tray media types* ISO A-series sizes (A0A9)*  Aut, A5, A6  AC input voltage Ad A A, A5, A6  AC input voltage Ad A A A, A5, A6  AC input voltage AD A A A, A5, A6  AC input voltage AD A A A, A5, A6  AC input requency AD A A A, A5, A6  AC input requency AD A A A, A5, A6  AC input requency AD A A A, A5, A6  AC input requency AD A A A, A5, A6  AC input requency AD A A A, A5, A6  AC input requency AD A A A, A5, A6  AC input requency AD A A A, A5, A6  AC input requency AD A A A, A5, A6  AC input requency AD A A A, A5, A6  AC input requency AD A A A A, A5, A6  AC input requency AD A C input voltage AD A E A C input voltage AD A E A E A AC Input voltage AD A C input volt	·	· =	Display	LCD
Auto-redialingYPowerFeaturesPower consumption (copying)12 WNumber of print cartridges**4 Power consumption (ready)7.1 WPrinting colours*4 Black, Cyan, Magenta, YellowPower consumption (sleep)0.9 WInput & output capacityEnergy Star Typical Electricity Consumption (TEC)0.14 kWh/weekTotal number of input trays**1 100 sheetsAC input voltage100 - 240 VAuto document feeder (ADF)AC input frequency50 - 60 HzAuto document feeder (ADF) input apacity30 sheetsSystem requirementsPaper handlingWindows operating systems supportedWindows 11, Windows 7, Windows 8, Windows 8.1, Windows Vista Mac OS X 10.9 Mavericks, Mac OS XMaximum ISO A-series paper size* Paper tray media types*A4 Photo paper, Plain paperMac operating systems supportedWindows Server 2003 R2, Windows Server operating systems supportedWindows Server 2012 R2, Windows Server 2012 R2, Windows Server 2012 R2, Windows Server 2012 R2, Windows Server 2016Weight & dimensionsWidth Width Depth375 mm 347 mm	•		Colour display	✓
Peatures  Number of print cartridges * 4  Number of print cartridges * 4  Printing colours * Black, Cyan, Magenta, Yellow  Input & output capacity  Total number of input trays * 1  Total input capacity * 100 sheets  Auto document feeder (ADF) input capacity  Paper handling  Maximum ISO A-series paper size * Paper tray media types * Photo paper, Plain paper  ISO A-series sizes (A0A9) * A4, A5, A6  Weight & dimensions  Windows operating systems supported  Weight & dimensions  Windows 0.9 W  Power consumption (ready) 0.9 W  Power consumption (sleep) 0.9 W  Power consumption (off) 0.2 W  Input & output capacity  Power consumption (off) 0.2 W  Input & output capacity  Ac input voltage 100 - 240 V  Ac input frequency 50 - 60 Hz  System requirements  Windows operating systems  Supported  Windows 11, Windows 7, Windows 8, Windows 81, Windows Vista Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 11.0 Big Sur, Mac OS X 11.0 Windows Server 2012 R2, Windows Server 2012 R2, Windows Server 2016  Weight & dimensions  Width 375 mm Depth 347 mm	-	· =	Power	
Number of print cartridges*	Features		Power consumption (copying)	
Printing colours* Black, Cyan, Magenta, Yellow Power consumption (off) Policy Power consumption (off) Policy Power consumption (off) Policy Power consumption (off) Power consumtion Power consumption (TEC) Policy Power consumption (TEC) Policy Power consumtion Policy Policy Power consumtion Policy Polic	Number of print cartridges *	4		
Input & output capacityEnergy Star Typical Electricity Consumption (TEC)0.14 kWh/weekTotal number of input trays * 1 Total input capacity * 100 sheets100 sheetsAC input voltage100 - 240 VAuto document feeder (ADF) Auto document feeder (ADF) input capacity30 sheetsSystem requirementsPaper handlingWindows operating systems supportedWindows 11, Windows 7, Windows 8, Windows 81, Windows VistaMaximum ISO A-series paper size * Paper tray media types * ISO A-series sizes (A0A9) * A4, A5, A6A4 Photo paper, Plain paperMac operating systems supportedMac OS X 10.9 Mavericks, Mac OS X 12.0 Monterey, Mac OS X 13.0 VenturaISO A-series sizes (A0A9) * Windows Server 2003 R2, Windows Server 2012 R2, Windows Server 2016 R2Weight & dimensionsWeight & dimensionsWidth 375 mm Depth 347 mm		Black, Cyan, Magenta, Yellow		
Total number of input trays* 1 100 sheets 10	Input & output capacity		• • • • • • • • • • • • • • • • • • • •	
Total input capacity * 100 sheets  Auto document feeder (ADF) Auto document feeder (ADF) input capacity  Paper handling  Maximum ISO A-series paper size * Paper tray media types * Photo paper, Plain paper ISO A-series sizes (A0A9) * A4, A5, A6  Weight & dimensions  AC input voltage  AC input frequency  50 - 60 Hz   System requirements  Windows 11, Windows 7, Windows 8, Windows 8.1, Windows Vista Mac OS X 10.9 Mavericks, Mac OS X 11.0 Mac OS X 11.0 Monterey, Mac OS X 11.0 Monterey, Mac OS X 13.0 Ventura  Windows Server 2003 R2, Windows Server 2012 R2, Windows Server 2016  Weight & dimensions  Width Depth  375 mm  347 mm		1		0.14 kWn/week
Auto document feeder (ADF) input capacity  Paper handling  Maximum ISO A-series paper size * Paper tray media types * ISO A-series sizes (A0A9) *  A4, A5, A6  Weight & dimensions  Windows operating systems supported supported with the content of the content	Total input capacity *	100 sheets		
Paper handling  Maximum ISO A-series paper size * Photo paper, Plain paper ISO A-series sizes (A0A9) *  A4, A5, A6  Windows operating systems supported s	Auto document feeder (ADF)	✓	AC input frequency	50 - 60 Hz
Paper handling  Maximum ISO A-series paper size * A4  Paper tray media types * Photo paper, Plain paper  ISO A-series sizes (A0A9) * A4, A5, A6  Weight & dimensions  Width 375 mm Depth 8, Windows 8.1, Windows Vista Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura Windows Server 2003 R2, Windows Server 2016  Weight & dimensions  Width 375 mm Depth 347 mm		30 sheets	System requirements	
Maximum ISO A-series paper size * A4  Paper tray media types * Photo paper, Plain paper  ISO A-series sizes (A0A9) * A4, A5, A6  Mac operating systems supported Server operating systems supported Server operating systems supported Server 2012 R2, Windows Server 2016  Weight & dimensions  Width 375 mm Depth 347 mm				8, Windows 8.1, Windows Vista
Server operating systems supported Server 2012 R2, Windows Server 2016  Weight & dimensions  Width 375 mm Depth 347 mm	Maximum ISO A-series paper size * Paper tray media types *		Mac operating systems supported	11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura
Width 375 mm Depth 347 mm			Server operating systems supported	Server 2012 R2, Windows Server
Depth 347 mm			Weight & dimensions	
' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '			Width	375 mm
Height 237 mm			·	
			Height	237 mm

Weight & dimensions	
Weight	5.2 kg



8715946706719

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.