Epson EcoTank ET-4810 Mustesuihku A4 4800 x 1200 DPI 33 ppm Wi-Fi

Tuotemerkki : Epson Tuoteperhe: EcoTank Tuotekoodi: C11CK57402

Tuotteen nimi: ET-4810

Epson EcoTank ET-4810. Tulostustekniikka: Mustesuihku, Tulostus: Väritulostus, Suurin resoluutio: 4800 x 1200 DPI, Tulostusnopeus (väri, normaalilaatu, A4/US Letter): 20 ppm. Kopiointi: Värikopiointi. Skannaus: Väriskannaus, Optinen skannauserottelutarkkuus: 1200 x 2400 DPI. Faksaus: Värifaksaus. Suurin ISO A-luokan paperikoko: A4. Wi-Fi. Tuotteen väri: musta



Pint Lechnology** Inkjet ISD Baseries sizes (Bu., B9) B, B G Printing** Colour printing Non-ISO print media sizes Legal, Letter Maximum resolution** 4800 x 1200 DPI Envelopes sizes 10, C6, DL Print speed (IsOREC 4734) black 33 ppm Photo apper sizes 9x13,10x15,13x18 A/US Letter)* 20 ppm Ports & interfaces ************************************	Printing		Paper handling		
AA/US Letter) Open Se interfaces Print speed (ISO/IEC 24734) black 15 ppm USB port y Copying WFII* y Copying* Colour copying Ethemet LAN * y Scanning Colour scanning Security algorithms 64-bit WEP, 128-bit WEP, WPA-PSK, WPA-SSA, WPA-SS	Printing * Maximum resolution * Print speed (black, normal quality, A4/US Letter) *	Colour printing 4800 x 1200 DPI	Non-ISO print media sizes Envelopes sizes Photo paper sizes	Legal, Letter 10, C6, DL 9x13,10x15,13x18	
Print speed (ISO/IEC 24734) colour 8 ppm Metwork Copying Vi-Fi* ✓ Copying* Colour copying Ethernet LAN* ✓ Scanning Colour scanning Ethernet LAN* ✓ Scanning and Colour scanning Colour scanning Ethernet LAN* ✓ Optical scanning resolution* 120 x 2400 DPI Mobile printing technologies 46-bit WEP, 128-bit WEP, WPA-PSS, WPA2-PSS, WPA2-PSS, WPA3-SAE Connection of Scanner year Apple AirPrint, Epson Connect, Mopria Print Service Scanner year ADE Scanner Design Fax Product colour* Black Fax Market positioning* Home & office Fax transmission speed 3 sec/page Display LCD Modern speed 3 sec/page Display LCD Mutor-relating 2 relatives Power Features Power Power Power print cartridges* 4 relative year Power consumption (copying) 12 we prevailed year Printing colours* 1 power year Power year Power year Power		20 ppm	Ports & interfaces		
Copying Colour copying Metwork Copying ** Colour copying Ethernet LAN ** ✓ Scanning Colour scanning Security algorithms ✓ Scanning ** Colour scanning Security algorithms WPA-TKIP, WPA2-PSK, WPA2-PSK, WPA2-PSK, WPA2-PSK, WPA2-PSK, WPA2-PSK, WPA2-SSA, WPA2-SS	• • •	• •	USB port	✓	
Copying * Colour copying		8 ppm	Network		
Scanning Scanner Scan			Wi-Fi *	✓	
Scanning Colour scanning Optical scanning resolution 1200 x 2400 DPI Maximum scan area 216 x 297 mm ADF scanner Ype * ADF scanner Scanner Lyne * CIS Fax Fax Faxing Colour faxing Selution 3 sec/page Display Colour display Practice Secondary Colour Secondary Colour Secondary Colour Secondary Colour Secondary Colour display Product colour Secondary Colour display Product Colour display Product Colour Secondary Colour display Product	Copying *	Colour copying	Ethernet LAN *	✓	
Scanner type * ADF scanner Scanner type * Scanner type * CIS	Scanning *	-		WPA-TKIP, WPA2-AES, WPA2-PSK, WPA3-SAE	
Scan technology Fax Fax Colour faxing Colour faxing Sac/page Modem speed 33.6 Kbit/s Auto-redialing Features Number of print cartridges Black, Cyan, Magenta, Yellow Forating to consumption (copying) Finding colours Black, Cyan, Magenta, Yellow Forating colours Consumption (ready) Forating colours Consumption (fready) Forating colours Black, Cyan, Magenta, Yellow Forating colours Consumption (fready) Forating colours Consumption (fready) Forating colours Consumption (fready) Forating colours Consumption (frec) Co			Mobile printing technologies		
Fax Product colour * Black Home & office Faxing * Colour faxing Built-in display * CD Fax transmission speed 33.6 kbit/s Colour display CD Fax memory 100 pages Power Auto-redialing V Power Number of print cartridges * 4 Power consumption (copying) 12 W Power consumption (ready) 7.1 W Number of print cartridges * 4 Power consumption (sleep) 0.9 W Printing colours * Black, Cyan, Magenta, Yellow Power consumption (sleep) 0.2 W Power consumption (facep) 0.14 kWh/week Consumption (TEC) CONSUMPTION (TEC) CONSUMPTION (TEC) Total input capacity * 100 sheets AC input voltage 100 - 240 V Auto document feeder (ADF) AC input frequency So - 60 Hz Auto document feeder (ADF) AC input frequency So - 60 Hz Auto document feeder (ADF) AC input frequency So - 60 Hz Auto document feeder (ADF) AC input frequency So - 60 Hz Auto document feeder (ADF) AC input frequency AC inp	· ·		Design		
Fax transmission speed 3 sec/page Display LCD Modem speed 33.6 Kbit/s Colour display / Col	5,	CIS			
Modem speed33.6 kbit/sColour displayECUFax memory100 pagesPowerAuto-redialing✓PowerFeaturesPower consumption (copying)12 WNumber of print cartridges * Printing colours *4Power consumption (fready)7.1 WInput & output capacityBlack, Cyan, Magenta, YellowPower consumption (sleep)0.9 WTotal number of input trays * Total number of input trays *10.14 kWh/weekTotal number of einput trays *100 sheetsAC input frequency50 - 60 HzAuto document feeder (ADF)✓AC input frequency50 - 60 HzAuto document feeder (ADF)30 sheetsSystem requirementsPaper handlingWindows operating systems supportedWindows 11, Windows 7, Windows supportedMaximum ISO A-series paper size *A4Mac operating systems supportedMac OS X 10.9 Mavericks, Mac OS X 12.0 Paper tray media types *ISO A-series sizes (A0A9) *A4, A5, A6Server operating systems supportedWindows Server 2013 R2, Windows Server 2012 R2, Windows Server 2016 R2, Windows Server 2016 R2, Windows Server 2016 R2, Windows Server 2016		•	Built-in display *	✓	
Fax memory Auto-redialing Auto-redialing Features Number of print cartridges* Printing colours* Black, Cyan, Magenta, Yellow Printing colours* India foutput capacity Total number of input trays* 1 100 sheets Auto document feeder (ADF) Apper handling Maximum ISO A-series paper size* Paper tray media types* ISO A-series sizes (A0A9)* Aut, A5, A6 AC input voltage Ad A A, A5, A6 AC input voltage Ad A A A, A5, A6 AC input voltage AD A A A, A5, A6 AC input voltage AD A A A, A5, A6 AC input requency AD A A A, A5, A6 AC input requency AD A A A, A5, A6 AC input requency AD A A A, A5, A6 AC input requency AD A A A, A5, A6 AC input requency AD A A A, A5, A6 AC input requency AD A A A, A5, A6 AC input requency AD A A A, A5, A6 AC input requency AD A A A, A5, A6 AC input requency AD A A A, A5, A6 AC input requency AD A C input voltage AD	·	· =	Display	LCD	
Auto-redialingYPowerFeaturesPower consumption (copying)12 WNumber of print cartridges**4 Power consumption (ready)7.1 WPrinting colours*4 Black, Cyan, Magenta, YellowPower consumption (sleep)0.9 WInput & output capacityEnergy Star Typical Electricity Consumption (TEC)0.14 kWh/weekTotal number of input trays**1 100 sheetsAC input voltage100 - 240 VAuto document feeder (ADF)AC input frequency50 - 60 HzAuto document feeder (ADF) input apacity30 sheetsSystem requirementsPaper handlingWindows operating systems supportedWindows 11, Windows 7, Windows 8, Windows 8.1, Windows Vista Mac OS X 10.9 Mavericks, Mac OS XMaximum ISO A-series paper size* Paper tray media types*A4 Photo paper, Plain paperMac operating systems supportedWindows Server 2003 R2, Windows Server operating systems supportedWindows Server 2012 R2, Windows Server 2012 R2, Windows Server 2012 R2, Windows Server 2012 R2, Windows Server 2016Weight & dimensionsWidth Width Depth375 mm 347 mm	•		Colour display	✓	
Peatures Number of print cartridges * 4 Number of print cartridges * 4 Printing colours * Black, Cyan, Magenta, Yellow Input & output capacity Total number of input trays * 1 Total input capacity * 100 sheets Auto document feeder (ADF) input capacity Paper handling Maximum ISO A-series paper size * Paper tray media types * Photo paper, Plain paper ISO A-series sizes (A0A9) * A4, A5, A6 Weight & dimensions Windows operating systems supported Weight & dimensions Windows 0.9 W Power consumption (ready) 0.9 W Power consumption (sleep) 0.9 W Power consumption (off) 0.2 W Input & output capacity Power consumption (off) 0.2 W Input & output capacity Ac input voltage 100 - 240 V Ac input frequency 50 - 60 Hz System requirements Windows operating systems Supported 100 - 240 V Windows 11, Windows 7, Windows 8, Windows 8.1, Windows Vista Mac OS X 10.9 Macrocks, Mac OS X 10.9 Macrocks, Mac OS X 11.0 Big Sur, Mac OS X 11.0 Big Sur, Mac OS X 11.0 Windows Server 2012 R2, Windows Server 2016 Weight & dimensions Width 375 mm Depth 347 mm	-	· =	Power		
Number of print cartridges*	Features		Power consumption (copying)		
Printing colours* Black, Cyan, Magenta, Yellow Power consumption (off) Policy Power consumption (off) Policy Power consumption (off) Policy Power consumption (off) Power consumtion Power consumption (TEC) Policy Power consumption (TEC) Policy Power consumtion Policy Policy Power consumtion Policy Polic	Number of print cartridges *	4			
Input & output capacityEnergy Star Typical Electricity Consumption (TEC)0.14 kWh/weekTotal number of input trays * 1 Total input capacity * 100 sheets100 sheetsAC input voltage100 - 240 VAuto document feeder (ADF) Auto document feeder (ADF) input capacity30 sheetsSystem requirementsPaper handlingWindows operating systems supportedWindows 11, Windows 7, Windows 8, Windows 81, Windows VistaMaximum ISO A-series paper size * Paper tray media types * ISO A-series sizes (A0A9) * A4, A5, A6A4 Photo paper, Plain paperMac operating systems supportedMac OS X 10.9 Mavericks, Mac OS X 12.0 Monterey, Mac OS X 13.0 VenturaISO A-series sizes (A0A9) * Windows Server 2003 R2, Windows Server 2012 R2, Windows Server 2016 R2Weight & dimensionsWeight & dimensionsWidth 375 mm Depth 347 mm		Black, Cyan, Magenta, Yellow			
Total number of input trays* 1 100 sheets 10	Input & output capacity		• • • • • • • • • • • • • • • • • • • •		
Total input capacity * 100 sheets Auto document feeder (ADF) Auto document feeder (ADF) input capacity Paper handling Maximum ISO A-series paper size * Paper tray media types * Photo paper, Plain paper ISO A-series sizes (A0A9) * A4, A5, A6 Weight & dimensions AC input voltage AC input frequency 50 - 60 Hz System requirements Windows 11, Windows 7, Windows 8, Windows 8.1, Windows Vista Mac OS X 10.9 Mavericks, Mac OS X 11.0 Mac OS X 11.0 Monterey, Mac OS X 11.0 Monterey, Mac OS X 13.0 Ventura Windows Server 2003 R2, Windows Server 2012 R2, Windows Server 2016 Weight & dimensions Width Depth 375 mm 347 mm		1		0.14 kwn/week	
Auto document feeder (ADF) input capacity Paper handling Maximum ISO A-series paper size * Paper tray media types * ISO A-series sizes (A0A9) * A4, A5, A6 Weight & dimensions Windows operating systems supported supported with the content of the content	Total input capacity *	100 sheets			
Paper handling Maximum ISO A-series paper size * Photo paper, Plain paper ISO A-series sizes (A0A9) * A4, A5, A6 Windows operating systems supported s	Auto document feeder (ADF)	✓	AC input frequency	50 - 60 Hz	
Paper handling Maximum ISO A-series paper size * A4 Paper tray media types * Photo paper, Plain paper ISO A-series sizes (A0A9) * A4, A5, A6 Weight & dimensions Width 375 mm Depth 8, Windows 8.1, Windows Vista Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura Windows Server 2003 R2, Windows Server 2016 Weight & dimensions Width 375 mm Depth 347 mm		30 sheets	System requirements		
Maximum ISO A-series paper size * A4 Paper tray media types * Photo paper, Plain paper ISO A-series sizes (A0A9) * A4, A5, A6 Weight & dimensions Width Depth 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura Windows Server 2003 R2, Windows Server 2012 R2, Windows Server 2016 Weight & dimensions 375 mm 347 mm				8, Windows 8.1, Windows Vista	
Server operating systems supported Server 2012 R2, Windows Server 2016 Weight & dimensions Width 375 mm Depth 347 mm	Maximum ISO A-series paper size * Paper tray media types *		Mac operating systems supported	11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura	
Width 375 mm Depth 347 mm			Server operating systems supported	Server 2012 R2, Windows Server	
Depth 347 mm			Weight & dimensions		
' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '			Width	375 mm	
Height 237 mm			·		
			Height	237 mm	

Weight &	dimensions		

Weight 5.2 kg



8715946706719

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.