

Logitech Rally Bar Huddle videoneuvottelujärjestelmä Ethernet LAN Ryhmävideoneuvottelujärjestelmä

Tuotemerkki : Logitech

Tuotekoodi: 960-001501

Tuotteen nimi : Rally Bar Huddle

Logitech Rally Bar Huddle. Tuotetyyppi: Ryhmävideoneuvottelujärjestelmä. HD-tyyppi: 4K Ultra HD. Digitaalinen zoomaus: 4x. Ethernet LAN, Wi-Fi. Bluetooth, Tuotteen väri: Grafiitti



Performance		Camera	
Bluetooth	✓	Digital zoom	4x
Product colour *	Graphite	Horizontal field of view	113°
Camera cable length (max)	2.2 m	Vertical field of view	80°
Product type *	Group video conferencing system	Diagonal field of view	120°
Pan range	-48 - 48°	Privacy camera	✓
Tilt angle range	-32 - 32°	Privacy type	Privacy shutter
PTZ control	✓	Microphone	
Video		Microphone sensitivity	-36 dB
HD type *	4K Ultra HD	Microphone frequency	90 - 16000 Hz
Audio		Sound pressure level (max)	83 dB
Built-in speaker(s)	✓	Number of microphones	6
Line-out impedance	4 Ω	Features	
Output voltage Total Harmonic Distortion (THD)	2%	Telepresence *	✗
Audio beamforming	✓	Computer system	
Echo cancellation	✓	Windows operating systems supported	Windows 10, Windows 11
Microphone pick-up range	7 m	Operational conditions	
Sample rates	0 - 48 kHz	Operating temperature (T-T)	0 - 40 °C
Driver diameter	5.5 cm	Operating relative humidity (H-H)	10 - 90%
Speaker power	8 W	Storage temperature (T-T)	-25 - 70 °C
Ports & interfaces		Power	
HDMI output ports quantity	1	Power source type	AC
HDMI input ports quantity	1	AC input voltage	100-240 V
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Current	2.1 A
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1	DC output voltage	19 V
Network		Weight & dimensions	
Ethernet LAN *	✓	Width	549.6 mm
Ethernet LAN data rates	10,100,1000 Mbit/s	Depth	76 mm
Wi-Fi	✓	Height	78.9 mm
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)	Weight	1.8 kg
Supported network protocols	IPv4, IPv6 Proxy Support: IP based Proxy, FQDN based Proxy, Proxy using PAC file	Packaging content	
		Cables included	AC, DC, HDMI, USB Type-A to USB Type-C
		Power cable length	2.5 m
		HDMI cable length	2 m

Network		Packaging content	
Security algorithms	128-bit AES	AC adapter included	✓
Camera		Packaging content	Rally Bar Huddle Multi-Mount Power supply AC power cord HDMI cable USB cable
Camera type	Single camera		
Zoom capability	✓		



5099206115170

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 30-DEC-2024. Prints or copies of Information are only valid on the printed Publication date