



ASUS M5A78L-M LX3 AMD 760G Socket AM3+ mikro ATX

Tuotemerkki : ASUS

Tuotekoodi: 90-MIBI40-G0EAY0GZ

Tuotteen nimi : M5A78L-M LX3



ASUS M5A78L-M LX3. Suoritinvalmistaja: AMD, Prosessorin kanta: Socket AM3+, Yhteensopivat prosessorit: AMD Phenom. Tuetut muistityypit: DDR3-SDRAM, Sisäinen enimmäismuisti: 16 GB, Muistipaikkojen tyyppi: DIMM. Tuetut tallennusasemaliitännät: SATA, SATA II, RAID-tasot: 0, 1, 10, JBOD. Tuettu rinnakkaiskäsitelytekniikka: Hybrid CrossFireX, Näytönohjaimen enimmäismuisti: 1024 MB, Näytönohjainperhe: ATI. Ethernet-liitännän tyyppi: Gigabitti Ethernet, Verkko-ominaisuudet: Gigabit Ethernet

Processor		Rear panel I/O ports	
Processor manufacturer *	AMD	Ethernet LAN (RJ-45) ports *	1
Processor socket *	Socket AM3+	PS/2 ports quantity	2
Compatible processor series *	AMD Phenom	VGA (D-Sub) ports quantity *	1
Processor thermal power (max)	95 W	Headphone outputs	1
Memory		Microphone in	✓
Supported memory types *	DDR3-SDRAM	COM ports quantity	1
Number of memory slots *	2	Network	
Memory slots type	DIMM	Ethernet LAN	✓
Memory channels	Dual-channel	Ethernet interface type	Gigabit Ethernet
ECC compatibility	Non-ECC	Wi-Fi *	✗
Supported memory clock speeds	1066,1333,1600,1866 MHz	Bluetooth	✗
Maximum internal memory *	16 GB	Networking features	Gigabit Ethernet
Unbuffered memory	✓	Features	
Storage controllers		Motherboard chipset *	AMD 760G
Supported storage drive interfaces *	SATA, SATA II	Motherboard southbridge	AMD SB710
RAID levels	0, 1, 10, JBOD	Audio chip	Realtek ALC887
Graphics		Audio output channels *	7.1 channels
Maximum graphics card memory	1024 MB	Component for *	PC
Parallel processing technology support *	Hybrid CrossFireX	Motherboard form factor *	micro ATX
On-board graphics card	✓	Motherboard chipset family *	AMD
Graphics card family	ATI	Power source type	ATX
Graphics card	Radeon HD 3000	Expansion slots	
Maximum resolution	2560 x 1440 pixels	PCI Express x1 slots	1
DirectX version	10	PCI Express x16 slots	1
Discrete graphics support	✗	PCI slots	1
		PCI Express slots version	2.0

Internal I/O		BIOS	
USB 2.0 connectors *	2	BIOS type *	AMI
Number of SATA II connectors	4	BIOS memory size	16 Mbit
Front panel audio connector	✓	ACPI version	2.0a
ATX Power connector (24-pin)	✓	Weight & dimensions	
Number of EATX power connectors	1	Width	244 mm
CPU fan connector	✓	Depth	188 mm
Chassis intrusion connector	✓	Packaging content	
Rear panel I/O ports		Cables included	SATA
USB 2.0 ports quantity *	4	Drivers included	✓
		Other features	
		S/PDIF in port	✗
		Controller interface type	AMD SB710
		PCI Express slots quantity	2



4719543185049



4719543185469



5054484780977

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.