

Brother PJ-763MFI POS-tulostin 300 \times 300 DPI Langallinen & langaton Thermal Kannettava tulostin

Tuotemerkki : Brother Tuotekoodi: PJ-763MFI

Tuotteen nimi: PJ-763MFI

Brother PJ-763MFI. Tulostustekniikka: Thermal, Malli: Kannettava tulostin, Suurin resoluutio: 300 x 300 DPI. Yhteysteknologia: Langallinen & langaton, USB-liitin: Mini-USB Type-B, Bluetooth-versio: 2.1+EDR. Sisäänrakennetut viivakoodit: AZTECCODE, Code 128 (A/B/C), Code 39, Code 93, Datamatriisi, EAN13, EAN8, GS1 DataBar, GS1-128,..., Sivunkuvauskielet: ESC/P-P, ESC/P_B, Raster_P, Flash-muisti: 6 MB. Tuotteen väri: musta. Tuetut käyttöjärjestelmät: Android 2.3, Android 3.0, Android 3.1, Android 3.2, Android 4.0, Android 4.1, Android 4.2, Android...





Printing		Operational conditions	
Maximum resolution 300 x 300 DPI Character density 15 cpi Print technology * Thermal Type * Mobile printer	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H)	-10 - 50 °C -20 - 60 °C 20 - 80% 20 - 80%	
Print speed	8 ppm	System requirements	
Ports & interfaces USB port * USB 2.0 ports quantity USB connector Bluetooth	rt * property of the property	Mobile operating systems supported	Android 2.3, Android 3.0, Android 3.1, Android 3.2, Android 4.0, Android 4.1, Android 4.2, Android 4.3, Android 4.4, Android 5.0, Android 5.1, iOS 5.0, iOS 6.0, iOS 6.1, iOS 7.0, iOS 8.0, iOS 8.2, iOS 9.0
Bluetooth version		Weight & dimensions	
Bluetooth profiles		Width	255 mm
Network		Depth	55 mm
Ethernet LAN *	×	Height	30 mm
Wi-Fi *	×	Weight	480 g
VVI-1 1	^	Packaging data	
Features		Cables included	USB
Built-in barcodes *	AZTECCODE, Code 128 (A/B/C), Code 39, Code 93, Data Matrix, EAN13, EAN8, GS1 DataBar, GS1-128, ITF, Industrial 2/5, MaxiCode, Micro QR Code, MicroPDF417, PDF417, POSTNET, QR Code, UPC-A, UPC-E	Bundled software	P-touch Transfer Manager, Citrix Xen App/Xen Desktop
		Packaging content	
		Drivers included	✓
		Quick start guide	✓
Page description languages	ESC/P-P, ESC/P_B, Raster_P	AC adapter included	×
Flash memory	6 MB 32 GB	Logistics data	
RAM capacity		Harmonized System (HS) code	84433210
ISO A-series sizes (A0A9)	A4, A5		

Features		Technical details	
Non-ISO print media sizes L	MSI Letter Citrix ready	Font styles	Helsinki, Brussels, Letter Gothic
		Other features	
		Maximum print size	216 x 356 mm
Design		Mobile printing technologies	Brother iPrint & Scan
Product colour *	Black		









Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.