

Brother PT-P710BTH label printer Thermal transfer 180 x 360 DPI 20 mm/sec Wired & Wireless TZe Bluetooth

Brand : Brother

Product code: PT-P710BTH

Product name : PT-P710BTH

- Print durable, colourful labels up to 24mm in width
- Compatible with PC and Mac (using USB) and smartphones/tablets (using Bluetooth)
- Built-in rechargeable lithium-ion battery - no need for alkaline batteries
- Recharges from any available USB port or USB recharger
- Create labels up to 500mm in length
- Compact design makes it easy to share with other office users

180 x 360 dpi, 20 mm/sec, Bluetooth, USB 2.0, 128 x 67 x 128 mm, 670 g, White

Brother PT-P710BTH. Tape type: TZe. Print technology: Thermal transfer, Maximum resolution: 180 x 360 DPI, Print speed: 20 mm/sec. Connectivity technology: Wired & Wireless. Battery technology: Lithium-Ion (Li-Ion). Product colour: Black



Printing		System requirements	
Print technology *	Thermal transfer	Windows operating systems supported	✓
Colour *	✗	Mobile operating systems supported	Android 4.4, Android 5.0, Android 5.1, Android 6.0, Android 7.0, Android 7.1, Android 7.1.2, iOS, iOS 10.0, iOS 11.0
Maximum resolution *	180 x 360 DPI		
Print speed *	20 mm/sec		
Maximum printing width *	2.4 cm		
Maximum print height	1.8 cm		
Paper handling		Operational conditions	
Autocutter	✓	Operating relative humidity (H-H)	20 - 80%
Maximum label length	0.499 m	Operating temperature (T-T)	10 - 35 °C
Ports & interfaces		Weight & dimensions	
Connectivity technology *	Wired & Wireless	Width	128 mm
Ethernet LAN *	✗	Depth	67 mm
Wi-Fi *	✗	Height	128 mm
Bluetooth	✓	Weight	670 g
Bluetooth version	2.1+EDR	Packaging data	
USB port *	✓	Quantity per pack	1 pc(s)
USB 2.0 ports quantity	1	Package width	198 mm
Performance		Package depth	98 mm
Tape type	TZe	Package height	210 mm
Tape width	2.4 cm	Package weight	1.2 kg
Design		Package type	Box
Product colour *	Black	Packaging content	
Built-in display	✗	Cables included	USB
Display *	✗	Bundled software	P-touch Editor Version 5
		AC adapter included	✓
		Manual	✓

Power

Battery technology	Lithium-Ion (Li-Ion)
Auto power off	✓
Rechargeable	✓

Logistics data

Harmonized System (HS) code	84433210
-----------------------------	----------

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-DEC-2024. Prints or copies of Information are only valid on the printed Publication date