
StarTech.com PR22GI-NETWORK-CARD verkkokortti Sisäinen Ethernet 2500 Mbit/s

Tuotemerkki : StarTech.com Tuotekoodi: PR22GI-NETWORK-CARD

Tuotteen nimi: PR22GI-NETWORK-CARD







Ports & interfaces		System requirements	
Connectivity technology * Host interface * Interface * Ethernet LAN (RJ-45) ports PCI version	Wired PCI Express Ethernet 2 2.0	Windows operating systems supported	Windows 11 Enterprise x64, Windows 10, Windows 11 Home, Windows 10 Education, Windows 11 Pro, Windows 10 Education x64, Windows 11 X64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 Enterprise
Network		Supported	
Maximum data transfer rate * Networking standards *	2500 Mbit/s IEEE 1588, IEEE 802.3ab, IEEE 802.3bz, IEEE 802.3i, IEEE 802.1as,		
neemenning stantag as	IEEE 802.1p, IEEE 802.3u, IEEE 802.1Q, IEEE 802.3az, IEEE 802.1x	Linux operating systems supported	✓
Ethernet LAN	✓	Server operating systems supported	Windows Server 2019, Windows Server 2022
Ethernet interface type	Gigabit Ethernet, 2.5 Gigabit Ethernet, Fast Ethernet	Operational conditions	
Ethernet LAN data rates	10,1000,2500,100,2000 Mbit/s	Operating temperature (T-T)	0 - 55 °C
Copper ethernet cabling technology	100BASE-TX, 10BASE-TX, 1000BASE-T, 2500BASE-T	Storage temperature (T-T) Operating relative humidity (H-H)	-10 - 70 °C 5 - 90%
Wake-on-LAN ready	✓	Weight & dimensions	
Auto MDIX IEEE	✓	Width	112 mm
Jumbo frames support	✓	Depth	120 mm
Jumbo frames	9000	Height	18 mm
Quality of Service (QoS) support	✓	Weight	60 g
VLAN tagging	✓	Packaging data	
Design		Low-profile bracket	✓
Component for *	PC/Server	Package width	170 mm
Product colour	Black	Package depth	142 mm
Internal *	✓	Package height	30 mm
Chipset	Intel I225-V	Package weight	66 g

Design		Packaging content	
LED indicators	Activity, Link	Quick installation guide	✓
		Logistics data	
		Master (outer) case width	605 mm
		Master (outer) case length	325 mm
		Master (outer) case height	385 mm
		Products per master (outer) case	80 pc(s)





065030898140

0065030898140

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.