

ASUS Dual -RTX4060TI-8G NVIDIA GeForce RTX 4060 Ti 8 GB GDDR6

Tuotemerkki : ASUS

Tuoteperhe: Dual

Tuotekoodi: 90YV0J41-M0NA00

Tuotteen nimi : DUAL-RTX4060TI-8G



ASUS Dual -RTX4060TI-8G. Grafiikkaprosessorin perhe: NVIDIA, Grafiikkaprosessori: GeForce RTX 4060 Ti. Diskreetti näytönohjainmuisti: 8 GB, Näytönohjaimen muistityyppi: GDDR6, Muistiväylä: 128 bittiä. Enimmäiserottelutarkkuus: 7680 x 4320 pikseliä. DirectX-versio: 12 Ultimate, OpenGL-versio: 4.6. PCI-väylä: PCI Express 4.0. Jäähdytyksen tyyppi: Aktiivinen, Tuulettimien määrä: 2 tuuletin(ta)



| | | | |
|--|---------------------|--------------------------------|---------------------------------|
| Processor | | Performance | |
| CUDA * | ✓ | OpenGL version * | 4.6 |
| CUDA cores | 4352 | HDCP | ✓ |
| Graphics processor family * | NVIDIA | HDCP version | 2.3 |
| Graphics processor * | GeForce RTX 4060 Ti | Dual Link DVI * | ✗ |
| Processor boost clock speed | 2535 MHz | NVIDIA G-SYNC | ✓ |
| Processor frequency (OC mode) | 2565 MHz | NVIDIA Ansel | ✓ |
| Maximum resolution * | 7680 x 4320 pixels | Design | |
| Parallel processing technology support * | Not supported | Cooling type * | Active |
| Maximum displays per videocard | 4 | Cooling technology | ASUS Axial-tech |
| Memory | | Number of fans | 2 fan(s) |
| Discrete graphics card memory * | 8 GB | Form factor | Full-Height/Half-Length (FH/HL) |
| Graphics card memory type * | GDDR6 | Number of slots | 2.5 |
| Memory bus * | 128 bit | Product colour | Black |
| Data transfer rate | 18 Gbit/s | Power | |
| Ports & interfaces | | Minimum system power supply * | 650 W |
| Interface type * | PCI Express 4.0 | Supplementary power connectors | 1x 8-pin |
| HDMI ports quantity * | 1 | Weight & dimensions | |
| HDMI version | 2.1 | Weight | 658 g |
| DisplayPorts quantity * | 3 | Length | 227.2 mm |
| DisplayPort version | 1.4a | Depth | 49.6 mm |
| Performance | | Height | 123.2 mm |
| TV tuner integrated * | ✗ | Packaging data | |
| DirectX version * | 12 Ultimate | Package width | 368 mm |
| | | Package depth | 220.5 mm |
| | | Package height | 68 mm |
| | | Package weight | 1.12 kg |

Packaging data

Package type

Box



4711387183113

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-DEC-2024. Prints or copies of Information are only valid on the printed Publication date