Epson ES-C380W ADF + Sheet-fed scanner 600 x 600 DPI A4 Black

Brand : Epson **Product code:** B11B269401

Product name: ES-C380W

ES-C380W

Epson ES-C380W ADF + Sheet-fed scanner 600 x 600 DPI A4 Black:

Compact network scanner

A compact network A4 scanner with a small footprint while in use, versatile media handling and low power consumption.

The scanner's U-turn path position allows paper to be scanned without adding to the footprint of the device. Switch to straight path mode to scan passports and booklets up to 5mm thick. Scan to popular cloud based services including OneDrive, Sharepoint online and Microsoft Teams*. Made from up to 30% recycled plastics** and with a low power consumtion, it also has a lower environmental impact.





Scanning		Ports & interfaces	
Maximum scan size *	215.9 x 5588 mm	USB port *	✓
Optical scanning resolution *	600 x 600 DPI	USB version	2.0
Duplex scanning *	lex scanning * ✓	Network	
Input colour depth	30 bit	Wi-Fi	1
Output colour depth	24 bit		802.11a, 802.11b, 802.11g, Wi-Fi 4
Output monochrome depth	8 bit	Wi-Fi standards	(802.11n)
Design		Power	
Scanner type *	ADF + Sheet-fed scanner	Power supply type *	AC
Product colour *	Black	Power consumption (typical)	10 W
Control type	Buttons	Power consumption (standby)	1 W
Built-in display *	×	Power consumption (PowerSave)	4 W
Performance		Input voltage	100 - 240 V
Light source	ReadyScan LED	Weight & dimensions	
Daily duty cycle (max) *	3500 pages	Width	296 mm
Scan to	E-mail, FTP, Network folder, Print	Depth	104 mm
Scan drivers	ICA, SANE, TWAIN, WIA	Height	125 mm
Input capacity		Weight	1.9 kg
Standard input capacity	20 sheets	System requirements	
Paper handling		Windows operating systems supported	Windows 10, Windows 11, Windows 7, Windows 8
Scanning media types supported	Business Card, Plastic Card, Post Card(JPN)	Supportou	Windows Server 2003, Windows
Maximum ISO A-series paper size *	A4	Server operating systems supported R2, Windows Server 2012	Server 2008, Windows Server 2008 R2. Windows Server 2012 R2.
ISO A-series sizes (A0A9)	A4, A5, A6		Windows Server 2012 x64, Windows
ISO B-series sizes (B0B9)	B5, B6		Server 2016
Letter	✓	Operational conditions	
Legal	✓	Operating temperature (T-T)	5 - 35 °C
Paper tray media weight	40 - 413 g/m²	Storage temperature (T-T)	-25 - 60 °C
		Operating relative humidity (H-H)	15 - 80%

^	navatianal	conditions
u	perational	Conditions

Storage relative humidity (H-H) 15 - 85%



8715946718279

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.