

Lindy Full HD 1080p Webcam with Microphone

Brand: Lindy Product code: 43300

Product name: Full HD 1080p Webcam with Microphone

Full HD 1080p Webcam with Microphone

Lindy Full HD 1080p Webcam with Microphone:

The Lindy Full HD 1080p Webcam with Microphone is designed for video calls and conferences. Resolutions up to 1080p at 30 frames per second ensure smooth video and high resolutions alongside clear images thanks to a 6 layer glass coated lens.

Plug and Play installation means that users don't have to worry about complex driver installs, simply connect the Webcam and the installation will begin automatically by the operating system.

The webcam features a foldable clip, which makes mounting on displays and laptops easy. The 360° swivel design offers even more flexibility in use. Sharpness can be adjusted manually by turning the silver focus ring. This Full HD Webcam is compatible with all common platforms like Teams, Zoom, Skype, YouTube, Facetime etc.





Performance		Software	
Maximum video resolution * Maximum frame rate	1920 x 1080 pixels 30 fps	Windows operating systems supported	✓
Camera HD type *	Full HD	Mac operating systems supported	✓
Auto exposure	✓	Linux operating systems supported	✓
Focus adjustment	Manual	Operational conditions	
Camera shutter function Camera shutter type Viewing angle, horizontal	Auto 110°	Operating relative humidity (H-H) Storage temperature (T-T) Operating temperature (T-T)	30 - 70% -20 - 80 °C -20 - 60 °C
Camera lens elements	6-element lens	Weight & dimensions	
Signal-to-Noise Ratio (SNR) White balance Noise reduction Chipset Operating voltage	50 dB Auto ✓ Hisilicon 3518EV300+ F23 5 V	Width Depth Height Weight	70 mm 32 mm 84 mm 110 g
Operating current	0.16 A	Packaging data	
Plug and Play	✓	Quantity	1
Design		Package type	Box
Interface * Product colour * Housing material	USB 2.0 Black Acrylonitrile butadiene styrene (ABS)	Package width Package depth Package height Package weight	143 mm 88 mm 48 mm 146 g
Mounting type *	Clip/Stand	Packaging content	
Sensor type	CMOS	Manual	✓
Lens material Built-in flash *	Glass ×	Microphone	
USB powered Cable length	✓ 1.45 m	Built-in microphone * Number of microphones	1

Design		Logistics data	
Tilt angle range	0 - 180°	Harmonized System (HS) code	85258900
Rotating	✓	Technical details	
360° rotational base	✓	Compliance certificates	RoHS
Certification	CE, UKCA, FCC, RoHS, REACH, California Proposition 65		



4002888433006

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.