



Lenovo ThinkSystem SR650 V3 server Rack (2U) Intel® Xeon® Gold 5415+ 2.9 GHz 64 GB DDR5-SDRAM 1100 W



Brand : Lenovo

Product family: ThinkSystem

Product code: 7D76A035EA

Product name : SR650 V3

- Intel Xeon Gold 5415+ (22.5MB Cache, 2.9GHz)
- 64GB (4800MHz) DDR5-SDRAM

Intel Xeon Gold 5415+ (22.5MB Cache, 2.9GHz), 64GB DDR5-SDRAM (4800MHz), 1100W
Lenovo ThinkSystem SR650 V3. Processor family: Intel® Xeon® Gold, Processor frequency: 2.9 GHz, Processor model: 5415+. Internal memory: 64 GB, Internal memory type: DDR5-SDRAM, Memory layout (slots x size): 1 x 64 GB. Power supply: 1100 W, Redundant power supply (RPS) support. Chassis type: Rack (2U)

| Processor | | Ports & interfaces | |
|----------------------------------|-----------------------------|---|--|
| Processor manufacturer * | Intel | Ethernet LAN (RJ-45) ports * | 1 |
| Processor family * | Intel® Xeon® Gold | USB 2.0 ports quantity | 1 |
| Processor generation | Intel Xeon Scalable 4th Gen | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity | 4 |
| Processor model * | 5415+ | VGA (D-Sub) ports quantity | 1 |
| Processor frequency * | 2.9 GHz | | |
| Processor boost frequency | 4.1 GHz | | |
| Processor cores | 8 | | |
| Processor cache | 22.5 MB | | |
| Number of processors installed | 1 | | |
| Maximum number of SMP processors | 2 | | |
| Memory | | Design | |
| Internal memory * | 64 GB | Chassis type * | Rack (2U) |
| Internal memory type * | DDR5-SDRAM | | |
| Memory slots | 32x DIMM | | |
| ECC | ✓ | | |
| Memory clock speed | 4800 MHz | | |
| Memory layout (slots x size) | 1 x 64 GB | | |
| Maximum internal memory * | 8.19 TB | | |
| Storage | | Performance | |
| RAID support * | ✓ | Performance management | XClarity Controller Platinum |
| Hot-swap | ✓ | Trusted Platform Module (TPM) | ✓ |
| Optical drive type * | ✗ | Trusted Platform Module (TPM) version | 2.0 |
| Graphics | | Software | |
| On-board graphics card | ✓ | Compatible operating systems * | Microsoft Windows Server, Red Hat Enterprise Linux, SUSE Linux Enterprise Server, VMware ESXi, Ubuntu Server |
| Maximum graphics card memory | 16 MB | | |
| | | Power | |
| | | Redundant power supply (RPS) support * | ✓ |
| | | Power supply * | 1100 W |
| | | Number of redundant power supplies supported | 2 |
| | | Weight & dimensions | |
| | | Width | 445 mm |
| | | Depth | 766 mm |
| | | Height | 87 mm |

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-FEB-2025. Prints or copies of Information are only valid on the printed Publication date