

## DELL UltraSharp U3824DW LED display 95,2 cm (37.5") 3840 x 1600 pikseliä Wide Quad HD+ LCD musta, Hopea

Tuotemerkki : DELL Tuoteperhe: UltraSharp Tuotekoodi: DELL-U3824DW

Tuotteen nimi: U3824DW

DELL UltraSharp U3824DW. Näytön halkaisija: 95,2 cm (37.5"), Näytön erottelutarkkuus: 3840 x 1600 pikseliä, HD-tyyppi: Wide Quad HD+, Näytön teknologia: LCD, Vasteaika (tyypillinen): 8 ms, Vakiokuvasuhde: 21:9, Katselukulma, vaakasuora: 178°, Katselukulma, pystysuora: 178°. Sisäiset kaiuttimet. Sisäänrakennettu USB-keskus, USB-keskuksen versio: 3.2 Gen 2 (3.1 Gen 2). VESA-kiinnitys, Korkeudensäätö. Tuotteen väri: musta, Hopea





Display		Ergonomics	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Backlight type Touchscreen * Display brightness (typical) Response time * Anti-glare screen Screen shape * Screen curvature rating	95.2 cm (37.5") 3840 x 1600 pixels Wide Quad HD+ 21:9 LCD IPS W-LED	VESA mounting * Panel mounting interface Cable management Cable lock slot * Cable lock slot type Height adjustment * Adjustable height (max) Pivot Swivelling Swivel angle range Tilt adjustment Tilt angle range On Screen Display (OSD)	✓ 100 x 100 mm  ✓  Kensington  ✓ 12 cm  ×  ✓ -30 - 30°  ✓
Supported graphics resolutions	600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 800, 1600 x 1200, 1920 x 1080 (HD 1080), 2560 x 1440, 3840 x 1600	LED indicators  Power  Energy efficiency class (SDR) *	F
Supported video modes Contrast ratio (typical) * Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Response time (fast) Pixel pitch Pixel density Horizontal scan range Vertical scan range	480p, 576p, 720p, 1080i, 1080p 2000:1 60 Hz 178° 178° 1.07 billion colours 5 ms 0.22908 x 0.22908 mm 110.87 ppi 30 - 100 kHz 56 - 76 Hz	Energy efficiency class (HDR) * Energy consumption (SDR) per 1000 hours * Power consumption (typical) * Power consumption (standby) * Power consumption (max) Power consumption (off) AC input voltage AC input frequency Input current Power supply type	Not available  35 kWh  34.8 W  0.4 W  245 W  0.3 W  100 - 240 V  50/60 Hz  3.2 A  Internal

Display		Power	
Viewable size, horizontal	88 cm	Energy efficiency scale	A to G
Viewable size, vertical	36.7 cm	European Product Registry for	1361189
Display diagonal (metric)	95.25 cm	Energy Labelling (EPREL) code	
Surface hardness	3H	Operational conditions	
Colour gamut standard	DCI-P3	Operating temperature (T-T)	0 - 40 °C
Colour gamut sRGB coverage (typical)	98% 100%	Storage temperature (T-T)	-20 - 60 °C
Heat dissipation (typical)	118.74 BTU/h	Operating relative humidity (H-H)	10 - 80%
	110.7 1 5 1 6/11	Storage relative humidity (H-H)  Operating altitude	5 - 90% 0 - 5000 m
Performance		Non-operating altitude	0 - 12192 m
NVIDIA G-SYNC *	×		0 12132 111
AMD FreeSync *	×	Weight & dimensions	2012
Flicker-free technology	1	Width (with stand)	894.3 mm
Low Blue Light technology	1	Depth (with stand) Height (with stand)	251.2 mm 443.8 mm
Multimedia		Weight (with stand)	12.8 kg
Number of speakers	2	Width (without stand)	894.3 mm
RMS rated power	18 W	Depth (without stand)	102.3 mm
Built-in speaker(s) *	✓	Height (without stand)	392.3 mm
Built-in camera *	×	Weight (without stand)	8.79 kg
Design		Bezel width (side)	9.97 mm
Market positioning *	Office	Bezel width (top)	1.05 cm
Product colour *	Black, Silver	Bezel width (bottom)	1.53 cm
Front bezel colour	Black	Packaging data	
Feet colour	Silver	Package weight	19 kg
Ports & interfaces		Packaging content	
Built-in USB hub *	1	Stand included	<b>√</b>
Dane in OSB nab	•	Staria included	•
USB hub version	3.2 Gen 2 (3.1 Gen 2)		AC, DisplayPort, HDMI, USB Type-C,
		Cables included	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A
USB hub version USB upstream port type Number of USB Type-C upstream	3.2 Gen 2 (3.1 Gen 2)	Cables included  Power adapter included	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A ✓
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity	3.2 Gen 2 (3.1 Gen 2) USB Type-C	Cables included  Power adapter included  Remote control included	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A  ✓  ×
USB hub version USB upstream port type Number of USB Type-C upstream	3.2 Gen 2 (3.1 Gen 2) USB Type-C	Cables included  Power adapter included	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A  ✓  ×
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports	3.2 Gen 2 (3.1 Gen 2) USB Type-C 2	Cables included  Power adapter included  Remote control included  Stylus included  Quick start guide	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A  ✓  ×  ✓
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity	3.2 Gen 2 (3.1 Gen 2) USB Type-C 2	Cables included  Power adapter included  Remote control included  Stylus included  Quick start guide  DisplayPort cable length	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate	3.2 Gen 2 (3.1 Gen 2) USB Type-C 2	Cables included  Power adapter included  Remote control included  Stylus included  Quick start guide  DisplayPort cable length  HDMI cable length	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A  ✓  ×  ✓
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode	3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 5	Cables included  Power adapter included  Remote control included  Stylus included  Quick start guide  DisplayPort cable length	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate	3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 5	Cables included  Power adapter included  Remote control included  Stylus included  Quick start guide  DisplayPort cable length  HDMI cable length	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD)	3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 5	Cables included  Power adapter included  Remote control included  Stylus included  Quick start guide  DisplayPort cable length  HDMI cable length  Sustainability  Sustainability compliance  Sustainability certificates	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to	3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 5 2  ✓ 90 W	Cables included  Power adapter included  Remote control included  Stylus included  Quick start guide  DisplayPort cable length  HDMI cable length  Sustainability  Sustainability compliance	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to HDMI *	3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 5 2 ✓ 90 W	Cables included  Power adapter included  Remote control included  Stylus included  Quick start guide  DisplayPort cable length  HDMI cable length  Sustainability  Sustainability compliance  Sustainability certificates	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to HDMI * HDMI ports quantity	3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 5 2  ✓ 90 W ✓ 2	Cables included  Power adapter included  Remote control included  Stylus included  Quick start guide  DisplayPort cable length  HDMI cable length  Sustainability  Sustainability compliance  Sustainability certificates  Doesn't contain	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version	3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 5 2  ✓ 90 W ✓ 2 2.1	Cables included  Power adapter included  Remote control included  Stylus included  Quick start guide  DisplayPort cable length  HDMI cable length  Sustainability  Sustainability compliance  Sustainability certificates  Doesn't contain  Other features	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output	3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 5 2  ✓ 90 W  2 2.1 1	Cables included Power adapter included Remote control included Stylus included Quick start guide DisplayPort cable length HDMI cable length  Sustainability Sustainability compliance Sustainability certificates Doesn't contain  Other features Picture-by-Picture (PbP) Maximum resolution Heavy metals free	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version	3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 5 2	Cables included Power adapter included Remote control included Stylus included Quick start guide DisplayPort cable length HDMI cable length  Sustainability Sustainability compliance Sustainability certificates Doesn't contain Other features Picture-by-Picture (PbP) Maximum resolution Heavy metals free Compliance certificates	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output	3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 5 2  ✓ 90 W  2 2.1 1 1.4	Cables included Power adapter included Remote control included Stylus included Quick start guide DisplayPort cable length HDMI cable length  Sustainability Sustainability compliance Sustainability certificates Doesn't contain  Other features Picture-by-Picture (PbP) Maximum resolution Heavy metals free Compliance certificates Ethernet LAN data rates	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output Headphone out *	3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 5 2	Cables included Power adapter included Remote control included Stylus included Quick start guide DisplayPort cable length HDMI cable length  Sustainability Sustainability compliance Sustainability certificates Doesn't contain  Other features Picture-by-Picture (PbP) Maximum resolution Heavy metals free Compliance certificates Ethernet LAN data rates Ethernet LAN (RJ-45) ports	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output Headphone out * Microphone in	3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 5 2	Cables included Power adapter included Remote control included Stylus included Quick start guide DisplayPort cable length HDMI cable length  Sustainability Sustainability compliance Sustainability certificates Doesn't contain  Other features Picture-by-Picture (PbP) Maximum resolution Heavy metals free Compliance certificates Ethernet LAN data rates	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output Headphone out * Microphone in PC Audio in	3.2 Gen 2 (3.1 Gen 2) USB Type-C  2  5  2  ✓  90 W  ✓  2  2.1  1  1.4  ✓  ×  ×	Cables included Power adapter included Remote control included Stylus included Quick start guide DisplayPort cable length HDMI cable length  Sustainability Sustainability compliance Sustainability certificates Doesn't contain  Other features Picture-by-Picture (PbP) Maximum resolution Heavy metals free Compliance certificates Ethernet LAN data rates Ethernet LAN (RJ-45) ports  Brand-specific features Dell Display Manager (DDM)	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output Headphone out * Microphone in PC Audio in Built-in KVM switch	3.2 Gen 2 (3.1 Gen 2) USB Type-C  2  5  2  ✓  90 W  ✓  1.4  ✓  ×  ×	Cables included Power adapter included Remote control included Stylus included Quick start guide DisplayPort cable length HDMI cable length  Sustainability Sustainability compliance Sustainability certificates Doesn't contain Other features Picture-by-Picture (PbP) Maximum resolution Heavy metals free Compliance certificates Ethernet LAN data rates Ethernet LAN (RJ-45) ports  Brand-specific features	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A  X  X  1.8 m  1.8 m  1.8 m  **  ENERGY STAR, TCO Arsenic, PVC/BFR   **  3840 x 1600 pixels Hg (mercury) RoHS  10,100,1000,2500 Mbit/s  1
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output Headphone out * Microphone in PC Audio in Built-in KVM switch HDCP	3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 5 2	Cables included Power adapter included Remote control included Stylus included Quick start guide DisplayPort cable length HDMI cable length  Sustainability Sustainability compliance Sustainability certificates Doesn't contain  Other features Picture-by-Picture (PbP) Maximum resolution Heavy metals free Compliance certificates Ethernet LAN data rates Ethernet LAN (RJ-45) ports  Brand-specific features Dell Display Manager (DDM)	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A  X  X  1.8 m  1.8 m  1.8 m  **  ENERGY STAR, TCO Arsenic, PVC/BFR   **  3840 x 1600 pixels Hg (mercury) RoHS  10,100,1000,2500 Mbit/s  1
USB hub version USB upstream port type Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery (USB PD) USB Power Delivery up to HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio output Headphone out * Microphone in PC Audio in Built-in KVM switch HDCP HDCP version	3.2 Gen 2 (3.1 Gen 2) USB Type-C 2 5 2	Cables included Power adapter included Remote control included Stylus included Quick start guide DisplayPort cable length HDMI cable length  Sustainability Sustainability compliance Sustainability certificates Doesn't contain  Other features Picture-by-Picture (PbP) Maximum resolution Heavy metals free Compliance certificates Ethernet LAN data rates Ethernet LAN (RJ-45) ports  Brand-specific features Dell Display Manager (DDM)	AC, DisplayPort, HDMI, USB Type-C, USB Type-C to USB Type-A  X  X  1.8 m  1.8 m  1.8 m  **  ENERGY STAR, TCO Arsenic, PVC/BFR   **  3840 x 1600 pixels Hg (mercury) RoHS  10,100,1000,2500 Mbit/s  1











Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.